				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW PROPOSED		TOTAL	WINTER	ROOM BASELINE		ROOM PROPOSED		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	PROPOSED	LOSS	%	BASELINE	PROPOSED	LOSS	%	BASELINE	PROPOSED	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
	R3	UNKNOWN	W4	29.0	25.8	3.2	11.0	99.7	99.7	0.0	0.0					N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	UNKNOWN	W5	27.3	24.4	2.9	10.6	100.0	100.0	0.0	0.0					N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			W6	27.2	24.3	2.9	10.7									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	UNKNOWN	W7	29.6	29.6	0.0	0.0	99.6	98.5	1.1	1.1					2.0	0	2	0	0	0	33	7	25	1	24.2	85.7
			W8	29.9	26.6	3.3	11.0									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			W9	29.6	26.3	3.3	11.1									N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
POPLAR HIGH STREET 2-24																											
F00	R1	UNKNOWN	W1	26.1	23.4	2.7	10.3	100.0	100.0	0.0	0.0					65.0	12	59	8	9.2	33.3	70	14	64	10	8.6	28.6
			W2	26.7	24.0	2.7	10.1									70.0	14	64	10	8.6	28.6						
	R2	UNKNOWN	W3	27.7	25.0	2.7	9.7	100.0	100.0	0.0	0.0					72.0	15	66	11	8.3	26.7	72	15	66	11	8.3	26.7
	R3	UNKNOWN	W4	0.3	0.3	0.0	0.0	66.7	65.1	1.6	2.4					2.0	2	2	2	0	0	2	2	2	2	0	0
	R4	UNKNOWN	W5	2.7	2.7	0.0	0.0	100.0	100.0	0.0	0.0											73	16	66	11	9.6	31.3
			W6	28.7	25.9	2.8	9.8									73.0	16	66	11	9.6	31.3						
	R5	UNKNOWN	W7	28.7	25.8	2.9	10.1	100.0	100.0	0.0	0.0					73.0	17	66	12	9.6	29.4	74	18	67	13	9.5	27.8
			W8	28.8	25.9	2.9	10.1									74.0	18	67	13	9.5	27.8						
	R6	UNKNOWN	W9	29.3	26.4	2.9	9.9	100.0	100.0	0.0	0.0					75.0	19	68	14	9.3	26.3	75	19	68	14	9.3	26.3
	R7	UNKNOWN	W10	25.4	22.5	2.9	11.4	100.0	98.8	1.2	1.2					54.0	16	47	11	13	31.3	59	17	52	12	11.9	26.4
			W11	20.4	17.4	3.0	14.7									43.0	14	36	9	16.3	35.7						
			W12	19.8	16.9	2.9	14.6									42.0	13	35	8	16.7	38.5						
	R8	UNKNOWN	W13	0.5	0.5	0.0	0.0	62.5	60.9	1.6	2.6					2.0	2	2	2	0	0	2	2	2	2	0	0
	R9	UNKNOWN	W14	3.6	3.6	0.0	0.0	99.6	99.6	0.0	0.0											75	18	69	14	8	22.2
			W15	29.6	26.6	3.0	10.1									75.0	18	69	14	8	22.2						
	R10	UNKNOWN	W16	0.5	0.5	0.0	0.0	61.7	60.2	1.5	2.4					1.0	1	1	1	0	0	1	1	1	1	0	0
	R11	UNKNOWN	W17	3.8	3.8	0.0	0.0	100.0	100.0	0.0	0.0											73	17	67	13	8.2	23.5
			W18	29.6	26.6	3.0	10.1									73.0	17	67	13	8.2	23.5						
	R12	UNKNOWN	W19	0.6	0.6	0.0	0.0	67.2	67.2	0.0	0.0					2.0	2	2	2	0	0	2	2	2	2	0	0
	R13	UNKNOWN	W20	4.0	4.0	0.0	0.0	100.0	100.0	0.0	0.0											72	17	66	13	8.3	23.5
			W21	29.1	26.5	2.6	8.9									72.0	17	66	13	8.3	23.5						
F01	R1	UNKNOWN	W1	30.3	27.6	2.7	8.9	100.0	100.0	0.0	0.0					75.0	20	68	15	9.3	25	75	20	68	15	9.3	25
	R2	UNKNOWN	W2	30.8	28.1	2.7	8.8	91.7	91.7	0.0	0.0					79.0	21	72	16	8.9	23.8	79	21	72	16	8.9	23.8
	R3	UNKNOWN	W3	30.9	28.2	2.7	8.7	100.0	100.0	0.0	0.0																
	R4	UNKNOWN	W4	31.3	28.4	2.9	9.3	88.9	88.9	0.0	0.0					79.0	22	72	17	8.9	22.7	79	22	72	17	8.9	22.7
	R5	UNKNOWN	W5	31.3	28.5	2.8	8.9	100.0	100.0	0.0	0.0					78.0	22	71	17	9	22.7	78	22	71	17	9	22.7
	R6	UNKNOWN	W6	30.9	28.0	2.9	9.4	86.4	85.4	1.0	1.2					73.0	22	66	17	9.6	22.7	73	22	66	17	9.6	22.7
	R7	UNKNOWN	W7	27.6	24.7	2.9	10.5	96.4	91.8	4.6	4.8					57.0	19	51	15	10.5	21.1	57	19	51	15	10.5	21.1
	R8	UNKNOWN	W8	31.3	28.3	3.0	9.6	100.0	100.0	0.0	0.0					78.0	21	69	16	9.2	23.8	78	21	69	16	9.2	23.8
	R9	UNKNOWN	W9	31.3	28.3	3.0	9.6	86.8	85.8	1.0	1.2					78.0	21	72	17	7.7	19	78	21	72	17	7.7	19
	R10	UNKNOWN	W10	31.3	28.3	3.0	9.6	99.3	99.3	0.0	0.0					79.0	21	73	17	7.6	19	79	21	73	17	7.6	19
	R11	UNKNOWN	W11	31.2	28.1	3.1	9.9	93.0	92.0	1.0	1.1					78.0	19	70	15	7.9	21.1	76	19	70	15	7.9	21.1
	R12	UNKNOWN	W12	31.1	28.0	3.1	10.0	100.0	100.0	0.0	0.0					76.0	20	70	16	7.9	20	76	20	70	16	7.9	20
	R13	UNKNOWN	W13	30.4	27.3	3.1	10.2	90.5	89.0	1.5	1.7					72.0	19	66	15	8.3	21.1	72	19	66	15	8.3	21.1
F02	R1	UNKNOWN	W1	1.3	1.3	0.0	0.0	66.1	66.1	0.0	0.0					2.0	2	2	2	0	0	2	2	2	2	0	0
	R2	UNKNOWN	W2	4.4	4.4	0.0	0.0	99.6	99.6	0.0	0.0											79	23	72	18	8.9	21.7
			W3	32.5	29.8	2.7	8.3									79.0	23	72	18	8.9	21.7						
	R3	UNKNOWN	W4	1.3	1.3	0.0	0.0	66.7	65.9	0.8	1.2					2.0	2	2	2	0	0	2	2	2	2	0	0
	R4	UNKNOWN	W5	4.6	4.6	0.0	0.0	100.0	100.0	0.0	0.0											80	23	73	18	8.8	21.7
			W6	32.4	29.6	2.8	8.6									80.0	23	73	18	8.8	21.7						
	R5	UNKNOWN	W7	1.2	1.2	0.0	0.0	65.1	63.6	1.5	2.3					2.0	2	2	2	0	0	2	2	2	2	0	0
	R6	UNKNOWN	W8	4.6	4.6	0.0	0.0	99.6	99.6	0.0	0.0											79	23	72	18	8.9	21.7
			W9	32.2	29.4	2.8	8.7									79.0	23	72	18	8.9	21.7						
	R7	UNKNOWN	W10	28.5	25.7	2.8	9.8	79.5	79.5	0.0	0.0					59.0	21	53	17	10.2	19	59	21	53	17	10.2	19
	R8	UNKNOWN	W11	1.1	1.1	0.0	0.0	62.5	60.9	1.6	2.6					2.0	2	2	2	0	0	2	2	2	2	0	0
	R9	UNKNOWN	W12	4.5	4.5	0.0	0.0	99.6	99.6	0.0	0.0											80	24	73	19	8.8	20.8
			W13	32.1	29.0	3.1	9.7									80.0	24	73	19	8.8	20.8						
	R10	UNKNOWN	W14	1.0	1.0	0.0	0.0	62.5	60.9	1.6	2.6					2.0	2	2	2	0	0	2	2	2	2	0	0
	R11	UNKNOWN	W15	4.6	4.6	0.0	0.0	100.0	100.0	0.0	0.0											80	23	73	18	8.8	21.7
			W16	31.9	28.7	3.2	10.0									80.0	23	73	18	8.8	21.7						
	R12	UNKNOWN	W17	0.9	0.9	0.0	0.0	67.2	67.2	0.0	0.0					2.0	2	2	2	0	0	2	2	2	2	0	0
	R13	UNKNOWN	W18	4.6	4.6	0.0	0.0	100.0	100.0	0.0	0.0											77	21	71	17	7.8	19
			W19	31.7	28.5	3.2	10.1									77.0	21	71	17	7.8	19						
F03	R1	UNKNOWN	W1	32.4	29.7	2.7	8.3	100.0	100.0	0.0	0.0					78.0	25	71	20	9	20	78	25	71	20	9	20
	R2	UNKNOWN	W2	32.3	29.6	2.7	8.4	92.2	91.7	0.5	0.5					80.0	25	73	20	8.8	20	80	25	73	20	8.8	20
	R3	UNKNOWN	W3	32.1	29.4	2.7	8.4	100.0	100.0	0.0	0.0					80.0	25	73	20	8.8	20	80	25	73	20	8.8	20
	R4	UNKNOWN	W4	32.0	29.2	2.8	8.8	88.9	88.4	0.5	0.6					80.0	25	73	20	8.8	20	80	25	73	20	8.8	20
	R5	UNKNOWN	W5	32.0	29.1	2.9	9.1	100.0	100.0	0.0	0.0					80.0	25	73	20	8.8	20	80	25	73	20	8.8	20
	R6	UNKNOWN	W6	31.4	28.5	2.9	9.2	87.4	86.4	1.0	1.1					75.0	25	68	20	9.3	20	75	25	68	20	9.3	20
	R7	UNKNOWN	W7	30.5	27.8	2.7	8.9	99.4	95.8	3.6	3.6					69.0	22	63	18	8.7	18.2	69	22	63	18	8.7	18.2
	R8	UNKNOWN	W8	31.7	28.7	3.0	9.5	100.0	100.0	0.0	0.0					78.0	25	71	20	9	20	78	25	71	20	9	20
	R9	UNKNOWN	W9	31.7	28.6	3.1	9.8	87.3	86.3	1.0	1.1					80.0	25	73	20	8.8	20	80	25	73	20	8.8	20
	R10	UNKNOWN	W10	31.6	28.5	3.1	9.8	99.7	99.7	0.0	0.0					80.0	25	73	20	8.8	20	80	25	73	20	8.8	20
	R11	UNKNOWN	W11	31.5	28.4	3.1	9.8	93.0	92.0	1.0	1.1					79.0	24	72	19	8.9	20.8	79	24	72	19	8.9	20.8
	R12	UNKNOWN	W12	31.6	28.3	3.3	10.4	100.0	100.0	0.0	0.0					80.0	25	73	20	8.8	20	80	25	73	20	8.8	20
	R13	UNKNOWN	W13	31.1	27.8	3.3	10.6	90.5	89.0	1.5	1.7					75.0	23	68	18	9.3	21.7	75	23	68	18	9.3	21.7
POPLAR HIGH STREET 26-38																											
F00	R1	NKNOWN-RE	W1	29.8	26.7	3.1	10.4	100.0	96.9	3.1	3.1					39.0	8	29	1	25.6	87.5	39	8	29	1	25.6	87.5
	R2	NKNOWN-RE	W2	30.1	27.0	3.1	10.3	98.7	98.7	0.0	0.0					39.0	8	29	1	25.6	87.5	39	8	29	1	25.6	87.5
	R3	CULATION SP	W3	2.0	2.0	0.0	0.0	79.0	68.2	10.8	13.7					0.0	0	0	0	0	0	0	0	0	0	0	0
			W4	4.7	4.6	0.1	2.1									0.0	0	0	0	0	0						
	R4	NKNOWN-RE	W5	30.6	27.8	2.8	9.2	98.9	96.5	2.4	2.4					42.0	9	32	2	23.8	77.8	42	9	32	2	23.8	77.8
	R5	NKNOWN-RE	W6	31.5	28.8	2.7	8.6	99.1	99.1	0.0	0.0					43.0	9	33	2	23.3	77.8	43	9	33	2	23.3	77.8
F01	R1	NKNOWN-RE	W1	32.6	29.4	3.2	9.8	100.0	96.9	3.1	3.1					45.0	9	35	2	22.2	77.8	45	9	35	2	22.2	77.8
	R2	NKNOWN-RE	W2	32.8	29.7	3.1	9.5	98.7	98.7	0.0	0.0					46.0	9	36	2	21.7	77.8	46	9	36	2	21.7	77.8
	R3	CULATION SP	W3	31.9	29.0	2.9	9.1	97.1	97.1	0.0	0.0					46.0	10	35	2	23.9	80	46	10	35	2	23.9	80
	R4	NKNOWN-RE	W4	33.0	30.1	2.9	8.8	98.9	96.5	2.4	2.4					47.0	10	37	3	21.3	70	47	10	37	3	21.3	70
	R5	NKNOWN-RE	W5	33.4	30.7	2.7	8.1	99.1	99.1	0.0	0.0					46.0	10	36	3	21.7	70	46	10	36	3	21.7	70
F02	R1	NKNOWN-RE	W1	34.9	31.6	3.3	9.5	100.0	97.2	2.8	2.8					49.0	11	39	4	20.4	63.6	49	11	39	4	20.4	63.6
	R2	NKNOWN-RE	W2	34.8	31.7	3.1	8.9	98.7	98.7	0.0	0.0					48.0	11	38	4	20.8	63.6	48	11	38	4	20.8	63.6
	R3	CULATION SP	W3	34.4	31.3	3.1	9.0	97.1	97.1	0.0	0.0					49.0	11	39	4	20.4	63.6	49	11	39	4	20.4	63.6
	R4	NKNOWN-RE	W4	35.0	32.0	3.0	8.6	98.9	96.5	2.4	2.4					50.0	12	40	5	20	58.3	50	12	40	5	20	58.3
	R5	NKNOWN-RE	W5	35.0	32.1	2.9	8.3	99.1	99.1	0.0	0.0					49.0	12	39	5	20.4	58.3	49	12	39	5	20.4	58.3
POPLAR HIGH STREET 40-50																											
F00	R1	NKNOWN-RE	W1	28.6	26.6	2.0	7.0	99.4	95.1	4.3	4.3					34.0	3	28	0	17.6	100	34	3	28	0	17.6	100

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW PROPOSED		TOTAL	WINTER	ROOM BASELINE		ROOM PROPOSED		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	PROPOSED	LOSS	%	BASELINE	PROPOSED	LOSS	%	BASELINE	PROPOSED	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
	R2	NKNOWN-RE	W2	29.7	26.6	3.1	10.4	98.7	98.7	0.0	0.0					42.0	10	30	1	28.6	90	42	10	30	1	28.6	90
	R3	CULATION SP	W3	1.5	1.5	0.0	0.0	74.5	65.5	9.0	12.1					0.0	0	0	0	0	0	0	0	0	0	0	0
			W4	4.2	4.0	0.2	4.8									0.0	0	0	0	0	0						
	R4	NKNOWN-RE	W5	30.0	27.1	2.9	9.7	98.9	95.2	3.7	3.7					43.0	10	34	2	20.9	80	43	10	34	2	20.9	80
	R5	NKNOWN-RE	W6	30.7	27.9	2.8	9.1	99.1	99.1	0.0	0.0					44.0	10	35	2	20.5	80	44	10	35	2	20.5	80
F01	R1	NKNOWN-RE	W1	32.5	29.2	3.3	10.2	99.7	95.4	4.3	4.3					47.0	11	35	2	25.5	81.8	47	11	35	2	25.5	81.8
	R2	NKNOWN-RE	W2	32.3	29.2	3.1	9.6	98.7	98.7	0.0	0.0					48.0	11	36	2	25	81.8	48	11	36	2	25	81.8
	R3	CULATION SP	W3	31.4	28.3	3.1	9.9	98.6	98.6	0.0	0.0					47.0	11	37	3	21.3	72.7	47	11	37	3	21.3	72.7
	R4	NKNOWN-RE	W4	32.4	29.4	3.0	9.3	98.9	95.7	3.2	3.2					48.0	11	39	3	18.8	72.7	48	11	39	3	18.8	72.7
	R5	NKNOWN-RE	W5	32.5	29.7	2.8	8.6	99.1	99.1	0.0	0.0					46.0	10	37	2	19.6	80	46	10	37	2	19.6	80
F02	R1	NKNOWN-RE	W1	34.3	31.1	3.2	9.3	100.0	95.4	4.6	4.6					50.0	13	38	4	24	69.2	50	13	38	4	24	69.2
	R2	NKNOWN-RE	W2	34.2	31.1	3.1	9.1	98.7	98.7	0.0	0.0					50.0	13	39	5	22	61.5	50	13	39	5	22	61.5
	R3	CULATION SP	W3	33.5	30.5	3.0	9.0	98.6	98.6	0.0	0.0					49.0	12	39	4	20.4	66.7	49	12	39	4	20.4	66.7
	R4	NKNOWN-RE	W4	34.1	31.2	2.9	8.5	98.9	95.7	3.2	3.2					50.0	13	41	5	18	61.5	50	13	41	5	18	61.5
	R5	NKNOWN-RE	W5	34.0	31.2	2.8	8.2	99.1	99.1	0.0	0.0					49.0	12	40	4	18.4	66.7	49	12	40	4	18.4	66.7
POPLAR HIGH STREET 54-64																											
F00	R1	NKNOWN-RE	W1	24.1	21.0	3.1	12.9	93.5	90.3	3.2	3.4					32.0	9	23	2	28.1	77.8	32	9	23	2	28.1	77.8
	R2	NKNOWN-RE	W2	22.0	18.9	3.1	14.1	63.3	63.3	0.0	0.0					31.0	9	21	2	32.3	77.8	31	9	21	2	32.3	77.8
	R3	CULATION SP	W3	0.4	0.4	0.0	0.0	68.4	66.5	1.9	2.8					0.0	0	0	0	0	0	0	0	0	0	0	0
			W4	2.4	2.1	0.3	12.5									0.0	0	0	0	0	0						
	R4	NKNOWN-RE	W5	21.0	18.4	2.6	12.4	59.9	48.8	11.1	18.5					30.0	9	21	3	30	66.7	30	9	21	3	30	66.7
	R5	NKNOWN-RE	W6	21.7	19.7	2.0	9.2	76.0	76.0	0.0	0.0					31.0	8	23	3	25.8	62.5	31	8	23	3	25.8	62.5
F01	R1	NKNOWN-RE	W1	26.3	23.3	3.0	11.4	94.5	91.3	3.2	3.4					34.0	10	25	3	26.5	70	34	10	25	3	26.5	70
	R2	NKNOWN-RE	W2	24.7	21.7	3.0	12.1	69.3	69.3	0.0	0.0					37.0	10	27	3	27	70	37	10	27	3	27	70
	R3	NKNOWN-RE	W3	22.8	19.9	2.9	12.7	97.1	97.1	0.0	0.0					32.0	10	22	3	31.3	70	32	10	22	3	31.3	70
	R4	NKNOWN-RE	W4	23.8	21.2	2.6	10.9	65.7	60.2	5.5	8.4					33.0	9	24	3	27.3	66.7	33	9	24	3	27.3	66.7
	R5	NKNOWN-RE	W5	24.5	22.3	2.2	9.0	80.7	79.6	1.1	1.4					34.0	8	26	3	23.5	62.5	34	8	26	3	23.5	62.5
F02	R1	NKNOWN-RE	W1	29.4	26.3	3.1	10.5	98.1	95.1	3.0	3.1					45.0	14	35	7	22.2	50	45	14	35	7	22.2	50
	R2	NKNOWN-RE	W2	27.7	24.8	2.9	10.5	88.5	88.5	0.0	0.0					42.0	12	32	5	23.8	58.3	42	12	32	5	23.8	58.3
	R3	NKNOWN-RE	W3	25.9	23.0	2.9	11.2	97.1	97.1	0.0	0.0					40.0	11	30	4	25	63.6	40	11	30	4	25	63.6
	R4	NKNOWN-RE	W4	27.2	24.4	2.8	10.3	85.8	83.1	2.7	3.1					41.0	11	31	4	24.4	63.6	41	11	31	4	24.4	63.6
	R5	NKNOWN-RE	W5	27.8	25.2	2.6	9.4	89.3	89.3	0.0	0.0					43.0	11	33	4	23.3	63.6	43	11	33	4	23.3	63.6
POPLAR HIGH STREET 74																											
F01	R1	UNKNOWN	W1	27.7	23.9	3.8	13.7	92.8	82.8	10.0	10.8					52.0	15	37	4	28.8	73.3	52	15	37	4	28.8	73.3
	R2	UNKNOWN	W2	17.7	14.0	3.7	20.9	82.6	74.9	7.7	9.3					43.0	16	28	5	34.9	68.8	43	16	29	6	32.6	62.5
			W3	11.7	8.2	3.5	29.9									33.0	14	19	4	42.4	71.4						
F02	R1	UNKNOWN	W1	30.2	26.4	3.8	12.6	95.1	85.3	9.8	10.3					55.0	17	40	6	27.3	64.7	55	17	40	6	27.3	64.7
	R2	UNKNOWN	W2	21.5	17.9	3.6	16.7	84.6	76.5	8.1	9.6					44.0	17	29	6	34.1	64.7	44	17	30	7	31.8	56.8
			W3	16.5	13.0	3.5	21.2									34.0	14	20	4	41.2	71.4						
F03	R

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW PROPOSED		TOTAL	WINTER	ROOM BASELINE		ROOM PROPOSED		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	PROPOSED	LOSS	%	BASELINE	PROPOSED	LOSS	%	BASELINE	PROPOSED	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
	R7	UNKNOWN	W7	28.1	14.4	13.7	48.8	97.3	82.2	15.1	15.5					70.0	17	41	5	41.4	70.6	70	17	41	5	41.4	70.6
	R8	UNKNOWN	W8	28.0	14.0	14.0	50.0	99.0	75.0	24.0	24.2					68.0	17	38	5	44.1	70.6	68	17	38	5	44.1	70.6
	R9	UNKNOWN	W9	23.5	9.3	14.2	60.4	95.5	53.2	42.3	44.3					61.0	17	29	5	52.5	70.6	61	17	29	5	52.5	70.6
	R10	UNKNOWN	W10	23.5	8.9	14.6	62.1	95.9	78.2	17.7	18.5					60.0	18	26	5	56.7	72.2	60	18	26	5	56.7	72.2
	R11	UNKNOWN	W11	27.2	12.0	15.2	55.9	95.8	59.4	36.4	38.0					64.0	18	32	6	50	66.7	64	18	32	6	50	66.7
	R12	UNKNOWN	W12	23.5	7.9	15.6	66.4	96.5	36.2	60.3	62.5					62.0	19	27	5	56.5	73.7	62	19	27	5	56.5	73.7
	R13	UNKNOWN	W13	26.2	10.5	15.7	59.9	97.4	40.4	57.0	58.5					68.0	18	34	4	50	77.8	68	18	34	4	50	77.8
	R14	UNKNOWN	W14	29.1	24.9	4.2	14.4	98.8	97.6	1.2	1.2					40.0	11	26	3	35	72.7	40	11	26	3	35	72.7
TOWER HAMLETS COLLEGE																											
F00	R1	UNKNOWN	W1	23.8	14.1	5.7	40.8	88.1	59.7	28.4	32.2					64.0	10	38	3	40.6	70	64	10	38	3	40.6	70
	R2	UNKNOWN	W2	11.8	10.3	1.3	11.2	89.7	89.5	0.2	0.2					32.0	8	21	2	34.4	75	32	8	21	2	34.4	75
	R3	UNKNOWN	W3	17.1	11.3	5.8	33.9	71.0	32.9	38.1	53.7					41.0	6	26	1	36.6	83.3	46	8	31	1	32.6	87.5
			W4	15.6	9.3	6.3	40.4									36.0	5	22	0	38.9	100						
	R4	UNKNOWN	W5	12.5	9.2	3.3	26.4	62.9	59.2	3.7	5.9					22.0	8	14	4	36.4	50	22	8	14	4	36.4	50
			W6	0.0	0.0	0.0	0.0									0.0	0	0	0	0	0						
			W7	0.5	0.0	0.5	100.0									2.0	1	0	0	100	100						
	R5	UNKNOWN	W8	0.1	0.1	0.0	0.0	39.9	31.6	8.3	20.8					3.0	2	3	2	0	0	3	2	3	2	0	0
			W9	0.2	0.2	0.0	0.0									3.0	2	3	2	0	0						
			W10	0.4	0.4	0.0	0.0									2.0	1	2	1	0	0						
	R6	UNKNOWN	W11	21.0	20.0	1.0	4.8	99.8	99.8	0.0	0.0					52.0	8	49	8	5.8	0	64	12	55	9	14.1	25
			W12	23.6	20.8	2.8	11.9									56.0	10	50	9	10.7	10						
			W13	24.1	20.0	4.1	17.0									57.0	10	47	7	17.5	30						
	R7	UNKNOWN	W14	23.1	18.3	4.8	20.8	99.5	97.0	2.5	2.5					51.0	11	38	6	25.5	45.5	55	12	43	7	21.8	41.7
			W15	18.8	13.9	4.9	26.1									44.0	10	32	5	27.3	50						
	R8	UNKNOWN	W16	16.0	11.4	4.6	28.8	99.7	99.7	0.0	0.0					36.0	7	25	2	30.6	71.4	38	7	27	2	28.9	71.4
			W17	17.9	13.4	4.5	25.1									35.0	6	25	2	28.6	66.7						
			W18	19.5	15.1	4.4	22.6									33.0	4	22	1	33.3	75						
			W19	22.1	17.7	4.4	19.9									34.0	5	21	1	38.2	80						
			W20	22.9	18.8	4.1	17.9									34.0	5	21	1	38.2	80						
			W21	22.7	19.3	3.4	15.0									31.0	2	19	0	38.7	100						
			W22	23.6	20.6	3.0	12.7									29.0	0	18	0	37.9	0						
			W23	23.0	20.9	2.1	9.1									25.0	0	17	0	32	0						
			W24	20.4	20.2	0.2	1.0									13.0	0	13	0	0	0						
F01	R1	UNKNOWN	W1	28.5	16.5	12.0	42.1	98.5	86.7	11.8	12.0					74.0	17	49	7	33.8	58.8	75	18	51	8	32	56.6
			W2	28.2	16.3	11.9	42.2									73.0	16	51	8	30.1	50						
	R2	UNKNOWN	W3	28.1	16.2	11.9	42.3	99.0	87.3	11.7	11.8					74.0	17	45	6	39.2	64.7	75	18	45	6	40	66.7
			W4	28.1	16.1	12.0	42.7									75.0	18	45	6	40	66.7						
	R3	UNKNOWN	W5	27.4	15.8	11.6	42.3	99.5	97.9	1.6	1.6					73.0	17	45	6	38.4	64.7	78	18	52	7	33.3	61.1
			W6	27.2	15.5	11.7	43.0									74.0	17	47	7	36.5	58.8						
			W7	21.7	19.9	1.8	8.3									44.0	12	30	5	31.8	58.3						
			W8	20.7	19.1	1.6	7.7									42.0	11	30	4	28.6	63.6						
			W9	19.7	18.1	1.6	8.1									41.0	10	29	3	29.3	70						
	R4	UNKNOWN	W10	17.3	15.8	1.5	8.7	96.6	96.5	0.1	0.1					39.0	9	27	2	30.8	77.8	42	9	30	2	28.6	77.8
			W11	16.8	15.3	1.5	8.9									38.0	9	26	2	31.6	77.8						
			W12	15.9	14.5	1.4	8.8									40.0	9	28	2	30	77.8						
	R5	UNKNOWN	W13	15.5	10.1	5.4	34.8	95.5	76.6	18.9	19.8					43.0	10	30	2	30.2	80	48	12	30	2	37.5	83.3
			W14	15.1	9.0	6.1	40.4									38.0	9	21	0	44.7	100						
	R6	UNKNOWN	W15	10.0	7.8	2.2	22.0	90.5	55.4	35.1	38.8					22.0	1	19	0	13.6	100	22	1	19	0	13.6	100
	R7	UNKNOWN	W16	23.2	14.9	8.3	35.8	96.4	80.0	16.4	17.0					59.0	13	43	5	27.1	61.5	61	13	45	5	26.2	61.5
			W17	21.0	13.0	8.0	38.1									54.0	10	36	1	33.3	90						
	R8	UNKNOWN	W18	17.2	12.0	5.2	30.2	92.4	54.7	37.7	40.8					46.0	5	33	0	28.3	100	53	7	41	2	22.6	71.4
			W19	14.7	12.2	2.5	17.0									43.0	4	36	2	16.3	50						
	R9	UNKNOWN	W20	14.1	13.3	0.8	5.7	94.6	91.9	2.7	2.9					25.0	10	25	10	0	0	45	15	34	10	24.4	33.3
			W21	15.5	13.1	2.4	15.5									26.0	9	22	7	15.4	22.2						
			W22	9.9	6.5	3.4	34.3									25.0	8	14	3	44	62.5						
			W23	14.5	10.5	4.0	27.6									26.0	10	17	5	34.6	50						
	R10	UNKNOWN	W24	13.7	9.0	4.7	34.3	82.5	75.3	7.2	8.7					31.0	10	16	3	48.4	70	69	20	55	13	20.3	35
			W25	22.0	16.4	5.6	25.5									55.0	13	42	8	23.6	38.5						
			W26	20.1	16.0	4.1	20.4									48.0	11	38	7	20.8	36.4						
			W27	14.7	12.6	2.1	14.3									38.0	9	31	6	18.4	33.3						
	R11	UNKNOWN	W28	11.9	10.8	1.1	9.2	99.8	99.8	0.0	0.0					24.0	4	18	1	25	75	79	21	65	14	17.7	33.3
			W29	29.2	23.5	5.7	19.5									72.0	19	59	13	18.1	31.6						
			W30	30.1	24.1	6.0	19.9									73.0	19	59	12	19.2	36.8						
			W31	30.3	24.3	6.0	19.8									76.0	19	61	12	19.7	36.8						
	R12	UNKNOWN	W32	30.0	24.0	6.0	20.0	99.6	96.9	2.7	2.7					76.0	19	61	12	19.7	36.8	76	19	64	13	15.8	31.6
			W33	27.2	21.3	5.9	21.7									64.0	16	52	10	18.8	37.5						
	R13	UNKNOWN	W34	18.5	13.1	5.4	29.2	99.8	99.6	0.2	0.2					39.0	10	27	4	30.8	60	41	10	29	4	29.3	60
			W35	21.1	15.8	5.3	25.1									39.0	10	27	4	30.8	60						
			W36	23.3	18.0	5.3	22.7									41.0	10	29	4	29.3	60						
	R14	UNKNOWN	W37	25.0	19.6	5.4	21.6	99.9	99.9	0.0	0.0					40.0	9	28	3	30	66.7	40	9	29	3	27.5	66.7
			W38	26.3	20.9	5.4	20.5									40.0	9	28	3	30	66.7						
			W39	27.3	21.9	5.4	19.8									40.0	9	25	3	37.5	66.7						
			W40	28.0	22.6	5.4	19.3									39.0	8	23	2	41	75						
	R15	UNKNOWN	W41	28.5	23.2	5.3	18.6	99.8	99.8	0.0	0.0					39.0	7	23	2	41	71.4	39	7	23	2	41	71.4
			W42	28.6	23.5	5.1	17.8									37.0	5	22	1	40.5	80						
			W43	28.5	23.7	4.8	16.8									37.0	5	22	1	40.5	80						
			W44	27.8	23.7	4.1	14.7									35.0	3	22	1	37.1	66.7						
			W45	26.3	23.7	2.6	9.9									30.0	0	20	0	33.3	0						
F02	R1	UNKNOWN	W1	30.3	17.2	13.1	43.2	98.5	86.9	11.6	11.8					79.0	22	51	9	35.4	59.1	80	23	53	10	33.8	58.5
			W2	30.2	17.1	13.1	43.4									80.0	23	53	10	33.8	56.5						
	R2	UNKNOWN	W3	30.2	17.1	13.1	43.4	98.9	87.4	11.5	11.6					78.0	21	49	8	37.2	61.9	78	21	49	8	37.2	61.9
			W4	30.2	17.0	13.2	43.7									78.0	21	49	8	37.2	61.9						
	R3	UNKNOWN	W5	30.0	17.0	13.0	43.3	99.9	98.8	1.1	1.1					79.0	21	52	9	34.2	57.1	88	22	62	10	29.5	54.5
			W6	30.0	17.0	13.0	43.3									79.0	20	53	9	32.9	55						
			W7	29.6	27.9	1.7	5.7									53.0	14	40	7	24.5	50						
			W8	28.7	27.1	1.6	5.6									52.0	13	40	6	23.1	53.8						
			W9	27.7	26.2	1.5	5.4									51.0	12	39	5	23.5	58.3						
	R4	UNKNOWN	W10	24.8	23.3	1.5	6.0	97.9	97.8	0.1	0.1					49.0	12	37	5	24.5	58.3	50	13	38	6	24	53.8
			W11	23.1	21.7	1.4	6.1									48.0	13	36	6	25	53.8						
			W12	21.2	19.8	1.4	6.6									48.0	13	36	6	25	53.8						
	R5	UNKNOWN	W13	19.2	13.7	5.5	28.6	98.5	91.6	6.9	7.0					51.0	15	37	6	27.5	60	61	17	41	7	32.8	56.8
			W14	21.4	14.4	7.0	32.7									55.0	16	37	6	32.7	62.5						
			W15	22.9	15.2	7.7	33.6									55.0	11	38	4	30.9	63.6						
	R6	UNKNOWN	W16	23.2	15.9	7.3	31.5	94.6	78.0	16.6	17.5					58.0	12	40	5	31	58.3	67	15	44	5	34.3	66.7
			W17	24.3	15.9	8.4	34.6									62.0	12	41	3	33.9	75						
			W18	24.1	15.8	8.3	34.4									63.0	13	40	4	36.5	69.2						
	R7	UNKNOWN	W19	30.3	21.4	8.9	29.4	94.5	87.8	6.7	7.1					71.0	21	54	12	23.9	42.9	73	21	57	13	21.9	38.1
			W20	30.6	21.9	8.7	28.4									72.0	20	55	11	23.6	45						
	R8	UNKNOWN	W21	31.0	22.6	8.4	27.1	94.5	76.9	17.6	18.6					75.0	20	58	12	22.7	40	80	23	63	14	21.3	38.1

PROJECT NO: 9546
RELEASE: 17
BASELINE V PROPOSED

DAYLIGHT AND SUNLIGHT ANALYSIS
NORTH QUAY

APRIL 2020

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW PROPOSED		TOTAL	WINTER	ROOM BASELINE		ROOM PROPOSED		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	PROPOSED	LOSS	%	BASELINE	PROPOSED	LOSS	%	BASELINE	PROPOSED	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
			W22	31.4	23.4	8.0	25.5									77.0	22	60	13	22.1	40.9						
			W23	32.0	24.0	8.0	25.0									80.0	23	63	14	21.3	39.1						
	R9	UNKNOWN	W24	17.5	16.4	1.1	6.3	97.3	94.6	2.7	2.8					33.0	10	32	10	3	0	52	15	41	10	21.2	33.3
			W25	19.6	16.1	3.5	17.9									35.0	11	27	7	22.9	36.4						
			W26	17.5	12.3	5.2	29.7									35.0	10	24	5	31.4	50						
	R10	UNKNOWN	W27	30.2	23.5	6.7	22.2	98.3	98.0	0.3	0.3					74.0	22	58	14	21.6	36.4	76	24	60	15	21.1	37.5
			W28	28.0	21.7	6.3	22.5									63.0	19	49	12	22.2	36.8						
			W29	20.2	14.1	6.1	30.2									50.0	16	35	8	30	50						
	R11	UNKNOWN	W30	16.3	13.4	2.9	17.8	99.8	99.8	0.0	0.0					34.0	6	24	2	29.4	66.7	82	23	67	15	18.3	34.8
			W31	31.6	25.1	6.5	20.6									76.0	20	62	13	18.4	35						
			W32	31.8	25.4	6.4	20.1									77.0	20	63	13	18.2	35						
			W33	32.0	25.8	6.2	19.4									80.0	23	64	15	20	34.8						
	R12	UNKNOWN	W34	32.2	26.1	6.1	18.9	99.7	99.7	0.0	0.0					81.0	24	66	16	18.5	33.3	81	24	69	17	14.8	26.2
			W35	32.3	26.3	6.0	18.6									81.0	24	68	17	16	29.2						
			W36	32.3	26.5	5.8	18.0									81.0	24	69	17	14.8	29.2						
	R13	UNKNOWN	W37	32.3	26.5	5.8	18.0	99.7	99.4	0.3	0.3					81.0	24	69	17	14.8	29.2	88	26	76	19	13.6	26.9
			W38	32.3	26.6	5.7	17.6									82.0	25	70	18	14.6	28						
			W39	32.3	26.7	5.6	17.3									83.0	26	71	19	14.5	26.9						
			W40	35.0	35.0	0.0	0.0																				
F03	R1	UNKNOWN	W1	30.8	17.7	13.1	42.5	98.5	88.6	9.9	10.1					79.0	22	51	9	35.4	59.1	80	23	53	10	33.8	56.5
			W2	30.8	17.6	13.2	42.9									80.0	23	53	10	33.8	56.5						
	R2	UNKNOWN	W3	30.8	17.6	13.2	42.9	98.9	87.7	11.2	11.3					79.0	22	49	8	38	63.6	79	22	49	8	38	63.6
			W4	30.8	17.5	13.3	43.2									79.0	22	49	8	38	63.6						
	R3	UNKNOWN	W5	30.8	17.6	13.2	42.9	99.9	98.9	1.0	1.0					80.0	22	52	9	35	59.1	89	23	62	10	30.3	56.5
			W6	30.8	17.7	13.1	42.5									80.0	21	54	10	32.5	52.4						
			W7	32.7	31.0	1.7	5.2									54.0	15	42	8	22.2	46.7						
			W8	31.9	30.2	1.7	5.3									54.0	15	42	8	22.2	46.7						
			W9	30.9	29.3	1.6	5.2									53.0	14	41	7	22.6	50						
	R4	UNKNOWN	W10	27.8	26.3	1.5	5.4	98.9	98.9	0.0	0.0					51.0	14	39	7	23.5	50	52	15	40	8	23.1	46.7
			W11	25.8	24.4	1.4	5.4									50.0	15	38	8	24	46.7						
			W12	23.2	21.9	1.3	5.6									50.0	15	38	8	24	46.7						
	R5	UNKNOWN	W13	20.2	14.8	5.4	26.7	99.9	97.9	2.0	2.0					53.0	17	39	8	26.4	52.9	65	19	46	9	29.2	52.6
			W14	24.3	16.7	7.6	31.3									60.0	19	44	9	26.7	52.6						
			W15	26.8	17.8	9.0	33.6									64.0	18	45	8	29.7	55.6						
	R6	UNKNOWN	W16	28.4	18.5	9.9	34.9	98.9	92.1	6.8	6.9					70.0	20	47	8	32.9	60	74	21	49	8	33.8	61.9
			W17	29.3	18.8	10.5	35.8									72.0	20	48	8	33.3	60						
			W18	29.7	19.3	10.4	35.0									73.0	20	48	8	34.2	60						
	R7	UNKNOWN	W19	29.6	20.8	8.8	29.7	96.4	86.8	9.6	10.0					67.0	21	53	13	20.9	39.1	75	21	61	14	18.7	33.3
			W20	31.4	22.4	9.0	28.7									72.0	21	56	12	22.2	42.9						
			W21	31.8	23.0	8.8	27.7									75.0	21	60	13	20	39.1						
	R8	UNKNOWN	W22	32.2	24.1	8.1	25.2	96.4	95.6	0.8	0.8					80.0	23	63	14	21.3	39.1	81	23	64	14	21	36.1
			W23	32.3	24.4	7.9	24.5									80.0	23	63	14	21.3	39.1						
			W24	30.7	30.7	0.0	0.0																				
			W25	20.8	20.8	0.0	0.0																				
	R9	UNKNOWN	W26	25.7	21.9	3.8	14.8	99.6	99.6	0.0	0.0					58.0	14	49	10	15.5	28.6	79	22	63	14	20.3	36.4
			W27	32.4	25.0	7.4	22.8									79.0	22	63	14	20.3	36.4						
			W28	27.2	21.0	6.2	22.8									66.0	16	51	9	22.7	43.8						
			W29	23.3	16.4	6.9	29.6									52.0	15	36	7	30.8	53.3						
	R10	UNKNOWN	W30	32.6	25.9	6.7	20.6	97.3	97.2	0.1	0.1					80.0	23	64	15	20	34.8	80	23	65	15	18.8	34.8
			W31	32.6	26.0	6.6	20.2									80.0	23	65	15	18.8	34.8						
	R11	UNKNOWN	W32	32.5	26.1	6.4	19.7	89.6	87.6	2.0	2.2					79.0	23	64	15	19	34.8	79	23	64	15	19	34.8
	R12	UNKNOWN	W33	21.7	16.4	5.3	24.4	99.9	99.9	0.0	0.0					39.0	10	25	3	35.9	70	82	23	67	15	18.3	34.8
			W34	32.4	25.9	6.5	20.1									79.0	22	65	15	17.7	31.8						
			W35	32.5	26.1	6.4	19.7									79.0	22	65	15	17.7	31.8						
			W36	32.5	26.3	6.2	19.1									80.0	23	64	15	20	34.8						
	R13	UNKNOWN	W37	32.6	26.5	6.1	18.7	99.7	99.7	0.0	0.0					81.0	24	66	16	18.5	33.3	81	24	69	17	14.8	26.2
			W38	32.7	26.7	6.0	18.3									81.0	24	68	17	16	29.2						
			W39	32.7	26.9	5.8	17.7									81.0	24	69	17	14.8	29.2						
	R14	UNKNOWN	W40	32.8	26.9	5.9	18.0	99.9	99.6	0.3	0.3					81.0	24	69	17	14.8	29.2	88	26	76	19	13.6	26.9
			W41	32.7	27.0	5.7	17.4									82.0	25	70	18	14.6	28						
			W42	32.8	27.2	5.6	17.1									83.0	26	71	19	14.5	26.9						
			W43	36.9	36.9	0.0	0.0																				
F04	R1	UNKNOWN	W1	31.2	18.0	13.2	42.3	98.6	86.4	12.2	12.4					80.0	23	53	9	33.8	60.9	81	24	55	10	32.1	56.3
			W2	31.2	18.0	13.2	42.3									81.0	24	55	10	32.1	58.3						
	R2	UNKNOWN	W3	31.2	17.9	13.3	42.6	99.2	89.4	9.8	9.9					80.0	23	51	8	36.3	65.2	80	23	51	8	36.3	65.2
			W4	31.2	17.9	13.3	42.6									80.0	23	50	8	37.5	65.2						
	R3	UNKNOWN	W5	31.2	18.0	13.2	42.3	100.0	99.5	0.5	0.5					81.0	23	53	9	34.6	60.9	90	24	63	11	30	54.2
			W6	31.2	18.1	13.1	42.0									82.0	23	56	11	31.7	52.2						
			W7	34.7	33.0	1.7	4.9									54.0	15	42	8	22.2	46.7						
			W8	34.2	32.5	1.7	5.0									54.0	15	42	8	22.2	46.7						
			W9	33.5	32.0	1.5	4.5									53.0	14	41	7	22.6	50						
	R4	UNKNOWN	W10	30.8	29.3	1.5	4.9	99.4	99.4	0.0	0.0					52.0	14	40	7	23.1	50	53	15	42	8	20.8	46.7
			W11	28.5	27.1	1.4	4.9									50.0	15	38	8	24	46.7						
			W12	25.2	23.8	1.4	5.6									50.0	15	39	8	22	46.7						
	R5	UNKNOWN	W13	21.7	15.9	5.8	26.7	99.7	99.0	0.7	0.7					54.0	17	40	8	25.9	52.9	70	20	49	9	30	55
			W14	26.6	18.2	8.4	31.6									64.0	19	45	9	29.7	52.6						
			W15	28.7	19.1	9.6	33.4									70.0	20	49	9	30	55						
	R6	UNKNOWN	W16	30.1	19.8	10.3	34.2	99.7	93.4	6.3	6.3					76.0	23	51	9	32.9	60.9	80	23	56	9	30	60.9
			W17	30.7	20.3	10.4	33.9									78.0	22	54	9	30.8	59.1						
			W18	31.2	20.8	10.4	33.3									78.0	21	55	9	29.5	57.1						
	R7	UNKNOWN	W19	25.7	19.5	6.2	24.1	97.0	75.3	21.7	22.4					63.0	11	50	2	20.6	81.8	64	11	51	2	20.3	81.8
			W20	24.8	18.5	6.3	25.4									61.0	11	48	2	21.3	81.8						
			W21	21.9	15.9	6.0	27.4									48.0	8	36	0	25	100						
F05	R1	UNKNOWN	W1	31.7	18.5	13.2	41.6	96.0	71.5	24.5	25.5					80.0	23	51	8	36.3	65.2	80	23	51	8	36.3	65.2
			W2	31.8	18.5	13.3	41.8									80.0	23	50	8	37.5	65.2						
WIGRAM HOUSE																											
F01	R1	UNKNOWN	W1	37.0	37.0	0.0	0.0	94.8	94.0	0.8	0.8											78	21	69	13	11.5	38.1
			W2	30.7	27.0	3.7	12.1									75.0	20	66	12	12	40						
	R2	UNKNOWN	W3	30.3	26.5	3.8	12.5	96.5	87.9	8.6	8.9					75.0	20	65	11	13.3	45	75	20	65	11	13.3	45
	R3	UNKNOWN	W4	30.1	26.1	4.0	13.3	89.1	81.8	7.3	8.2					76.0	21	66	12	13.2	42.9	76	21	66	12	13.2	42.9
	R4	UNKNOWN	W5	30.0	25.7	4.3	14.3	95.8	80.2	15.6	16.3					73.0	18	65	11	11	38.9	73	18	65	11	11	36.9
	R5	UNKNOWN	W6	29.7	25.2	4.5	15.2	96.1	89.3	6.8	7.1					74.0	19	66	12	10.8	36.8	74	19	66	12	10.8	36.8
	R6	UNKNOWN	W7	29.3	24.8	4.5	15.4	96.5	88.3	8.2	8.5					75.0	19	67	12	10.7	36.8	75	19	67	12	10.7	36.8
	R7	UNKNOWN	W8	29.1	24.5	4.6	15.8	92.4	83.2	9.2	10.0					74.0	18	65	10	12.2	44.4	74	18	65	10	12.2	44.4
	R8	UNKNOWN	W9	29.1	24.2	4.9	16.8	96.0	92.5	3.5	3.6					73.0	17	64	9	12.3	47.1	79	18	70	10	11.4	44.4
			W10	29.5	27.0	2.5	8.5									46.0	13	37	5	19.6	61.5						
F02	R1	UNKNOWN	W1	37.6	37.6	0.0	0.0	97.6	94.0	3.6	3.7											80	23	70	14	12.5	38.1

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW PROPOSED		TOTAL	WINTER	ROOM BASELINE		ROOM PROPOSED		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	PROPOSED	LOSS	%	BASELINE	PROPOSED	LOSS	%	BASELINE	PROPOSED	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
			W22	31.8	27.5	4.3	13.5									78.0	23	68	14	12.8	39.1						
	R2	UNKNOWN	W3	31.5	27.1	4.4	14.0	98.7	91.7	7.0	7.1					77.0	22	67	13	13	40.9	77	22	67	13	13	40.9
	R3	UNKNOWN	W4	31.3	26.8	4.5	14.4	98.7	91.4	7.3	7.4					78.0	23	68	14	12.8	39.1	78	23	68	14	12.8	36.1
	R4	UNKNOWN	W5	31.4	26.6	4.8	15.3	98.7	91.1	7.6	7.7					78.0	23	67	13	14.1	43.5	78	23	67	13	14.1	41.5
	R5	UNKNOWN	W6	31.4	26.5	4.9	15.6	99.0	89.3	9.7	9.8					77.0	22	67	13	13	40.9	77	22	67	13	13	40.9
	R6	UNKNOWN	W7	31.1	26.2	4.9	15.8	99.0	86.7	12.3	12.4					76.0	21	67	13	11.8	38.1	76	21	67	13	11.8	38.1
	R7	UNKNOWN	W8	30.8	25.7	5.1	16.6	99.0	87.0	12.0	12.1					76.0	20	67	12	11.8	40	76	20	67	12	11.8	40
	R8	UNKNOWN	W9	30.6	25.4	5.2	17.0	96.0	94.6	1.4	1.5					75.0	19	66	11	12	42.1	83	21	73	12	12	42.9
			W10	30.9	28.5	2.4	7.8									49.0	15	39	6	20.4	60						
F03	R1	UNKNOWN	W1	37.8	37.8	0.0	0.0	97.6	94.0	3.6	3.7											80	25	69	15	13.8	40
			W2	32.4	27.7	4.7	14.5									78.0	25	67	15	14.1	40						
	R2	UNKNOWN	W3	32.1	27.3	4.8	15.0	98.7	92.4	6.3	6.4					78.0	25	67	15	14.1	40	78	25	67	15	14.1	40
	R3	UNKNOWN	W4	31.9	27.1	4.8	15.0	98.7	91.4	7.3	7.4					79.0	26	68	16	13.9	38.5	79	26	68	16	13.9	36.5
	R4	UNKNOWN	W5	31.9	26.9	5.0	15.7	98.7	91.1	7.6	7.7					78.0	25	67	15	14.1	40	78	25	67	15	14.1	40
	R5	UNKNOWN	W6	32.1	26.9	5.2	16.2	99.0	89.0	10.0	10.1					77.0	24	66	14	14.3	41.7	77	24	66	14	14.3	41.7
	R6	UNKNOWN	W7	32.0	26.7	5.3	16.6	99.0	87.0	12.0	12.1					77.0	24	66	14	14.3	41.7	77	24	66	14	14.3	41.7
	R7	UNKNOWN	W8	31.7	26.3	5.4	17.0	99.0	87.0	12.0	12.1					76.0	23	65	13	14.5	43.5	76	23	65	13	14.5	43.5
	R8	UNKNOWN	W9	31.5	26.1	5.4	17.1	96.0	96.0	0.0	0.0					78.0	22	68	13	12.8	40.9	88	23	78	14	11.4	36.1
			W10	32.4	30.0	2.4	7.4									52.0	15	42	6	19.2	60						
F04	R1	UNKNOWN	W1	33.7	33.7	0.0	0.0	97.6	94.0	3.6	3.7											71	25	61	15	14.1	40
			W2	27.7	23.0	4.7	17.0									67.0	25	57	15	14.9	40						
	R2	UNKNOWN	W3	27.8	23.0	4.8	17.3	98.7	92.1	6.6	6.7					68.0	25	58	15	14.7	40	88	25	58	15	14.7	40
	R3	UNKNOWN	W4	27.8	22.9	4.9	17.6	98.7	94.2	4.5	4.6					69.0	26	58	16	15.9	38.5	89	26	58	16	15.9	38.5
	R4	UNKNOWN	W5	27.8	22.8	5.0	18.0	98.7	94.2	4.5	4.6					68.0	25	57	15	16.2	40	88	25	57	15	16.2	40
	R5	UNKNOWN	W6	27.8	22.6	5.2	18.7	99.0	90.6	8.4	8.5					68.0	25	56	14	17.6	44	88	25	56	14	17.6	44
	R6	UNKNOWN	W7	27.8	22.5	5.3	19.1	99.0	87.6	11.4	11.5					67.0	24	56	14	16.4	41.7	87	24	56	14	16.4	41.7
	R7	UNKNOWN	W8	27.7	22.3	5.4	19.5	99.0	87.6	11.4	11.5					66.0	23	55	13	16.7	43.5	66	23	55	13	16.7	43.5
	R8	UNKNOWN	W9	27.5	21.9	5.6	20.4	96.0	96.0	0.0	0.0					64.0	22	54	13	15.6	40.9	89	23	80	14	10.1	36.1
			W10	33.8	31.5	2.3	6.8									51.0	11	46	6	9.8	45.5						
WILLIS HOUSE																											
F00	R1	UNKNOWN	W1	30.4	30.1	0.3	1.0	91.4	91.4	0.0	0.0																
	R2	UNKNOWN	W2	29.9	29.7	0.2	0.7	52.8	52.8	0.0	0.0																
	R3	UNKNOWN	W3	30.5	23.9	6.6	21.6	99.1	82.6	16.5	16.6					77.0	20	66	10	14.3	50	77	20	66	10	14.3	51
	R4	UNKNOWN	W4	30.6	23.8	6.8	22.2	95.8	77.7	18.1	18.9					78.0	20	66	9	15.4	55	78	20	66	9	15.4	55
	R5	UNKNOWN	W5	30.6	23.7	6.9	22.5	98.3	86.2	12.1	12.3					79.0	20	66	9	16.5	55	79	20	66	9	16.5	55
	R6	UNKNOWN	W6	30.6	23.6	7.0	22.9	98.9	88.5	10.4	10.5					79.0	20	67	10	15.2	50	79	20	67	10	15.2	51
	R7	UNKNOWN	W7	30.5	23.4	7.1	23.3	99.7	91.5	8.2	8.2					80.0	21	65	8	18.8	61.9	80	21	65	8	18.8	61.9
	R8	UNKNOWN	W8	30.4	23.3	7.1	23.4	99.4	90.4	9.0	9.1					80.0	21	65	8	18.8	61.9	80	21	65	8	18.8	61.9
	R9	UNKNOWN	W9	30.3	23.1	7.2	23.8	99.7	83.2	16.5	16.5					78.0	19	63	6	19.2	68.4	78	19	63	6	19.2	68.4
	R10	UNKNOWN	W10	30.0	22.9	7.1	23.7	99.7	75.8	23.9	24.0					78.0	19	64	7	17.9	63.2	78	19	64	7	17.9	63.2
	R11	UNKNOWN	W11	29.7	22.7	7.0	23.6	99.7	78.3	21.4	21.5					77.0	18	64	7	16.9	63.1	77	18	64	7	16.9	61.1
	R12	UNKNOWN	W12	29.3	22.4	6.9	23.5	99.1	79.0	20.1	20.3					76.0	18	64	9	15.8	50	76	18	64	9	15.8	51
	R13	UNKNOWN	W13	28.9	22.3	6.6	22.8	99.1	79.3	19.8	20.0					79.0	20	65	9	17.7	55	79	20	65	9	17.7	55
	R14	UNKNOWN	W14	28.6	22.1	6.5	22.7	99.2	85.8	13.4	13.5					81.0	22	66	10	18.5	54.5	81	22	66	10	18.5	54.5
	R15	UNKNOWN	W15	28.1	22.0	6.1	21.7	88.4	69.7	18.7	21.2					75.0	17	63	8	16	52.9	75	17	63	8	16	52.9
	R16	UNKNOWN	W16	27.7	21.9	5.8	20.9	96.9	86.3	10.6	10.9					73.0	16	63	8	13.7	50	73	16	63	8	13.7	51
	R17	UNKNOWN	W17	27.5	22.0	5.5	20.0	96.4	87.5	8.9	9.2					73.0	15	63	7	13.7	53.3	73	15	63	7	13.7	52.3
F01	R1	UNKNOWN	W1	32.5	32.2	0.3	0.9	91.4	91.4	0.0	0.0																
	R2	UNKNOWN	W2	32.1	31.9	0.2	0.6	70.7	70.7	0.0	0.0																
	R3	UNKNOWN	W3	31.2	24.5	6.7	21.5	99.1	82.1	17.0	17.2					78.0	21	67	11	14.1	47.6	78	21	67	11	14.1	47.6
	R4	UNKNOWN	W4	31.2	24.4	6.8	21.8	97.6	84.3	13.3	13.6					78.0	21	66

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW PROPOSED		TOTAL	WINTER	ROOM BASELINE		ROOM PROPOSED		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	PROPOSED	LOSS	%	BASELINE	PROPOSED	LOSS	%	BASELINE	PROPOSED	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
	R14	UNKNOWN	W14	30.7	23.8	6.9	22.5	99.1	84.3	14.8	14.9					78.0	24	63	11	19.2	54.2	78	24	63	11	19.2	54.2
	R15	UNKNOWN	W15	30.5	23.8	6.7	22.0	98.6	77.3	21.3	21.6					76.0	22	64	12	15.8	45.5	76	22	64	12	15.8	45.5
	R16	UNKNOWN	W16	30.1	24.0	6.1	20.3	99.7	79.7	20.0	20.1					77.0	22	66	13	14.3	40.9	77	22	66	13	14.3	40.9
	R17	UNKNOWN	W17	30.0	24.3	5.7	19.0	95.2	85.3	9.9	10.4					76.0	20	66	12	13.2	40	76	20	66	12	13.2	40
F04	R1	UNKNOWN	W1	32.5	32.4	0.1	0.3	93.6	93.6	0.0	0.0																
	R2	UNKNOWN	W2	32.5	32.4	0.1	0.3	100.0	100.0	0.0	0.0																
	R3	UNKNOWN	W3	26.7	20.1	6.6	24.7	98.7	81.1	17.6	17.8					65.0	23	54	13	16.9	43.5	65	23	54	13	16.9	42.5
	R4	UNKNOWN	W4	26.8	20.1	6.7	25.0	96.2	80.5	15.7	16.3					65.0	23	53	12	18.5	47.8	65	23	53	12	18.5	47.8
	R5	UNKNOWN	W5	26.7	19.9	6.8	25.5	98.3	87.6	10.7	10.9					67.0	24	55	13	17.9	45.8	67	24	55	13	17.9	45.8
	R6	UNKNOWN	W6	26.7	19.9	6.8	25.5	98.9	90.7	8.2	8.3					67.0	24	56	14	16.4	41.7	67	24	56	14	16.4	41.7
	R7	UNKNOWN	W7	26.6	19.8	7.0	26.3	99.7	95.3	4.4	4.4					68.0	24	53	12	19.7	50	68	24	53	12	19.7	50
	R8	UNKNOWN	W8	26.6	19.6	7.0	26.3	99.4	94.1	5.3	5.3					66.0	24	52	11	21.2	54.2	66	24	52	11	21.2	54.2
	R9	UNKNOWN	W9	26.5	19.3	7.2	27.2	99.7	89.8	9.9	9.9					66.0	24	52	11	21.2	54.2	66	24	52	11	21.2	54.2
	R10	UNKNOWN	W10	26.4	19.2	7.2	27.3	99.7	80.4	19.3	19.4					68.0	24	53	12	19.7	50	68	24	53	12	19.7	50
	R11	UNKNOWN	W11	26.5	19.3	7.2	27.2	99.7	81.7	18.0	18.1					66.0	24	53	12	19.7	50	66	24	53	12	19.7	50
	R12	UNKNOWN	W12	26.4	19.3	7.1	26.9	99.1	81.8	17.3	17.5					68.0	24	55	13	19.1	45.8	68	24	55	13	19.1	45.8
	R13	UNKNOWN	W13	26.4	19.2	7.2	27.3	99.1	81.4	17.7	17.9					67.0	24	53	12	20.9	50	67	24	53	12	20.9	50
	R14	UNKNOWN	W14	26.4	19.3	7.1	26.9	98.4	84.7	13.7	13.9					68.0	25	53	12	22.1	52	68	25	53	12	22.1	52
	R15	UNKNOWN	W15	26.2	19.4	6.8	26.0	98.6	80.7	17.9	18.2					67.0	24	55	13	17.9	45.8	67	24	55	13	17.9	45.8
	R16	UNKNOWN	W16	25.9	19.5	6.4	24.7	98.9	94.0	4.9	5.0					65.0	22	55	13	15.4	40.9	65	22	55	13	15.4	40.9
	R17	UNKNOWN	W17	25.7	19.7	6.0	23.3	99.5	94.0	5.5	5.5					64.0	21	55	12	14.1	42.9	64	21	55	12	14.1	42.9
	R18	UNKNOWN	W18	31.5	31.3	0.2	0.6	90.9	90.9	0.0	0.0					36.0	8	36	8	0	0	36	8	36	8	0	0
	R19	UNKNOWN	W19	31.7	31.5	0.2	0.6	96.6	96.3	0.3	0.3					39.0	11	37	9	5.1	18.2	39	11	37	9	5.1	18.2
WINANT HOUSE																											
F00	R1	UNKNOWN	W1	28.7	25.1	3.6	12.5	97.7	97.7	0.0	0.0					38.0	7	30	3	21.1	57.1	38	7	30	3	21.1	57.1
			W1	22.0	18.4	3.6	16.4									32.0	5	24	0	25	100						
	R2	UNKNOWN	W2	22.6	19.1	3.5	15.5	99.7	97.9	1.8	1.8					32.0	8	24	3	25	62.5	37	8	29	3	21.6	62.5
			W3	22.5	19.0	3.5	15.6									33.0	6	25	1	24.2	83.3						
			W4	22.8	19.3	3.5	15.4									35.0	6	27	1	22.9	83.3						
			W5	23.7	20.1	3.6	15.2									33.0	6	25	1	24.2	83.3						
	R3	UNKNOWN	W6	25.5	21.9	3.6	14.1	100.0	96.8	3.2	3.2					34.0	8	25	3	26.5	62.5	41	8	32	3	22	62.5
			W7	25.2	21.7	3.5	13.9									38.0	8	29	3	23.7	62.5						
			W8	25.4	21.8	3.6	14.2									41.0	8	32	3	22	62.5						
			W9	26.2	22.6	3.6	13.7									41.0	8	31	3	24.4	62.5						
	R4	UNKNOWN	W10	28.7	25.2	3.5	12.2	100.0	97.6	2.4	2.4					37.0	5	30	2	18.9	60	37	5	30	2	18.9	60
			W11	28.7	25.3	3.4	11.8									37.0	5	30	2	18.9	60						
			W12	28.7	25.3	3.4	11.8									36.0	5	29	2	19.4	60						
			W13	28.6	25.3	3.3	11.5									37.0	5	30	2	18.9	60						
	R5	UNKNOWN	W14	28.9	25.7	3.2	11.1	99.1	98.8	0.3	0.3					33.0	3	27	1	18.2	66.7	33	3	27	1	18.2	66.7
	R6	UNKNOWN	W15	25.5	23.8	1.7	6.7	97.5	94.7	2.8	2.9					24.0	0	18	0	25	0	30	0	24	0	20	0
			W16	24.8	23.5	1.3	5.2									26.0	0	23	0	11.5	0						
			W17	24.4	23.3	1.1	4.5									26.0	0	23	0	11.5	0						
			W18	24.0	23.2	0.8	3.3									24.0	0	22	0	8.3	0						
F01	R1	UNKNOWN	W1	31.4	27.3	4.1	13.1	98.0	98.0	0.0	0.0					41.0	7	33	3	19.5	57.1	41	7	33	3	19.5	57.1
			W1	25.6	21.7	3.9	15.2									39.0	7	31	2	20.5	71.4						
	R2	UNKNOWN	W2	25.8	22.0	3.8	14.7	100.0	98.1	1.9	1.9					31.0	10	23	5	25.8	50	44	11	36	6	18.2	45.5
			W3	5.2	1.6	3.6	69.2									18.0	6	10	1	44.4	83.3						
			W4	7.6	6.1	1.5	19.7									12.0	1	11	1	8.3	0						
			W5	6.6	6.6	0.0	0.0									8.0	0	8	0	0	0						
			W6	3.1	3.1	0.0	0.0																				
			W7	26.5	22.6	3.9	14.7									41.0	9	33	4	19.5	55.6						
	R3	UNKNOWN	W8	28.2	24.2	4.0	14.2	100.0	96.2	3.8	3.8					36.0	11	28	6	22.2	45.5	44	11	36	6	18.2	45.5
			W9	5.3	1.6	3.7	69.8									19.0	6	11	1	42.1	83.3						
			W10	7.7	6.0	1.7	22.1									11.0	1	10	1	9.1	0						
			W11	7.5	7.5	0.0	0.0									8.0	0	8	0	0	0						
			W12	4.5	4.5	0.0	0.0																				
			W13	28.6	24.6	4.0	14.0									44.0	11	36	6	18.2	45.5						
	R4	UNKNOWN	W14	29.3	25.2	4.1	14.0	100.0	96.5	3.5	3.5					29.0	7	21	3	27.6	57.1	40	7	32	3	20	57.1
			W15	4.8	1.3	3.5	72.9									16.0	4	9	0	43.8	100						
			W16	7.3	5.6	1.7	23.3									10.0	0	9	0	10	0						
			W17	7.6	7.6	0.0	0.0									8.0	0	8	0	0	0						
			W18	5.6	5.6	0.0	0.0																				
			W19	28.8	24.8	4.0	13.9									40.0	7	32	3	20	57.1						
	R5	UNKNOWN	W20	31.6	27.6	4.0	12.7	99.1	99.1	0.0	0.0					40.0	7	32	3	20	57.1	40	7	32	3	20	57.1
	R6	UNKNOWN	W21	29.1	25.5	3.6	12.4	98.6	95.9	2.7	2.7					31.0	5	23	2	25.8	60	39	5	31	2	20.5	60
			W22	4.2	1.3	2.9	69.0									16.0	3	9	0	43.8	100						
			W23	7.2	5.6	1.6	22.2									10.0	0	9	0	10	0						
			W24	7.8	7.8	0.0	0.0									9.0	0	9	0	0	0						
			W25	6.2	6.2	0.0	0.0																				
			W26	28.4	25.3	3.1	10.9									36.0	3	29	1	19.4	66.7						
F02	R1	UNKNOWN	W1	33.7	29.5	4.2	12.5	98.3	98.3	0.0	0.0					46.0	11	39	7	15.2	36.4	46	11	39	7	15.2	36.4
			W1	30.7	26.7	4.0	13.0									44.0	11	36	6	18.2	45.5						
	R2	UNKNOWN	W2	32.0	28.0	4.0	12.5	99.7	99.7	0.0	0.0					45.0	11	37	6	17.8	45.5	46	12	38	7	17.4	41.7
			W3	6.6	2.8	3.8	57.6									22.0	6	14	1	36.4	83.3						
			W4	9.4	6.7	2.7	28.7									16.0	5	12	2	25	60						
			W5	11.2	9.7	1.5	13.4									14.0	2	13	2	7.1	0						
			W6	4.1	2.3	1.8	43.9									17.0	4	13	2	23.5	50						
			W7	32.6	28.5	4.1	12.6									45.0	11	37	6	17.8	45.5						
	R3	UNKNOWN	W8	33.1	29.0	4.1	12.4	100.0	98.4	1.6	1.6					46.0	11	38	6	17.4	45.5	46	11	38	6	17.4	45.5
			W9	6.5	2.7	3.8	58.5									22.0	6	14	1	36.4	83.3						
			W10	8.6	6.8	1.8	20.9									12.0	1	11	1	8.3	0						
			W11	8.5	8.5	0.0	0.0									10.0	0	10	0	0	0						
			W12	6.8	6.8	0.0	0.0																				
			W13	33.4	29.2	4.2	12.6									46.0	11	38	6	17.4	45.5						
	R4	UNKNOWN	W14	34.0	29.6	4.4	12.9	100.0	98.7	1.3	1.3					45.0	10	37	6	17.8	40	46	11	38	7	17.4	36.4
			W15	6.5	2.5	4.0	61.5									22.0	6	15	2	31.8	66.7						
			W16	8.4	6.5	1.9	22.6									12.0	1	11	1	8.3	0						
			W17	8.8	8.8	0.0	0.0									10.0	0	10	0	0	0						
			W18	7.3	7.3	0.0	0.0																				
			W19	34.1	29.6	4.5	13.2									44.0	9	36	5	18.2	44.4						
	R5	UNKNOWN	W20	34.3	29.8	4.5	13.1	99.1	99.1	0.0	0.0					44.0	9	36	5	18.2	44.4	44	9	36	5	18.2	44.4
	R6	UNKNOWN	W21	34.1	29.6	4.5	13.2	98.6	98.3	0.3	0.3					43.0	8	35	4	18.6	50	43	8	35	4	18.6	50
			W22	6.2	2.3	3.9	62.9									20.0	4	13	0	35	100						
			W23	8.4	6.4	2.0	23.8									11.0	0	10	0	9.1	0						
			W24	8.8	8.8	0.0	0.0									10.0	0	10	0	0	0						
			W25	7.7	7.7	0.0	0.0																				
			W26	33.9	29.6	4.3	12.7									42.0	7	34	3	19	57.1						

Baseline v Indicative Scheme

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
CRUISE HOUSE																											
F00	R1	UNKNOWN	W1	28.2	27.4	0.8	2.8	94.0	94.0	0.0	0.0					35.0	4	34	3	2.9	25	37	4	36	3	2.7	25
			W2	28.1	28.1	0.0	0.0																				
	R2	UNKNOWN	W3	10.4	9.6	0.8	7.7	91.1	90.7	0.4	0.4					18.0	5	16	3	11.1	40	18	5	16	3	11.1	40
			W4	12.0	11.2	0.8	6.7									18.0	5	16	3	11.1	40						
	R3	UNKNOWN	W5	8.5	5.6	2.9	34.1	67.9	67.9	0.0	0.0					14.0	14	7	7	50	50	14	14	7	7	50	50
	R4	UNKNOWN	W6	12.4	8.1	4.3	34.7	98.9	94.3	4.6	4.7					25.0	20	12	8	52	60	25	20	12	8	52	60
	R5	UNKNOWN	W7	7.8	4.1	3.7	47.4	95.8	88.8	7.0	7.3					18.0	17	7	6	61.1	64.7	18	17	7	6	61.1	64.7
	R6	UNKNOWN	W8	2.1	0.3	1.8	85.7	56.3	56.3	0.0	0.0					6.0	6	1	1	83.3	83.3	6	6	1	1	83.3	83.3
	R7	UNKNOWN	W9	9.2	7.1	2.1	22.8	81.7	80.2	1.5	1.8					15.0	7	11	4	26.7	42.9	15	7	11	4	26.7	42.9
F01	R1	UNKNOWN	W1	29.7	28.4	1.3	4.4	98.6	98.6	0.0	0.0					38.0	7	35	4	7.9	42.9	40	7	37	4	7.5	42.9
			W2	30.2	30.2	0.0	0.0																				
	R2	UNKNOWN	W3	22.5	21.1	1.4	6.2	84.9	75.5	9.4	11.1					32.0	8	28	4	12.5	50	32	8	28	4	12.5	50
	R3	UNKNOWN	W4	13.8	13.2	0.6	4.3	57.0	57.0	0.0	0.0					22.0	4	21	3	4.5	25	33	9	28	4	15.2	58.6
			W5	20.6	19.2	1.4	6.8									33.0	9	28	4	15.2	55.6						
	R4	UNKNOWN	W6	12.8	8.6	4.2	32.8	64.3	64.3	0.0	0.0					24.0	18	14	8	41.7	55.6	24	18	14	8	41.7	55.6
	R5	UNKNOWN	W7	14.4	9.6	4.8	33.3	96.2	94.9	1.3	1.4					31.0	21	17	9	45.2	57.1	31	21	17	9	45.2	57.1
	R6	UNKNOWN	W8	10.6	6.0	4.6	43.4	96.0	90.7	5.3	5.5					23.0	18	9	6	60.9	66.7	23	18	9	6	60.9	66.7
	R7	UNKNOWN	W9	5.2	1.2	4.0	76.9	58.6	55.2	3.4	5.8					14.0	13	2	2	85.7	84.6	14	13	2	2	85.7	84.6
	R8	UNKNOWN	W10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					0.0	0	0	0	0	0	0	0	0	0	0	0
	R9	UNKNOWN	W11	10.1	8.0	2.1	20.8	82.0	80.7	1.3	1.6					18.0	7	14	4	22.2	42.9	18	7	14	4	22.2	42.9
	R10	UNKNOWN	W12	16.3	12.9	3.4	20.9	96.2	93.7	2.5	2.6					34.0	15	25	8	26.5	46.7	34	15	25	8	26.5	46.7
			W13	16.3	12.9	3.4	20.9									34.0	15	25	8	26.5	46.7						
F02	R1	UNKNOWN	W1	33.0	30.9	2.1	6.4	97.9	97.9	0.0	0.0					52.0	14	42	5	19.2	64.3	53	14	43	5	18.9	64.3
			W2	32.4	32.4	0.0	0.0																				
	R2	UNKNOWN	W3	33.1	31.0	2.1	6.3	97.4	97.4	0.0	0.0					52.0	14	42	5	19.2	64.3	52	14	42	5	19.2	64.3
			W4	33.0	31.0	2.0	6.1									52.0	14	42	5	19.2	64.3						
	R3	UNKNOWN	W5	30.3	25.5	4.8	15.8	92.9	92.9	0.0	0.0					71.0	20	60	10	15.5	50	71	20	60	10	15.5	50
	R4	UNKNOWN	W6	28.8	24.1	4.7	16.3	100.0	97.5	2.5	2.5					68.0	22	55	11	19.1	50	68	22	55	11	19.1	50
	R5	UNKNOWN	W7	8.7	4.9	3.8	43.7	96.7	90.1	6.6	6.8					21.0	20	10	9	52.4	55	21	20	10	9	52.4	55
	R6	UNKNOWN	W8	2.7	0.4	2.3	85.2	78.7	63.8	14.9	18.9					8.0	8	2	2	75	75	8	8	2	2	75	75
	R7	UNKNOWN	W9	12.5	10.4	2.1	16.8	84.1	83.3	0.8	1.0					26.0	8	22	5	15.4	37.5	26	8	22	5	15.4	37.5
	R8	UNKNOWN	W10	16.5	13.1	3.4	20.6	96.9	92.5	4.4	4.5					34.0	15	25	8	26.5	46.7	34	15	25	8	26.5	46.7
			W11	16.5	13.0	3.5	21.2									34.0	15	25	8	26.5	46.7						
F03	R1	UNKNOWN	W1	27.3	22.6	4.7	17.2	99.1	90.4	8.7	8.8					66.0	22	54	12	18.2	45.5	66	22	54	12	18.2	45.5
	R2	UNKNOWN	W2	25.4	20.7	4.7	18.5	97.3	90.1	7.2	7.4					66.0	24	52	12	21.2	50	66	24	52	12	21.2	50
	R3	UNKNOWN	W3	15.0	10.4	4.6	30.7	99.5	91.2	8.3	8.3					34.0	20	21	9	38.2	55	58	21	45	10	22.4	52.4
			W4	22.6	18.0	4.6	20.4									55.0	21	42	10	23.6	52.4						
			W5	20.8	16.1	4.7	22.6									52.0	21	39	10	25	52.4						
	R4	UNKNOWN	W6	7.6	7.1	0.5	6.6	29.8	25.9	3.9	13.1					24.0	5	23	4	4.2	20	24	5	23	4	4.2	20
	R5	UNKNOWN	W7	14.7	11.6	3.1	21.1	94.2	92.7	1.5	1.6					37.0	14	28	7	24.3	50	37	14	28	7	24.3	50
	R6	UNKNOWN	W8	16.6	13.3	3.3	19.9	96.9	92.5	4.4	4.5					34.0	15	25	8	26.5	46.7	34	15	25	8	26.5	46.7
			W9	16.6	13.2	3.4	20.5									34.0	15	25	8	26.5	46.7						
DINGLE GARDENS 1-12																											
F00	R1	UNKNOWN	W1	33.2	30.3	2.9	8.7	98.8	97.1	1.7	1.7					50.0	13	41	5	18	61.5	50	13	41	5	18	61.5
	R2	UNKNOWN	W2	32.8	30.1	2.7	8.2	99.0	99.0	0.0	0.0					48.0	11	40	4	16.7	63.6	48	11	40	4	16.7	63.6
	R3	UNKNOWN	W3	3.3	1.2	2.1	63.6	85.2	59.4	25.8	30.3					9.0	9	3	3	66.7	66.7	9	9	3	3	66.7	66.7
			W4	0.6	0.1	0.5	83.3									2.0	2	0	0	100	100						
	R4	UNKNOWN	W5	32.5	29.9	2.6	8.0	98.7	97.4	1.3	1.3					45.0	11	38	5	15.6	54.5	45	11	38	5	15.6	54.5
	R5	UNKNOWN	W6	32.1	29.7	2.4	7.5	98.9	98.9	0.0	0.0					44.0	10	38	5	13.6	50	44	10	38	5	13.6	50
	R6	UNKNOWN	W7	31.9	29.5	2.4	7.5	98.9	98.0	0.9	0.9					44.0	10	39	6	11.4	40	44	10	39	6	11.4	40
	R7	UNKNOWN	W8	31.6	29.3	2.3	7.3	99.2	99.2	0.0	0.0					43.0	10	38	5	11.6	50	43	10	38	5	11.6	50
	R8	UNKNOWN	W9	2.4	2.3	0.1	4.2	97.6	82.3	15.3	15.7					0.0	0	0	0	0	0	2	1	1	0	50	100
			W10	4.9	4.6	0.3	6.1									2.0	1	1	0	50	100						
	R9	UNKNOWN	W11	31.5	29.3	2.2	7.0	98.2	97.7	0.5	0.5					44.0	8	39	3	11.4	62.5	44	8	39	3	11.4	62.5
	R10	UNKNOWN	W12	32.1	30.1	2.0	6.2	99.1	99.1	0.0	0.0					43.0	7	39	3	9.3	57.1	43	7	39	3	9.3	57.1
F01	R1	UNKNOWN	W1	34.5	31.6	2.9	8.4	98.8	97.1	1.7	1.7					50.0	13	41	5	18	61.5	50	13	41	5	18	61.5
	R2	UNKNOWN	W2	34.4	31.6	2.8	8.1	99.0	99.0	0.0	0.0					49.0	12	40	4	18.4	66.7	49	12	40	4	18.4	66.7
	R3	UNKNOWN	W3	33.8	31.1	2.7	8.0	98.6	98.6	0.0	0.0					48.0	11	40	4	16.7	63.6	48	11	40	4	16.7	63.6
	R4	UNKNOWN	W4	34.1	31.6	2.5	7.3	98.7	97.6	1.1	1.1					48.0	11	41	5	14.6	54.5	48	11	41	5	14.6	54.5
	R5	UNKNOWN	W5	34.0	31.5	2.5	7.4	98.9	98.9	0.0	0.0					47.0	11	42	7	10.6	36.4	47	11	42	7	10.6	36.4
	R6	UNKNOWN	W6	33.8	31.4	2.4	7.1	98.9	98.0	0.9	0.9					47.0	11	43	7	8.5	36.4	47	11	43	7	8.5	36.4
	R7	UNKNOWN	W7	33.7	31.3	2.4	7.1	99.2	99.2	0.0	0.0					47.0	11	42	6	10.6	45.5	47	11	42	6	10.6	45.5
	R8	UNKNOWN	W8	32.8	30.6	2.2	6.7	96.1	96.1	0.0	0.0					46.0	10	41	5	10.9	50	46	10	41	5	10.9	50
	R9	UNKNOWN	W9	33.5	31.3	2.2	6.6	98.2	98.0	0.2	0.2					47.0	9	42	4	10.6	55.6	47	9	42	4	10.6	55.6
	R10	UNKNOWN	W10	33.8	31.8	2.0	5.9	99.1	99.1	0.0	0.0					46.0	8	42	4	8.7	50	46	8	42	4	8.7	50
F02	R1	UNKNOWN	W1	35.4	32.5	2.9	8.2	98.8	97.1	1.7	1.7					51.0	13	42	5	17.6	61.5	51	13	42	5	17.6	61.5
	R2	UNKNOWN	W2	35.4	32.7	2.7	7.6	99.0	99.0	0.0	0.0					50.0	13	41	5	18	61.5	50	13	41	5	18	61.5
	R3	UNKNOWN	W3	35.2	32.5	2.7	7.7	98.6	98.6	0.0	0.0					50.0	12	43	6	14	50	50	12	43	6	14	50
	R4	UNKNOWN	W4	35.4	32.8	2.6	7.3	98.7	97.9	0.8	0.8					48.0	11	42	6	12.5	45.5	48	11	42	6	12.5	45.5
	R5	UNKNOWN	W5	35.4	32.9	2.5	7.1	98.9	98.9	0.0	0.0					49.0	11	45	7	8.2	36.4	49	11	45	7	8.2	36.4
	R6	UNKNOWN	W6	35.3	32.9	2.4	6.8	98.9	98.0	0.9	0.9					49.0	11	45	7	8.2	36.4	49	11	45	7	8.2	36.4
	R7	UNKNOWN	W7	35.3	33.0	2.3	6.5	99.2	99.2	0.0	0.0					49.0	11	44	6	10.2	45.5	49	11	44	6	10.2	45.5
	R8	UNKNOWN	W8	34.8	32.5	2.3	6.6	96.1	96.1	0.0	0.0					49.0	11	44	6	10.2	45.5	49	11	44	6	10.2	45.5
	R9	UNKNOWN	W9	35.3	33.1	2.2	6.2	98.2	98.0	0.2	0.2					49.0	11	44	6	10.2	45.5	49	11	44	6	10.2	45.5
	R10	UNKNOWN	W10	35.3	33.2	2.1	5.9	99.1	99.1	0.0	0.0					47.0	9	44	6	6.4	33.3	47	9	44	6	6.4	33.3
DINGLE GARDENS 13																											
F00	R1	UNKNOWN	W1	10.1	7.2	2.9	28.7	94.9	94.9	0.0	0.0					31.0	7	25	4	19.4	42.9	43	9	37	5	14	44.4
			W2	22.1	19.1	3.0	13.6									35.0	7	29	3	17.1	57.1						
			W3	19.1	16.2	2.9	15.2									32.0	7	26	2	18.8	71.4						
	R2	UNKNOWN	W4	22.9	22.2	0.7	3.1	97.9	97.9	0.0	0.0					27.0	2	26	2	3.7	0	27	2	26	2	3.7	0
F01	R1	UNKNOWN	W1	24.7	21.7	3.0	12.1	96.5	95.3	1.2	1.2					34.0	8	29	4	14.7	50	34	8	29	4	14.7	50
	R2	UNKNOWN	W2	23.9	22.4	1.5	6.3	97.0	96.6	0.4	0.4					30.0	4	27	2	10	50	30	4	27	2	10	50
DINGLE GARDENS 14																											
F00	R1	UNKNOWN	W1	11.0	9.7	1.3	11.8	91.9	77.9	14.0	15.2					18.0	2	18	2	0	0	18	2	18	2	0	0
	R2	UNKNOWN	W2	27.7	24.6	3.1	11.2	98.9	98.9	0.0	0.0					44.0	8	37	4	15.9	50	44	8	37	4	15.9	50
F01	R1	UNKNOWN	W1	28.8	25.7	3.1	10.8	96.5	95.3	1.2	1.2					38.0	9	32	5	15.8	44.4	38	9	32	5	15.8	44.4
	R2	UNKNOWN	W2	29.3	26.2	3.1	10.6	98.3	98.3	0.0	0.0					38.0	9	32	5	15.8	44.4	38	9	32	5	15.8	44.4

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
DINGLE GARDENS 15																											
F00	R1	UNKNOWN	W1	28.2	25.8	2.4	8.5	98.3	98.3	0.0	0.0					27.0	5	23	2	14.8	60	27	5	23	2	14.8	60
	R2	UNKNOWN	W2	11.7	11.6	0.1	0.9	94.3	94.3	0.0	0.0					17.0	2	17	2	0	0	17	2	17	2	0	0
F01	R1	UNKNOWN	W1	29.8	26.5	3.3	11.1	98.3	98.3	0.0	0.0					39.0	9	33	5	15.4	44.4	39	9	33	5	15.4	44.4
	R2	UNKNOWN	W2	29.9	26.7	3.2	10.7	96.6	96.6	0.0	0.0					38.0	8	32	4	15.8	50	38	8	32	4	15.8	50
DINGLE GARDENS 16																											
F00	R1	UNKNOWN	W1	14.9	14.9	0.0	0.0	75.7	75.7	0.0	0.0					N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	UNKNOWN	W2	26.4	25.9	0.5	1.9	98.7	98.7	0.0	0.0					31.0	2	30	2	3.2	0	31	2	30	2	3.2	0
F01	R1	UNKNOWN	W1	32.8	29.5	3.3	10.1	97.6	97.1	0.5	0.5					41.0	7	35	3	14.6	57.1	41	7	35	3	14.6	57.1
	R2	UNKNOWN	W2	30.3	26.9	3.4	11.2	96.7	96.7	0.0	0.0					38.0	8	31	4	18.4	50	38	8	31	4	18.4	50
DINGLE GARDENS 17																											
F00	R1	UNKNOWN	W1	11.0	8.2	2.8	25.5	70.3	43.8	26.5	37.7					30.0	8	22	4	26.7	50	30	8	22	4	26.7	50
	R2	UNKNOWN	W2	23.7	21.8	1.9	8.0	98.7	98.7	0.0	0.0					35.0	2	30	1	14.3	50	35	2	30	1	14.3	50
F01	R1	UNKNOWN	W1	30.2	26.8	3.4	11.3	97.3	96.7	0.6	0.6					38.0	8	31	4	18.4	50	38	8	31	4	18.4	50
	R2	UNKNOWN	W2	32.8	29.4	3.4	10.4	98.5	98.5	0.0	0.0					42.0	8	35	4	16.7	50	42	8	35	4	16.7	50
DINGLE GARDENS 18																											
F00	R1	UNKNOWN	W1	8.7	8.3	0.4	4.6	68.2	61.7	6.5	9.5					16.0	0	16	0	0	0	16	0	16	0	0	0
	R2	UNKNOWN	W2	25.6	23.3	2.3	9.0	98.3	98.3	0.0	0.0					39.0	4	32	1	17.9	75	39	4	32	1	17.9	75
F01	R1	UNKNOWN	W1	29.9	26.5	3.4	11.4	97.5	94.4	3.1	3.2					38.0	8	31	4	18.4	50	38	8	31	4	18.4	50
	R2	UNKNOWN	W2	29.6	26.3	3.3	11.1	97.8	96.6	1.2	1.2					36.0	6	29	2	19.4	66.7	36	6	29	2	19.4	66.7
DINGLE GARDENS 19																											
F00	R1	UNKNOWN	W1	25.0	23.2	1.8	7.2	84.9	84.9	0.0	0.0					22.0	3	18	0	18.2	100	22	3	18	0	18.2	100
	R2	UNKNOWN	W2	8.1	8.1	0.0	0.0	51.8	51.8	0.0	0.0					11.0	0	11	0	0	0	11	0	11	0	0	0
F01	R1	UNKNOWN	W1	29.0	25.6	3.4	11.7	98.0	97.3	0.7	0.7					36.0	6	29	2	19.4	66.7	36	6	29	2	19.4	66.7
	R2	UNKNOWN	W2	28.6	25.0	3.6	12.6	95.1	89.2	5.9	6.2					36.0	6	29	2	19.4	66.7	36	6	29	2	19.4	66.7
DINGLE GARDENS 20																											
F00	R1	UNKNOWN	W1	19.3	17.5	1.8	9.3	94.0	94.0	0.0	0.0					24.0	2	23	2	4.2	0	24	2	23	2	4.2	0
	R2	UNKNOWN	W2	24.4	20.5	3.9	16.0	96.4	96.4	0.0	0.0					31.0	7	22	3	29	57.1	31	7	22	3	29	57.1
			W3	24.3	20.4	3.9	16.0									30.0	7	21	3	30	57.1						
			W4	10.6	10.6	0.0	0.0																				
F01	R1	UNKNOWN	W1	29.1	29.1	0.0	0.0	98.0	96.1	1.9	1.9											69	15	63	12	8.7	20
			W2	23.7	20.6	3.1	13.1									62.0	15	56	12	9.7	20						
	R2	UNKNOWN	W3	28.1	24.2	3.9	13.9	95.1	86.8	8.3	8.7					34.0	6	27	2	20.6	66.7	34	6	27	2	20.6	66.7
	R3	UNKNOWN	W4	24.4	20.5	3.9	16.0	97.5	96.6	0.9	0.9					35.0	6	28	2	20	66.7	35	6	28	2	20	66.7
DINGLE GARDENS 21																											
F00	R1	UNKNOWN	W1	21.5	18.3	3.2	14.9	96.7	96.7	0.0	0.0					51.0	7	42	3	17.6	57.1	51	7	42	3	17.6	57.1
	R2	UNKNOWN	W2	25.0	22.0	3.0	12.0	76.7	76.2	0.5	0.7					63.0	10	54	7	14.3	30	63	10	54	7	14.3	30
F01	R1	UNKNOWN	W1	20.3	16.6	3.7	18.2	88.1	81.3	6.8	7.7					54.0	14	46	10	14.8	28.6	54	14	46	10	14.8	28.6
DINGLE GARDENS 22																											
F00	R1	UNKNOWN	W1	21.5	18.7	2.8	13.0	84.1	78.1	6.0	7.1					51.0	6	44	4	13.7	33.3	51	6	44	4	13.7	33.3
F01	R1	UNKNOWN	W1	24.8	21.0	3.8	15.3	91.8	86.0	5.8	6.3					61.0	15	54	11	11.5	26.7	61	15	54	11	11.5	26.7
DINGLE GARDENS 23																											
F00	R1	UNKNOWN	W1	24.8	21.3	3.5	14.1	90.3	85.0	5.3	5.9					63.0	11	53	7	15.9	36.4	63	11	53	7	15.9	36.4
F01	R1	UNKNOWN	W1	24.8	20.9	3.9	15.7	94.7	89.2	5.5	5.8					61.0	15	54	11	11.5	26.7	61	15	54	11	11.5	26.7
DINGLE GARDENS 24																											
F00	R1	UNKNOWN	W1	26.1	22.1	4.0	15.3	89.1	89.1	0.0	0.0					67.0	13	58	9	13.4	30.8	67	13	58	9	13.4	30.8
	R2	UNKNOWN	W2	24.3	21.3	3.0	12.3	100.0

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
DINGLE GARDENS 29																											
F00	R1	UNKNOWN	W1	26.3	21.6	4.7	17.9	97.8	95.7	2.1	2.1					67.0	13	57	8	14.9	38.5	67	13	57	8	14.9	38.5
	R2	UNKNOWN	W2	26.6	21.9	4.7	17.7	96.6	95.8	0.8	0.8					68.0	13	57	7	16.2	46.2	68	13	57	7	16.2	46.2
F01	R1	UNKNOWN	W1	20.6	15.8	4.8	23.3	97.8	88.0	9.8	10.0					55.0	17	43	10	21.8	41.2	55	17	43	10	21.8	41.2
DINGLE GARDENS 30																											
F00	R1	UNKNOWN	W1	26.7	21.8	4.9	18.4	98.4	90.6	7.8	7.9					67.0	13	54	6	19.4	53.8	67	13	54	6	19.4	53.8
F01	R1	UNKNOWN	W1	25.4	20.5	4.9	19.3	98.4	92.2	6.2	6.3					63.0	17	49	9	22.2	47.1	63	17	49	9	22.2	47.1
DINGLE GARDENS 31																											
F00	R1	UNKNOWN	W1	26.9	21.8	5.1	19.0	99.2	90.9	8.3	8.4					69.0	14	55	7	20.3	50	69	14	55	7	20.3	50
F01	R1	UNKNOWN	W1	25.5	20.3	5.2	20.4	99.4	90.9	8.5	8.6					65.0	18	50	9	23.1	50	65	18	50	9	23.1	50
DINGLE GARDENS 32																											
F00	R1	UNKNOWN	W1	27.1	21.8	5.3	19.6	96.8	90.9	5.9	6.1					72.0	15	58	8	19.4	46.7	72	15	58	8	19.4	46.7
	R2	UNKNOWN	W2	26.0	21.3	4.7	18.1	100.0	100.0	0.0	0.0					65.0	11	53	6	18.5	45.5	65	11	53	6	18.5	45.5
F01	R1	UNKNOWN	W1	20.8	15.5	5.3	25.5	99.2	84.2	15.0	15.1					55.0	17	42	10	23.6	41.2	55	17	42	10	23.6	41.2
DINGLE GARDENS 33																											
F00	R1	UNKNOWN	W1	20.0	14.7	5.3	26.5	98.9	88.0	10.9	11.0					48.0	11	36	5	25	54.5	48	11	36	5	25	54.5
	R2	UNKNOWN	W2	25.1	19.9	5.2	20.7	95.9	91.3	4.6	4.8					59.0	13	47	7	20.3	46.2	59	13	47	7	20.3	46.2
F01	R1	UNKNOWN	W1	20.0	14.5	5.5	27.5	96.0	85.3	10.7	11.1					53.0	16	41	9	22.6	43.8	53	16	41	9	22.6	43.8
DINGLE GARDENS 34																											
F00	R1	UNKNOWN	W1	26.9	21.3	5.6	20.8	98.9	87.5	11.4	11.5					68.0	17	54	9	20.6	47.1	68	17	54	9	20.6	47.1
F01	R1	UNKNOWN	W1	25.7	20.1	5.6	21.8	99.7	91.7	8.0	8.0					65.0	19	52	11	20	42.1	65	19	52	11	20	42.1
DINGLE GARDENS 35																											
F00	R1	UNKNOWN	W1	27.6	21.8	5.8	21.0	98.2	84.1	14.1	14.4					72.0	17	58	9	19.4	47.1	72	17	58	9	19.4	47.1
F01	R1	UNKNOWN	W1	25.7	19.9	5.8	22.6	98.7	87.8	10.9	11.0					65.0	18	52	10	20	44.4	65	18	52	10	20	44.4
DINGLE GARDENS 36																											
F00	R1	UNKNOWN	W1	27.7	21.7	6.0	21.7	98.2	92.6	5.6	5.7					74.0	18	60	10	18.9	44.4	74	18	60	10	18.9	44.4
	R2	UNKNOWN	W2	27.7	21.6	6.1	22.0	98.9	98.9	0.0	0.0					75.0	19	61	11	18.7	42.1	75	19	61	11	18.7	42.1
F01	R1	UNKNOWN	W1	22.2	16.2	6.0	27.0	99.5	82.8	16.7	16.8					62.0	20	48	12	22.6	40	62	20	48	12	22.6	40
DINGLE GARDENS 37																											
F00	R1	UNKNOWN	W1	21.7	15.7	6.0	27.6	100.0	100.0	0.0	0.0					58.0	18	44	10	24.1	44.4	58	18	44	10	24.1	44.4
	R2	UNKNOWN	W2	26.8	20.6	6.2	23.1	93.1	91.1	2.0	2.1					69.0	20	55	11	20.3	45	69	20	55	11	20.3	45
	R3	UNKNOWN	W3	27.4	21.2	6.2	22.6	93.2	93.2	0.0	0.0					66.0	16	55	10	16.7	37.5	66	16	55	10	16.7	37.5
F01	R1	UNKNOWN	W1	19.0	12.9	6.1	32.1	90.1	87.4	2.7	3.0					51.0	18	37	9	27.5	50	51	18	37	9	27.5	50
	R2	UNKNOWN	W2	24.4	18.3	6.1	25.0	93.5	83.2	10.3	11.0					69.0	21	56	12	18.8	42.9	69	21	56	12	18.8	42.9
	R3	UNKNOWN	W3	24.8	18.7	6.1	24.6	87.1	74.2	12.9	14.8					69.0	21	55	12	20.3	42.9	69	21	55	12	20.3	42.9
DINGLE GARDENS 38																											
F00	R1	UNKNOWN	W1	27.8	21.3	6.5	23.4	93.6	91.4	2.2	2.4					70.0	17	59	11	15.7	35.3	70	17	59	11	15.7	35.3
	R2	UNKNOWN	W2	27.9	21.4	6.5	23.3	93.3	92.7	0.6	0.6					70.0	17	57	10	18.6	41.2	70	17	57	10	18.6	41.2
	R3	UNKNOWN	W3	26.8	20.5	6.3	23.5	100.0	100.0	0.0	0.0					63.0	15	51	9	19	40	63	15	51	9	19	40
F01	R1	UNKNOWN	W1	25.0	18.7	6.3	25.2	87.1	65.7	21.4	24.6					66.0	18	55	12	16.7	33.3	66	18	55	12	16.7	33.3
	R2	UNKNOWN	W2	25.1	18.6	6.5	25.9	93.8	74.1	19.7	21.0					67.0	19	54	12	19.4	36.8	67	19	54	12	19.4	36.8
	R3	UNKNOWN	W3	24.3	18.0	6.3	25.9	98.1	87.0	11.1	11.3					64.0	16	52	10	18.8	37.5	64	16	52	10	18.8	37.5
DINGLE GARDENS 39																											
F00	R1	UNKNOWN	W1	27.2	20.8	6.4	23.5	95.3	94.8	0.5	0.5					70.0	15	58	9	17.1	40	70	15	58	9	17.1	40
	R2	UNKNOWN	W2	18.1	16.4	1.7	9.4	88.8	81.9	6.9	7.8					41.0	8	39	8	4.9	0	41	8	39	8	4.9	0
	R3	UNKNOWN	W3	25.5	19.1	6.4	25.1	98.5	91.0	7.5	7.6					68.0	13	54	8	20.6	38.5	68	13	54	8	20.6	38.5
F01	R1	UNKNOWN	W1	27.5	20.9	6.6	24.0	90.9	87.5	3.4	3.7					72.0	18	60	12	16.7	33.3	72	18	60	12	16.7	33.3
	R2	UNKNOWN	W2	27.8	21.2	6.6	23.7	99.6	97.3	2.3	2.3					70.0	18	57	12	18.6	33.3	70	18	57	12	18.6	33.3
DINGLE GARDENS 40																											
F00	R1	UNKNOWN	W1	6.4	5.2	1.2	18.8	88.7	85.6	3.1	3.5					12.0	11	10	9	16.7	18.2	46	17	37	12	19.6	25.4
			W2	16.3	11.0	5.3	32.5									36.0	17	26	11	27.8	35.3						
			W3	11.5	8.5	3.0	26.1									28.0	15	23	10	17.9	33.3						
F01	R1	UNKNOWN	W1	27.0	21.8	5.2	19.3	89.7	85.1	4.6	5.1					73.0	22	65	17	11	22.7	73	22	65	17	11	22.7
	R2	UNKNOWN	W2	27.0	21.7	5.3	19.6	95.3	92.4	2.9	3.0					71.0	22	61	16	14.1	27.3	71	22	61	16	14.1	27.3
DINGLE GARDENS 41																											
F00	R1	UNKNOWN	W1	11.6	7.3	4.3	37.1	89.7	88.5	1.2	1.3					23.0	14	17	10	26.1	28.6	38	16	30	11	21.1	31.3
			W3	9.1	6.5	2.6	28.6									22.0	7	14	1	36.4	85.7						
	R2	UNKNOWN	W4	19.4	15.9	3.5	18.0	94.6	89.6	5.0	5.3					38.0	11	32	7	15.8	36.4	38	11	32	7	15.8	36.4
F01	R1	UNKNOWN	W1	27.5	22.3	5.2	18.9	98.8	98.8	0.0	0.0					70.0	21	61	15	12.9	28.6	70	21	61	15	12.9	28.6
	R2	UNKNOWN	W2	25.3	21.2	4.1	16.2	88.9	77.4	11.5	12.9					62.0	17	54	12	12.9	29.4	62	17	54	12	12.9	29.4
DINGLE GARDENS 42																											
F00	R1	UNKNOWN	W1	19.1	15.2	3.9	20.4	94.0	90.6	3.4	3.6					38.0	10	33	7	13.2	30	38	10	33	7	13.2	30

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
	R2	UNKNOWN	W2	9.7	9.7	0.0	0.0	45.5	45.5	0.0	0.0																
F01	R1	UNKNOWN	W1	24.7	19.7	5.0	20.2	90.9	79.2	11.7	12.9					65.0	19	57	13	12.3	31.6	65	19	57	13	12.3	31.6
	R2	UNKNOWN	W2	27.4	22.4	5.0	18.2	97.6	95.2	2.4	2.5					73.0	23	64	17	12.3	26.1	73	23	64	17	12.3	26.1
DINGLE GARDENS 43																											
F00	R1	UNKNOWN	W1	11.4	10.5	0.9	7.9	84.0	71.7	12.3	14.6					19.0	12	14	7	26.3	41.7	45	21	33	12	26.7	42.9
			W2	16.2	11.3	4.9	30.2									39.0	20	27	11	30.8	45						
			W3	5.8	3.0	2.8	48.3									18.0	16	9	9	43.8	43.8						
	R2	UNKNOWN	W4	0.1	0.1	0.0	0.0	8.7	8.0	0.7	8.0					0.0	0	0	0	0	0	0	0	0	0	0	0
			W5	0.0	0.0	0.0	0.0									0.0	0	0	0	0	0						
			W6	0.1	0.1	0.0	0.0									0.0	0	0	0	0	0						
F01	R1	UNKNOWN	W1	27.1	22.1	5.0	18.5	95.8	78.2	17.6	18.4					72.0	23	61	14	15.3	39.1	72	23	61	14	15.3	36.1
	R2	UNKNOWN	W2	27.0	22.0	5.0	18.5	92.7	81.3	11.4	12.3					74.0	24	63	15	14.9	37.5	74	24	63	15	14.9	37.5
DINGLE GARDENS 44																											
F00	R1	UNKNOWN	W1	1.5	1.0	0.5	33.3	50.4	50.4	0.0	0.0					3.0	3	1	1	66.7	66.7	4	4	2	2	50	50
			W2	1.6	1.2	0.4	25.0									3.0	3	1	1	66.7	66.7						
			W3	1.7	1.6	0.1	5.9									3.0	3	2	2	33.3	33.3						
	R2	UNKNOWN	W4	23.3	18.4	4.9	21.0	98.3	96.6	1.7	1.7					54.0	16	43	7	20.4	56.3	54	16	43	7	20.4	56.3
F01	R1	UNKNOWN	W1	25.5	20.7	4.8	18.8	92.1	83.5	8.6	9.3					68.0	22	57	13	16.2	40.9	68	22	57	13	16.2	40.9
	R2	UNKNOWN	W2	25.4	20.6	4.8	18.9	97.9	92.4	5.5	5.6					69.0	23	58	14	15.9	39.1	69	23	58	14	15.9	38.1
DINGLE GARDENS 45																											
F00	R1	UNKNOWN	W1	24.6	21.4	3.2	13.0	98.7	98.7	0.0	0.0					52.0	12	46	7	11.5	41.7	52	12	46	7	11.5	41.7
	R2	UNKNOWN	W2	1.5	1.0	0.5	33.3	59.7	39.5	20.2	33.8					3.0	3	1	1	66.7	66.7	3	3	1	1	66.7	66.7
			W3	1.7	1.2	0.5	29.4									3.0	3	1	1	66.7	66.7						
			W4	1.8	1.6	0.2	11.1									2.0	2	1	1	50	50						
F01	R1	UNKNOWN	W1	25.5	20.9	4.6	18.0	98.7	97.0	1.7	1.7					67.0	21	58	13	13.4	38.1	67	21	58	13	13.4	38.1
	R2	UNKNOWN	W2	25.5	20.7	4.8	18.8	91.5	82.9	8.6	9.4					68.0	22	58	13	14.7	40.9	68	22	58	13	14.7	40.9
DINGLE GARDENS 46																											
F00	R1	UNKNOWN	W1	1.3	0.9	0.4	30.8	37.9	37.9	0.0	0.0					2.0	2	1	1	50	50	2	2	1	1	50	50
			W2	1.6	1.3	0.3	18.8									2.0	2	1	1	50	50						
			W3	1.7	1.6	0.1	5.9									1.0	1	1	1	0	0						
	R2	UNKNOWN	W4	23.7	19.0	4.7	19.8	99.1	99.1	0.0	0.0					51.0	12	42	4	17.6	66.7	51	12	42	4	17.6	66.7
F01	R1	UNKNOWN	W1	29.1	24.6	4.5	15.5	91.5	86.2	5.3	5.8					73.0	21	63	13	13.7	38.1	73	21	63	13	13.7	38.1
	R2	UNKNOWN	W2	25.6	21.0	4.6	18.0	97.8	91.4	6.4	6.5					67.0	21	58	13	13.4	38.1	67	21	58	13	13.4	38.1
DINGLE GARDENS 47																											
F00	R1	UNKNOWN	W1	24.6	21.8	2.8	11.4	99.6	99.6	0.0	0.0					53.0	13	47	9	11.3	30.8	53	13	47	9	11.3	30.8
	R2	UNKNOWN	W2	1.3	0.9	0.4	30.8	48.8	33.3	15.5	31.8					3.0	3	1	1	66.7	66.7	3	3	1	1	66.7	66.7
			W3	1.6	1.4	0.2	12.5									3.0	3	1	1	66.7	66.7						
			W4	1.6	1.6	0.0	0.0									2.0	2	1	1	50	50						
F01	R1	UNKNOWN	W1	25.7	21.2	4.5	17.5	98.7	94.8	3.9	4.0					69.0	22	59	14	14.5	36.4	69	22	59	14	14.5	36.4
	R2	UNKNOWN	W2	29.1	24.6	4.5	15.5	90.7	86.0	4.7	5.2					74.0	22	63	13	14.9	40.9	74	22	63	13	14.9	40.9
DINGLE GARDENS 48																											
F00	R1	UNKNOWN	W1	2.8	2.3	0.5	17.9	53.9	50.8	3.1	5.8					5.0	5	4	4	20	20	5	5	4	4	20	20
	R2	UNKNOWN	W2	24.1	19.7	4.4	18.3	99.2	96.3	2.9	2.9					56.0	15	46	7	17.9	53.3	56	15	46	7	17.9	53.3
F01	R1	UNKNOWN	W1	29.1	24.8	4.3	14.8	91.5	84.5	7.0	7.7					72.0	21	63	14	12.5	33.3	72	21	63	14	12.5	33.3
	R2	UNKNOWN	W2	25.6	21.2	4.4	17.2	98.3	92.1	6.2	6.3					68.0	22	58	14	14.7	36.4	68	22	58	14	14.7	36.4
DINGLE GARDENS 49																											
F00	R1	UNKNOWN	W1	19.4	17.1	2.3	11.9	99.1	99.1	0.0	0.0					36.0	8	32	6	11.1	25	36	8	32	6	11.1	25
	R2	UNKNOWN	W2	2.7	2.2	0.5	18.5	52.3	34.4	17.9	34.2					5.0	5	4	4	20	20	5	5	4	4	20	20
F01	R1	UNKNOWN	W1	25.6	21.5	4.1	16.0	98.3	94.4	3.9	4.0					67.0	20	58	13	13.4	35	67	20	58	13	13.4	35
	R2	UNKNOWN	W2	29.1	24.9	4.2	14.4	90.7	82.2	8.5	9.4					73.0	21	64	14	12.3	33.3	73	21	64	14	12.3	33.3
DINGLE GARDENS 50																											
F00	R1	UNKNOWN	W1	24.6	22.3	2.3	9.3	98.7	98.7	0.0	0.0					53.0	13	47	9	11.3	30.8	53	13	47	9	11.3	30.8
	R2	UNKNOWN	W2	2.8	2.3	0.5	17.9	51.5	33.3	18.2	35.3					3.0	3	2	2	33.3	33.3	3	3	2	2	33.3	33.3
F01	R1	UNKNOWN	W1	25.5	21.5	4.0	15.7	98.7	94.9	3.8	3.9					66.0	20	56	12	15.2	40	66	20	56	12	15.2	40
	R2	UNKNOWN	W2	25.5	21.4	4.1	16.1	84.5	77.0	7.5	8.9					66.0	20	56	12	15.2	40	66	20	56	12	15.2	40
DINGLE GARDENS 51																											
F00	R1	UNKNOWN	W1	23.4	19.4	4.0	17.1	99.2	96.8	2.4	2.4					64.0	18	53	11	17.2	38.9	78	18	67	11	14.1	38.9
			W2	25.5	21.4	4.1	16.1									65.0	17	55	11	15.4	35.3						
			W3	16.2	12.9	3.3	20.4									37.0	10	27	4	27	60						
	R2	UNKNOWN	W4	23.8	19.8	4.0	16.8	98.7	98.7	0.0	0.0					54.0	14	43	7	20.4	50	54	14	43	7	20.4	50
F01	R1	UNKNOWN	W1	25.5	21.6	3.9	15.3	92.0	87.2	4.8	5.2					67.0	19	58	13	13.4	31.6	67	19	58	13	13.4	31.6
	R2	UNKNOWN	W2	25.4	21.4	4.0	15.7	98.3	93.2	5.1	5.2					66.0	20	56	13	15.2	35	66	20	56	13	15.2	35
DINGLE GARDENS 52																											
F00	R1	UNKNOWN	W1	16.4	15.5	0.9	5.5	90.6	89.8	0.8	0.9					22.0	4	20	2	9.1	50	22	4	20	2	9.1	50
	R2	UNKNOWN	W2	14.7	13.7	1.0	6.8	81.3	79.8	1.5	1.8					21.0	4	20	3	4.8	25	21	4	20	3	4.8	25
F01	R1	UNKNOWN	W1	32.5	30.0	2.5	7.7	100.0	99.2	0.8	0.8					46.0	10	38	3	17.4	70	46	10	38	3	17.4	70
	R2	UNKNOWN	W2	32.4	30.0	2.4	7.4	99.1	98.3	0.8	0.8					46.0	13	37	5	19.6	61.5	46	13	37	5	19.6	61.5
F02	R1	UNKNOWN	W1	24.1	22.0	2.1	8.7	100.0	97.5	2.5	2.5					35.0	11	28	5	20	54.5	35	11	28	5	20	54.5
	R2	UNKNOWN	W2	23.9	22.0	1.9	7.9	99.1	95.7	3.4	3.4					34.0	10	27	4	20.6	60	34	10	27	4	20.6	60
DINGLE GARDENS 53																											

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
F00	R1	UNKNOWN	W1	14.5	13.4	1.1	7.6	72.6	71.4	1.2	1.7					19.0	3	17	1	10.5	66.7	19	3	17	1	10.5	66.7
	R2	UNKNOWN	W2	16.0	14.5	1.5	9.4	67.7	67.7	0.0	0.0					21.0	5	17	1	19	80	21	5	17	1	19	80
F01	R1	UNKNOWN	W1	32.2	29.8	2.4	7.5	97.4	97.4	0.0	0.0					46.0	13	37	5	19.6	61.5	46	13	37	5	19.6	61.5
	R2	UNKNOWN	W2	31.0	28.6	2.4	7.7	97.4	97.4	0.0	0.0					45.0	12	36	4	20	66.7	45	12	36	4	20	66.7
F02	R1	UNKNOWN	W1	23.9	22.0	1.9	7.9	99.1	98.7	0.4	0.4					34.0	10	27	4	20.6	60	34	10	27	4	20.6	60
	R2	UNKNOWN	W2	23.4	21.6	1.8	7.7	99.6	99.6	0.0	0.0					34.0	10	27	4	20.6	60	34	10	27	4	20.6	60
DOLPHIN LANE 1																											
F00	R1	UNKNOWN	W1	29.1	27.0	2.1	7.2	0.0	0.0	0.0	0.0					43.0	9	33	0	23.3	100	45	10	34	0	24.4	100
			W2	29.2	27.1	2.1	7.2									45.0	10	34	0	24.4	100						
	R2	UNKNOWN	W3	29.0	27.1	1.9	6.6	17.1	17.1	0.0	0.0					44.0	9	34	0	22.7	100	45	9	35	0	22.2	100
			W4	27.0	25.5	1.5	5.6									35.0	3	32	0	8.6	100						
			W5	29.1	27.2	1.9	6.5									44.0	8	35	0	20.5	100						
F01	R1	UNKNOWN	W1	28.6	26.6	2.0	7.0	87.2	84.1	3.1	3.6					41.0	10	31	1	24.4	90	41	10	31	1	24.4	90
	R2	UNKNOWN	W2	28.8	26.8	2.0	6.9	99.7	99.0	0.7	0.7					43.0	11	33	2	23.3	81.8	43	11	33	2	23.3	81.8
			W3	28.8	26.9	1.9	6.6									43.0	11	33	2	23.3	81.8						
DOLPHIN LANE 11																											
F00	R1	UNKNOWN	W1	29.8	27.8	2.0	6.7	100.0	97.9	2.1	2.1					42.0	6	33	2	21.4	66.7	42	6	33	2	21.4	66.7
	R2	UNKNOWN	W2	30.0	27.9	2.1	7.0	97.1	96.7	0.4	0.4					43.0	8	33	3	23.3	62.5	44	8	34	3	22.7	62.5
			W3	28.4	26.4	2.0	7.0									38.0	5	32	3	15.8	40						
			W4	30.2	28.0	2.2	7.3									43.0	8	33	3	23.3	62.5						
F01	R1	UNKNOWN	W1	29.0	26.5	2.5	8.6	98.8	97.9	0.9	0.9					39.0	8	32	4	17.9	50	39	8	32	4	17.9	50
	R2	UNKNOWN	W2	29.2	26.6	2.6	8.9	98.5	96.0	2.5	2.5					39.0	8	31	3	20.5	62.5	39	8	31	3	20.5	62.5
DOLPHIN LANE 13																											
F00	R1	UNKNOWN	W1	28.2	25.9	2.3	8.2	91.9	85.4	6.5	7.1					39.0	5	28	1	28.2	80	39	5	28	1	28.2	80
	R2	UNKNOWN	W2	28.6	26.7	1.9	6.6	97.9	97.5	0.4	0.4					38.0	5	30	1	21.1	80	41	5	32	1	22	80
			W3	27.1	25.4	1.7	6.3									35.0	2	30	1	14.3	50						
			W4	29.0	27.1	1.9	6.6									39.0	5	31	1	20.5	80						
F01	R1	UNKNOWN	W1	28.2	25.6	2.6	9.2	89.3	81.5	7.8	8.7					36.0	4	28	1	22.2	75	36	4	28	1	22.2	75
	R2	UNKNOWN	W2	28.9	26.4	2.5	8.7	99.6	98.8	0.8	0.8					38.0	6	31	3	18.4	50	38	6	31	3	18.4	50
DOLPHIN LANE 15																											
F00	R1	UNKNOWN	W1	25.4	21.7	3.7	14.6	92.9	85.4	7.5	8.1					32.0	8	16	0	50	100	36	8	20	0	44.4	100
			W2	24.2	21.0	3.2	13.2									28.0	5	16	0	42.9	100						
			W3	26.1	22.8	3.3	12.6									34.0	7	19	0	44.1	100						
	R2	UNKNOWN	W4	27.7	24.9	2.8	10.1	98.8	98.3	0.5	0.5					39.0	6	25	0	35.9	100	39	6	25	0	35.9	100
F01	R1	UNKNOWN	W1	26.3	23.0	3.3	12.5	91.7	84.3	7.4	8.1					37.0	6	24	0	35.1	100	37	6	24	0	35.1	100
	R2	UNKNOWN	W2	27.7	24.8	2.9	10.5	97.1	96.3	0.8	0.8					37.0	5	25	0	32.4	100	37	5	25	0	32.4	100
DOLPHIN LANE 17																											
F00	R1	UNKNOWN	W1	25.2	21.9	3.3	13.1	92.5	91.7	0.8	0.9					31.0	7	18	1	41.9	85.7	35	9	19	2	45.7	77.8
			W2	23.6	20.1	3.5	14.8									28.0	6	17	2	39.3	66.7						
			W3	25.6	21.8	3.8	14.8									32.0	8	17	2	46.9	75						
	R2	UNKNOWN	W4	25.8	21.8	4.0	15.5	91.3	88.6	2.7	3.0					31.0	8	15	0	51.6	100	31	8	15	0	51.6	100
F01	R1	UNKNOWN	W1	26.1	22.3	3.8	14.6	87.8	83.9	3.9	4.4					34.0	10	21	3	38.2	70	34	10	21	3	38.2	70
	R2	UNKNOWN	W2	25.4	21.8	3.6	14.2	84.6	81.1	3.5	4.1					33.0	8	20	1	39.4	87.5	33	8	20	1	39.4	87.5
DOLPHIN LANE 2																											
F00	R1	UNKNOWN	W1	0.4	0.4	0.0	0.0	20.3	20.3	0.0	0.0					0.0	0	0	0	0	0	0	0	0	0	0	0
			W2	0.7	0.7	0.0	0.0									0.0	0	0	0	0	0						
	R2	UNKNOWN	W3	23.1	22.8	0.3	1.3	90.3	89.4	0.9	1.0					30.0	2	30	2	0	0	30	2	30	2	0	0
F01	R3	UNKNOWN	W3	27.7	25.5	2.2	7.9	81.2	81.2	0.0	0.0					41.0	12	35	7	14.6	41.7	41	12	35	7	14.6	41.7
	R4	UNKNOWN	W4	27.0	24.9	2.1	7.8	92.1	89.0	3.1	3.4					40.0	12	36	9	10	25	40	12	36	9	10	25
F02	R3	UNKNOWN	W3	16.5	15.3	1.2	7.3	82.6	82.1	0.5	0.6					25.0	8	22	5	12	37.5	25	8	22	5	12	37.5
	R4	UNKNOWN	W4	15.9	14.7	1.2	7.5	90.7	86.3	4.4	4.9					25.0	8	23	6	8	25	25	8	23	6	8	25
DOLPHIN LANE 3																											
F00	R1	UNKNOWN	W1	28.9	26.6	2.3	8.0	98.0	98.0	0.0	0.0					39.0	10	30	2	23.1	80	42	10	33	2	21.4	80
			W2	29.1	26.9	2.2	7.6									41.0	10	32	2	22	80						
			W3	28.8	26.5	2.3	8.0									40.0	9	31	1	22.5	88.9						
	R2	UNKNOWN	W4	28.9	26.8	2.1	7.3	97.9	97.5	0.4	0.4					44.0	10	34	1	22.7	90	44	10	34	1	22.7	90
			W5	29.0	26.8	2.2	7.6									44.0	10	34	1	22.7	90						
F01	R1	UNKNOWN	W1	28.6	26.5	2.1	7.3	95.6	95.2	0.4	0.4					40.0	10	32	3	20	70	40	10	32	3	20	70
			W2	28.6	26.5	2.1	7.3									40.0	10	32	3	20	70						
	R2	UNKNOWN	W3	28.5	26.4	2.1	7.4	97.9	97.5	0.4	0.4					39.0	9	30	1	23.1	88.9	39	9	30	1	23.1	88.9
DOLPHIN LANE 4																											
F00	R1	UNKNOWN	W1	25.9	24.2	1.7	6.6	97.2	97.2	0.0	0.0					42.0	7	36	3	14.3	57.1	42	7	36	3	14.3	57.1
	R2	UNKNOWN	W2	1.7	1.0	0.7	41.2	41.2	36.5	4.7	11.4					2.0	2	0	0	100	100	2	2	0	0	100	100
			W3	0.8	0.6	0.2	25.0									0.0	0	0	0	0	0						
F01	R3	UNKNOWN	W3	29.8	27.5	2.3	7.7	99.4	99.4	0.0	0.0					47.0	12	39	6	17	50	47	12	39	6	17	50
	R4	UNKNOWN	W4	28.9	26.7	2.2	7.6	98.6	97.1	1.5	1.5					41.0	12	35	7	14.6	41.7	41	12	35	7	14.6	41.7
F02	R3	UNKNOWN	W3	18.2	16.8	1.4	7.7	99.4	98.9	0.5	0.5					29.0	9	25	5	13.8	44.4	29	9	25	5	13.8	44.4
	R4	UNKNOWN	W4	17.5	16.2	1.3	7.4	97.6	94.7	2.9	3.0					25.0	8	22	5	12	37.5	25	8	22	5	12	37.5
DOLPHIN LANE 5																											
F00	R1	UNKNOWN	W1	29.7	27.3	2.4	8.1	94.3	94.3	0.0	0.0					37.0	10	28	3	24.3	70	41	10	32	3	22	70
			W2	27.2	25.3	1.9	7.0									31.0	6	27	3	12.9	50						
			W3	29.5	27.2	2.3	7.8									38.0	10	29	3	23.7	70						

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
	R2	UNKNOWN	W4	29.3	27.0	2.3	7.8	92.7	91.7	1.0	1.1					40.0	10	31	2	22.5	80	40	10	31	2	22.5	80
F01	R1	UNKNOWN	W1	28.8	26.6	2.2	7.6	91.6	89.6	2.0	2.2					37.0	10	30	4	18.9	60	37	10	30	4	18.9	60
	R2	UNKNOWN	W2	28.3	26.1	2.2	7.8	92.7	90.4	2.3	2.5					41.0	11	33	4	19.5	63.6	41	11	33	4	19.5	63.6
DOLPHIN LANE 7																											
F00	R1	UNKNOWN	W1	30.1	27.6	2.5	8.3	97.6	96.6	1.0	1.0					42.0	10	31	3	26.2	70	42	10	31	3	26.2	70
	R2	UNKNOWN	W2	29.7	27.3	2.4	8.1	96.6	96.6	0.0	0.0					42.0	10	31	3	26.2	70	42	10	32	3	23.8	70
			W3	27.2	25.3	1.9	7.0									34.0	6	28	3	17.6	50						
			W4	29.7	27.3	2.4	8.1									42.0	10	32	3	23.8	70						
F01	R1	UNKNOWN	W1	29.1	26.7	2.4	8.2	99.0	97.3	1.7	1.7					38.0	9	28	3	26.3	66.7	38	9	28	3	26.3	66.7
	R2	UNKNOWN	W2	29.0	26.6	2.4	8.3	94.5	93.2	1.3	1.4					37.0	9	28	3	24.3	66.7	37	9	28	3	24.3	66.7
DOLPHIN LANE 9																											
F00	R1	UNKNOWN	W1	30.1	27.7	2.4	8.0	96.0	96.0	0.0	0.0					43.0	9	33	3	23.3	66.7	43	9	33	3	23.3	66.7
			W2	0.0	0.0	0.0	0.0									0.0	0	0	0	0	0						
			W3	30.2	27.7	2.5	8.3									43.0	9	33	3	23.3	66.7						
	R2	UNKNOWN	W4	30.3	27.8	2.5	8.3	98.9	98.6	0.3	0.3					43.0	10	32	3	25.6	70	43	10	32	3	25.6	70
F01	R1	UNKNOWN	W1	29.4	26.9	2.5	8.5	99.0	97.0	2.0	2.0					41.0	9	31	3	24.4	66.7	41	9	31	3	24.4	66.7
	R2	UNKNOWN	W2	29.3	26.8	2.5	8.5	98.9	97.5	1.4	1.4					41.0	9	31	3	24.4	66.7	41	9	31	3	24.4	66.7
EASTERN TOWER WEST INDIA QUAY																											
F13	R1	L/K/D	W1	29.0	28.9	0.1	0.3	99.9	99.9	0.0	0.0	4.2	4.1	0.1	2.4	74.0	21	73	21	1.4	0	76	22	74	22	2.6	0
			W2	28.9	28.8	0.1	0.3									74.0	21	73	21	1.4	0						
			W3	28.9	28.8	0.1	0.3									74.0	21	72	21	2.7	0						
			W4	28.8	28.7	0.1	0.3									75.0	22	73	22	2.7	0						
			W5	28.8	28.7	0.1	0.3									75.0	22	73	22	2.7	0						
			W6	28.8	28.7	0.1	0.3									75.0	22	73	22	2.7	0						
			W7	28.4	28.0	0.4	1.4									75.0	22	72	22	4	0						
			W8	28.2	27.9	0.3	1.1									74.0	22	71	22	4.1	0						
			W9	28.2	27.8	0.4	1.4									71.0	21	68	21	4.2	0						
	R2	L/K/D	W10	28.2	27.8	0.4	1.4	99.7	99.7	0.0	0.0	4.6	4.5	0.1	2.2	71.0	21	68	21	4.2	0	74	22	69	22	6.8	0
			W11	28.1	27.7	0.4	1.4									72.0	21	68	21	5.6	0						
			W12	28.1	27.7	0.4	1.4									72.0	21	68	21	5.6	0						
			W13	28.2	27.6	0.6	2.1									72.0	20	67	20	6.9	0						
			W14	27.8	26.9	0.9	3.2									71.0	20	65	20	8.5	0						
			W15	27.7	26.8	0.9	3.2									71.0	20	64	20	9.9	0						
			W16	27.7	26.7	1.0	3.6									72.0	21	65	21	9.7	0						
			W17	27.6	26.6	1.0	3.6									72.0	21	64	20	11.1	4.8						
	R3	BEDROOM	W18	27.6	26.6	1.0	3.6	100.0	100.0	0.0	0.0	5.1	5	0.1	2	72.0	21	64	20	11.1	4.8	75	21	64	20	14.7	4.8
			W19	27.6	26.5	1.1	4.0									75.0	21	64	20	14.7	4.8						
	R4	BEDROOM	W20	27.3	25.1	2.2	8.1	100.0	100.0	0.0	0.0	5.4	5.2	0.2	3.7	74.0	20	63	19	14.9	5	74	20	63	19	14.9	5
			W21	27.1	24.8	2.3	8.5									72.0	19	61	18	15.3	5.3						
			W22	27.0	24.7	2.3	8.5									72.0	19	61	18	15.3	5.3						
	R5	L/K/D	W23	27.1	24.7	2.4	8.9	100.0	97.3	2.7	2.7	5.8	3.5	2.3	39.7	73.0	20	61	19	16.4	5	81	21	65	20	19.8	4.8
			W24	27.1	24.5	2.6	9.6									73.0	20	61	19	16.4	5						
			W25	27.1	24.4	2.7	10.0									73.0	20	61	19	16.4	5						
			W26	27.0	24.3	2.7	10.0									73.0	20	61	19	16.4	5						
			W27	27.1	24.3	2.8	10.3									73.0	19	60	18	17.8	5.3						
			W28	27.3	24.3	3.0	11.0									72.0	18	58	17	19.4	5.6						
			W29	27.5	24.2	3.3	12.0									72.0	18	58	17	19.4	5.6						
			W30	32.1	13.0	19.1	59.5									43.0	7	24	6	44.2	14.3						
			W31	31.9	12.8	19.1	59.9									40.0	7	21	6	47.5	14.3						
			W32	32.0	12.8	19.2	60.0									40.0	7	20	6	50	14.3						
			W33	32.0	12.8	19.2	60.0									40.0	7	20	6	50	14.3						
			W34	32.0	13.0	19.0	59.4									39.0	6	19	5	51.3	16.7						
			W35	32.1	13.1	19.0	59.2									39.0	6	19	5	51.3	16.7						
			W36	32.1	13.3	18.8	58.6									39.0	6	18	5	53.8	16.7						
			W37	32.2	13.4	18.8	58.4									39.0	6	19	5	51.3	16.7						
			W38	32.2	13.6	18.6	57.8									39.0	6	19	5	51.3	16.7						
			W39	32.3	14.0	18.3	56.7									39.0	6	19	5	51.3	16.7						
			W40	32.5	14.3	18.2	56.0									39.0	6	20	5	48.7	16.7						
F14	R1	BEDROOM	W1	29.3	29.2	0.1	0.3	100.0	100.0	0.0	0.0	5.2	5.1	0.1	1.9	75.0	22	73	22	2.7	0	76	22	73	22	3.9	0
			W2	29.3	29.2	0.1	0.3									75.0	22	73	22	2.7	0						
			W3	28.9	28.5	0.4	1.4									75.0	22	72	22	4	0						
			W4	28.8	28.4	0.4	1.4									74.0	22	71	22	4.1	0						
	R2	BEDROOM	W5	28.7	28.3	0.4	1.4	100.0	100.0	0.0	0.0	5.1	5	0.1	2	71.0	21	68	21	4.2	0	72	21	68	21	5.6	0
			W6	28.6	28.2	0.4	1.4									71.0	21	68	21	4.2	0						
			W7	28.6	28.2	0.4	1.4									72.0	21	68	21	5.6	0						
			W8	28.6	28.2	0.4	1.4									72.0	21	68	21	5.6	0						
	R3	BEDROOM	W9	28.2	27.2	1.0	3.5	100.0	100.0	0.0	0.0	5.3	5.1	0.2	3.8	73.0	22	66	22	9.6	0	73	22	66	22	9.6	0
			W10	28.1	27.1	1.0	3.6									73.0	22	65	21	11	4.5						
			W11	28.0	27.0	1.0	3.6									72.0	21	64	20	11.1	4.8						
			W12	28.0	26.9	1.1	3.9									73.0	22	65	21	11	4.5						
	R4	BEDROOM	W13	28.1	26.9	1.2	4.3	100.0	100.0	0.0	0.0	5.3	5	0.3	5.7	76.0	22	65	21	14.5	4.5	76	22	65	21	14.5	4.5
			W14	27.7	25.5	2.2	7.9									75.0	21	64	20	14.7	4.8						
			W15	27.6	25.3	2.3	8.3									74.0	21	63	20	14.9	4.8						
			W16	27.6	25.2	2.4	8.7									73.0	20	62	19	15.1	5						
	R5	BEDROOM	W17	27.6	25.1	2.5	9.1	100.0	100.0	0.0	0.0	4.6	4.4	0.2	4.3	73.0	20	61	19	16.4	5	74	20	62	19	16.2	5
			W18	27.6	25.0	2.6	9.4									73.0	20	61	19	16.4	5						
			W19	27.6	24.9	2.7	9.8									74.0	20	62	19	16.2	5						
			W20	27.6	24.9	2.7	9.8									74.0	20	62	19	16.2	5						
	R6	LIVING ROOM	W21	27.6	24.8	2.8	10.1	100.0	95.8	4.2	4.2	8.4	4.3	4.1	48.8	75.0	20	62	19	17.3	5	81	21	65	20	19.8	4.8
			W22	27.8	24.7	3.1	11.2									74.0	19	60	18	18.9	5.3						
			W23	28.0	24.6	3.4	12.1									74.0	19	60	18	18.9	5.3						
			W24	32.3	13.3	19.0	58.8									45.0	8	26	7	42.2	12.5						
			W25	32.1	13.1	19.0	59.2									41.0	8	22	7	46.3	12.5						
			W26	32.1	13.1	19.0

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
			W36	32.5	15.0	17.5	53.8									41.0	8	21	7	48.8	12.5						
			W37	32.6	15.0	17.6	54.0									41.0	8	22	7	46.3	12.5						
	R8	BEDROOM	W38	32.6	15.2	17.4	53.4	100.0	100.0	0.0	0.0	16.2	13.2	3	18.5	41.0	8	22	7	46.3	12.5	43	8	25	7	41.9	12.5
			W39	32.7	15.2	17.5	53.5									41.0	8	22	7	46.3	12.5						
			W40	32.8	15.4	17.4	53.0									41.0	8	21	6	48.8	25						
			W41	38.5	35.2	3.3	8.6																				
			W42	38.3	35.2	3.1	8.1																				
			W43	38.3	35.3	3.0	7.8																				
			W44	38.3	35.4	2.9	7.6																				
			W45	38.3	35.5	2.8	7.3																				
			W46	38.3	35.6	2.7	7.0																				
			W47	38.3	35.7	2.6	6.8																				
F15	R1	L/K/D	W1	29.9	29.8	0.1	0.3	92.8	92.8	0.0	0.0	2.8	2.8	0	0	75.0	22	73	22	2.7	0	77	22	73	22	5.2	0
			W2	29.8	29.7	0.1	0.3									75.0	22	73	22	2.7	0						
			W3	29.4	29.1	0.3	1.0									75.0	22	72	22	4	0						
			W4	29.3	29.0	0.3	1.0									74.0	22	71	22	4.1	0						
			W5	29.2	28.8	0.4	1.4									71.0	21	68	21	4.2	0						
			W6	29.2	28.8	0.4	1.4									71.0	21	68	21	4.2	0						
			W7	29.1	28.7	0.4	1.4									72.0	21	68	21	5.6	0						
	R2	BEDROOM	W8	29.1	28.7	0.4	1.4	100.0	100.0	0.0	0.0	4.9	4.8	0.1	2	72.0	21	68	21	5.6	0	73	21	68	21	6.8	0
			W9	29.1	28.6	0.5	1.7									73.0	21	68	21	6.8	0						
			W10	28.8	28.0	0.8	2.8									72.0	21	66	21	8.3	0						
			W11	28.7	27.9	0.8	2.8									72.0	21	65	21	9.7	0						
	R3	BEDROOM	W12	28.7	27.7	1.0	3.5	100.0	100.0	0.0	0.0	5	4.9	0.1	2	73.0	22	66	22	9.6	0	74	22	67	22	9.5	0
			W13	28.6	27.6	1.0	3.5									73.0	22	65	21	11	4.5						
			W14	28.6	27.5	1.1	3.8									72.0	21	64	20	11.1	4.8						
			W15	28.6	27.5	1.1	3.8									74.0	22	66	21	10.8	4.5						
	R4	BEDROOM	W16	28.7	27.4	1.3	4.5	100.0	100.0	0.0	0.0	5.7	5.4	0.3	5.3	77.0	22	66	21	14.3	4.5	77	22	66	21	14.3	4.5
			W17	28.3	26.1	2.2	7.8									76.0	21	65	20	14.5	4.8						
			W18	28.2	25.8	2.4	8.5									75.0	21	64	20	14.7	4.8						
			W19	28.1	25.8	2.3	8.2									75.0	21	64	20	14.7	4.8						
	R5	BEDROOM	W20	28.2	25.7	2.5	8.9	100.0	100.0	0.0	0.0	5.6	5.3	0.3	5.4	75.0	21	63	20	16	4.8	75	21	63	20	16	4.8
			W21	28.1	25.5	2.6	9.3									75.0	21	63	20	16	4.8						
			W22	28.0	25.4	2.6	9.3									75.0	21	63	20	16	4.8						
	R6	L/K/D	W23	28.1	25.2	2.9	10.3	100.0	99.7	0.3	0.3	10.3	6.2	4.1	39.8	75.0	21	63	20	16	4.8	82	22	66	21	19.5	4.5
			W24	28.2	25.2	3.0	10.6									75.0	20	61	19	18.7	5						
			W25	28.5	25.1	3.4	11.9									76.0	21	62	20	18.4	4.8						
			W26	32.4	13.5	18.9	58.3									45.0	8	26	7	42.2	12.5						
			W27	32.2	13.3	18.9	58.7									42.0	9	23	8	45.2	11.1						
			W28	32.3	13.3	19.0	58.8									42.0	9	22	8	47.6	11.1						
			W29	32.3	13.4	18.9	58.5									42.0	9	22	8	47.6	11.1						
			W30	32.4	13.5	18.9	58.3									41.0	8	21	7	48.8	12.5						
			W31	32.4	13.6	18.8	58.0									42.0	7	20	6	50	14.3						
			W32	32.4	13.8	18.6	57.4									40.0	7	19	6	52.5	14.3						
			W33	32.5	13.9	18.6	57.2									40.0	7	20	6	50	14.3						
			W34	32.5	14.1	18.4	56.6									40.0	7	20	6	50	14.3						
			W35	32.6	14.4	18.2	56.0									40.0	7	20	6	50	14.3						
			W36	32.8	14.8	18.0	54.9									40.0	7	20	6	50	14.3						
			W37	33.0	15.1	17.9	54.2									40.0	7	21	6	47.5	14.3						
			W38	11.1	7.2	3.9	35.1																				
	R7	L/K/D	W39	6.3	4.3	2.0	31.7	100.0	100.0	0.0	0.0	11.8	7.4	4.4	37.3	24.0	3	10	2	58.3	33.3	45	8	27	7	40	12.5
			W40	32.9	15.5	17.4	52.9									42.0	8	22	7	47.6	12.5						
			W41	32.8	15.5	17.3	52.7									41.0	8	21	7	48.8	12.5						
			W42	32.9	15.6	17.3	52.6									41.0	8	22	7	46.3	12.5						
			W43	32.9	15.6	17.3	52.6									41.0	8	22	7	46.3	12.5						
			W44	32.9	15.7	17.2	52.3									42.0	8	22	7	47.6	12.5						
			W45	33.1	15.9	17.2	52.0									42.0	8	21	6	50	25						
			W46	33.3	16.2	17.1	51.4									42.0	8	20	6	52.4	25						
			W47	38.5	35.3	3.2	8.3																				
			W48	38.3	35.3	3.0	7.8																				
			W49	38.3	35.4	2.9	7.6																				
			W50	38.3	35.5	2.8	7.3																				
			W51	38.3	35.6	2.7	7.0																				
	R8	BEDROOM	W52	38.3	35.7	2.6	6.8	100.0	100.0	0.0	0.0	5.6	5.4	0.2	3.6												
			W53	38.3	35.8	2.5	6.5																				
	R9	L/K/D	W54	38.3	35.9	2.4	6.3	100.0	100.0	0.0	0.0	5.2	5	0.2	3.8												
			W55	38.3	36.0	2.3	6.0																				
			W56	38.3	36.1	2.2	5.7																				
			W57	38.3	36.1	2.2	5.7																				
			W58	38.3	36.2	2.1	5.5																				
	R10	BEDROOM	W59	38.3	36.3	2.0	5.2	100.0	100.0	0.0	0.0	6.9	6.7	0.2	2.9												
			W60	38.3	36.4	1.9	5.0																				
	R11	BEDROOM	W61	38.3	36.4	1.9	5.0	100.0	100.0	0.0	0.0	8.2	8	0.2	2.4												
			W62	38.3	36.5	1.8	4.7																				
	R12	L/K/D	W63	38.3	36.6	1.7	4.4	100.0	100.0	0.0	0.0	5.2	5.1	0.1	1.9												
			W64	38.3	36.6	1.7	4.4																				
			W65	38.3	36.7	1.6	4.2																				
			W66	38.3	36.7	1.6	4.2																				
F16	R1	L/K/D	W1	30.3	30.2	0.1	0.3	93.7	93.7	0.0	0.0	2.9	2.8	0.1	3.4	77.0	23	75	23	2.6	0	79	23	75	23	5.1	0
			W2	30.3	30.2	0.1	0.3									77.0	23	75	23	2.6	0						
			W3	29.9	29.6	0.3	1.0									77.0	23	74	23	3.9	0						
			W4	29.8	29.5	0.3	1.0									76.0	23	73	23	3.9	0						
			W5	29.8	29.4	0.4	1.3									73.0	22	70	22	4.1	0						
			W6	29.7	29.3	0.4	1.3									73.0	22	70	22	4.1	0						
			W7	29.7	29.3	0.4	1.3									74.0	22	70	22	5.4	0						
	R2	BEDROOM	W8	29.6	29.2	0.4	1.4	100.0	100.0	0.0	0.0	5	4.8	0.2	4	74.0	22	70	22	5.4	0	75	22	70	22	6.7	0
			W9	29.6	29.1	0.5	1.7									75.0	22	70	22	6.7	0						
			W10	29.3	28.4	0.9	3.1									74.0	22	68	22	8.1	0						
			W11	29.2	28.3	0.9	3.1									74.0	22	67	22	9.5	0						
	R3	BEDROOM	W12	29.1	28.2	0.9	3.1	100.0	100.0	0.0	0.0	5.1	4.9	0.2	3.9	75.0	23	68	23	9.3	0	75	23	68	23	9.3	0
			W13	29.1	28.1	1.0	3.4									75.0	23	67	22	10.7	4.3						
			W14	29.1	28.1	1.0	3.4									75.0	23	67	22	10.7	4.3						
			W15	29.1	28.0	1.1	3.8									75.0	23	67	22	10.7	4.3						
	R4	BEDROOM	W16	29.1	27.9	1.2	4.1	100.0	100.0	0.0	0.0	5.8	5.5	0.3	5.2	78.0	23	67	22	14.1	4.3	78	23	67	22	14.1	4.3
			W17	28.7	26.4	2.3	8.0									77.0	22	66	21	14.3	4.5						
			W18	28.6	26.3	2.3	8.0									76.0	22	65	21	14.5	4.5						
			W19	28.6	26.2	2.4	8.4									76.0	22	65	21	14.5	4.5						
	R5	BEDROOM	W20	28.6	26.1	2.5	8.7	100.0	100.0	0.0	0.0	5.7	5.3	0.4	7	76.0	22	64	21	15.8	4.5	76	22	64	21	15.8	4.5
			W21	28.6	26.0	2.6	9.1									76.0	22	64	21	15.8	4.5						
			W22	28.5	25.8	2.7	9.5									76.0	22	64	21	15.8	4.5						
	R6	L/K/D	W23	28.5	25.7	2.8	9.8	100.0	99.7	0.3	0.3	10.4	6.3	4.1	39.4	76.0	22	64	21	15.8	4.5	83	23	67	22	19.3	4.3

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
			W24	28.7	25.6	3.1	10.8									76.0	21	62	20	18.4	4.8						
			W25	28.9	25.5	3.4	11.8									77.0	22	63	21	18.2	4.5						
			W26	32.5	13.8	18.7	57.5									45.0	8	26	7	42.2	12.5						
			W27	32.4	13.5	18.9	58.3									42.0	9	23	8	45.2	11.1						
			W28	32.4	13.6	18.8	58.0									42.0	9	22	8	47.6	11.1						
			W29	32.4	13.6	18.8	58.0									42.0	9	22	8	47.6	11.1						
			W30	32.5	13.8	18.7	57.5									41.0	8	21	7	48.8	12.5						
			W31	32.5	13.8	18.7	57.5									40.0	7	20	6	50	14.3						
			W32	32.6	14.0	18.6	57.1									40.0	7	19	6	52.5	14.3						
			W33	32.6	14.1	18.5	56.7									40.0	7	20	6	50	14.3						
			W34	32.6	14.4	18.2	55.8									40.0	7	20	6	50	14.3						
			W35	32.8	14.8	18.0	54.9									40.0	7	20	6	50	14.3						
			W36	33.0	15.1	17.9	54.2									40.0	7	21	6	47.5	14.3						
			W37	11.1	7.2	3.9	35.1																				
	R7	L/K/D	W38	6.3	4.3	2.0	31.7	100.0	100.0	0.0	0.0	11.8	7.4	4.4	37.3	24.0	3	10	2	58.3	33.3	45	8	27	7	40	12.5
			W39	32.9	15.5	17.4	52.9									42.0	8	22	7	47.6	12.5						
			W40	32.8	15.5	17.3	52.7									41.0	8	21	7	48.8	12.5						
			W41	32.9	15.6	17.3	52.6									41.0	8	22	7	46.3	12.5						
			W42	32.9	15.6	17.3	52.6									41.0	8	22	7	46.3	12.5						
			W43	32.9	15.7	17.2	52.3									42.0	8	22	7	47.6	12.5						
			W44	33.1	15.9	17.2	52.0									42.0	8	21	6	50	25						
			W45	33.3	16.2	17.1	51.4									42.0	8	20	6	52.4	25						
			W46	38.5	35.3	3.2	8.3																				
			W47	38.3	35.3	3.0	7.8																				
			W48	38.3	35.4	2.9	7.6																				
			W49	38.3	35.5	2.8	7.3																				
			W50	38.3	35.6	2.7	7.0																				
			W51	38.3	35.7	2.6	6.8																				
	R8	BEDROOM	W52	38.3	35.8	2.5	6.5	100.0	100.0	0.0	0.0	5.6	5.4	0.2	3.6												
			W53	38.3	35.9	2.4	6.3																				
	R9	L/K/D	W54	38.3	36.0	2.3	6.0	100.0	100.0	0.0	0.0	5.2	5	0.2	3.8												
			W55	38.3	36.1	2.2	5.7																				
			W56	38.3	36.1	2.2	5.7																				
			W57	38.3	36.2	2.1	5.5																				
			W58	38.3	36.3	2.0	5.2																				
	R10	BEDROOM	W59	38.3	36.4	1.9	5.0	100.0	100.0	0.0	0.0	6.9	6.7	0.2	2.9												
			W60	38.3	36.4	1.9	5.0																				
	R11	BEDROOM	W61	38.3	36.5	1.8	4.7	100.0	100.0	0.0	0.0	8.2	8	0.2	2.4												
			W62	38.3	36.5	1.8	4.7																				
	R12	L/K/D	W63	38.3	36.6	1.7	4.4	100.0	100.0	0.0	0.0	5.2	5.1	0.1	1.9												
			W64	38.3	36.6	1.7	4.4																				
			W65	38.3	36.7	1.6	4.2																				
			W66	38.3	36.7	1.6	4.2																				
F17	R1	STUDIO	W1	30.8	30.7	0.1	0.3	94.7	94.7	0.0	0.0	3.7	3.6	0.1	2.7	77.0	23	75	23	2.6	0	79	23	75	23	5.1	0
			W2	30.8	30.6	0.2	0.6									77.0	23	75	23	2.6	0						
			W3	30.4	30.0	0.4	1.3									77.0	23	74	23	3.9	0						
			W4	30.3	29.9	0.4	1.3									76.0	23	73	23	3.9	0						
			W5	30.2	29.8	0.4	1.3									73.0	22	70	22	4.1	0						
			W6	30.2	29.8	0.4	1.3									73.0	22	70	22	4.1	0						
			W7	30.2	29.8	0.4	1.3									74.0	22	70	22	5.4	0						
			W8	30.2	29.7	0.5	1.7									74.0	22	70	22	5.4	0						
	R2	BEDROOM	W9	30.1	29.6	0.5	1.7	100.0	100.0	0.0	0.0	5.1	5	0.1	2	75.0	22	70	22	6.7	0	75	22	70	22	6.7	0
			W10	29.8	28.9	0.9	3.0									74.0	22	68	22	8.1	0						
			W11	29.7	28.7	1.0	3.4									74.0	22	67	22	9.5	0						
	R3	L/K/D	W12	29.6	28.6	1.0	3.4	100.0	100.0	0.0	0.0	4.3	4.2	0.1	2.3	75.0	23	68	23	9.3	0	78	23	68	23	12.8	0
			W13	29.6	28.6	1.0	3.4									75.0	23	67	22	10.7	4.3						
			W14	29.5	28.5	1.0	3.4									75.0	23	67	22	10.7	4.3						
			W15	29.6	28.5	1.1	3.7									75.0	23	67	22	10.7	4.3						
			W16	29.7	28.4	1.3	4.4									78.0	23	67	22	14.1	4.3						
	R4	BEDROOM	W17	29.1	26.9	2.2	7.6	100.0	100.0	0.0	0.0	5.6	5.3	0.3	5.4	77.0	22	66	21	14.3	4.5	77	22	66	21	14.3	4.5
			W18	29.1	26.7	2.4	8.2									76.0	22	65	21	14.5	4.5						
			W19	29.0	26.6	2.4	8.3									76.0	22	65	21	14.5	4.5						
	R5	L/K/D	W20	29.0	26.5	2.5	8.6	100.0	100.0	0.0	0.0	7.3	5.3	2	27.4	76.0	22	64	21	15.8	4.5	83	23	65	22	21.7	4.3
			W21	29.0	26.4	2.6	9.0									76.0	22	64	21	15.8	4.5						
			W22	29.0	26.3	2.7	9.3									76.0	22	64	21	15.8	4.5						
			W23	29.0	26.3	2.7	9.3									76.0	22	64	21	15.8	4.5						
			W24	29.0	26.1	2.9	10.0									77.0	22	64	21	16.9	4.5						
			W25	29.0	26.0	3.0	10.3									77.0	22	63	21	18.2	4.5						
			W26	29.3	25.9	3.4	11.6									77.0	22	63	21	18.2	4.5						
			W27	32.7	14.1	18.6	56.9									45.0	8	26	7	42.2	12.5						
			W28	32.6	13.9	18.7	57.4									42.0	9	23	8	45.2	11.1						
			W29	32.6	13.9	18.7	57.4									42.0	9	22	8	47.6	11.1						
			W30	32.6	13.9	18.7	57.4									42.0	9	22	8	47.6	11.1						
	R6	BEDROOM	W31	32.6	14.0	18.6	57.1	100.0	87.2	12.8	12.8	8.2	4	4.2	51.2	41.0	8	21	7	48.8	12.5	41	8	23	7	43.9	12.5
			W32	32.6	14.1	18.5	56.7									40.0	7	20	6	50	14.3						
			W33	32.7	14.3	18.4	56.3									40.0	7	19	6	52.5	14.3						
			W34	32.7	14.4	18.3	56.0									40.0	7	20	6	50	14.3						
			W35	32.7	14.7	18.0	55.0									40.0	7	20	6	50	14.3						
			W36	32.9	15.0	17.9	54.4									40.0	7	20	6	50	14.3						
			W37	33.1	15.4	17.7	53.5									40.0	7	21	6	47.5	14.3						
			W38	10.3	6.6	3.7	35.9																				
	R7	STUDIO	W39	1.2	0.0	1.2	100.0	100.0	100.0	0.0	0.0	10.3	7.6	2.7	26.2	9.0	1	0	0	100	100	45	8	27	7	40	12.5
			W40	2.6	0.9	1.7	65.4									14.0	2	2	1	85.7	50						
			W41	6.4	4.3	2.1	32.8									24.0	3	10	2	58.3	33.3						
			W42	33.0	15.8	17.2

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
	R9	BEDROOM	W60	38.3	36.3	2.0	5.2	97.6	97.6	0.0	0.0	5.4	5.2	0.2	3.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			W61	38.3	36.3	2.0	5.2																				
	R10	STUDIO	W62	38.3	36.4	1.9	5.0	100.0	100.0	0.0	0.0	7.3	7	0.3	4.1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			W63	38.3	36.5	1.8	4.7									N/A	N/A	N/A	N/A	N/A	N/A						
			W64	38.3	36.5	1.8	4.7									N/A	N/A	N/A	N/A	N/A	N/A						
			W65	38.3	36.6	1.7	4.4																				
			W66	38.3	36.6	1.7	4.4									N/A	N/A	N/A	N/A	N/A	N/A						
			W67	38.3	36.7	1.6	4.2																				
			W68	38.3	36.7	1.6	4.2									N/A	N/A	N/A	N/A	N/A	N/A						
			W69	38.3	36.8	1.5	3.9																				
F18	R1	STUDIO	W1	31.3	31.2	0.1	0.3	99.2	99.2	0.0	0.0	3.7	3.6	0.1	2.7	77.0	23	75	23	2.6	0	79	23	75	23	5.1	0
			W2	31.3	31.1	0.2	0.6									77.0	23	75	23	2.6	0						
			W3	30.9	30.5	0.4	1.3									77.0	23	74	23	3.9	0						
			W4	30.7	30.4	0.3	1.0									76.0	23	73	23	3.9	0						
			W5	30.7	30.3	0.4	1.3									73.0	22	70	22	4.1	0						
			W6	30.6	30.2	0.4	1.3									73.0	22	70	22	4.1	0						
			W7	30.6	30.2	0.4	1.3									74.0	22	70	22	5.4	0						
			W8	30.6	30.2	0.4	1.3									74.0	22	70	22	5.4	0						
	R2	BEDROOM	W9	30.6	30.1	0.5	1.6	100.0	100.0	0.0	0.0	5.1	5	0.1	2	75.0	22	70	22	6.7	0	75	22	70	22	6.7	0
			W10	30.3	29.4	0.9	3.0									74.0	22	68	22	8.1	0						
			W11	30.2	29.2	1.0	3.3									74.0	22	67	22	9.5	0						
	R3	L/K/D	W12	30.1	29.1	1.0	3.3	100.0	100.0	0.0	0.0	4.3	4.2	0.1	2.3	75.0	23	68	23	9.3	0	78	23	68	23	12.8	0
			W13	30.1	29.1	1.0	3.3									75.0	23	67	22	10.7	4.3						
			W14	30.1	29.0	1.1	3.7									75.0	23	67	22	10.7	4.3						
			W15	30.0	28.9	1.1	3.7									75.0	23	67	22	10.7	4.3						
			W16	30.2	28.9	1.3	4.3									78.0	23	67	22	14.1	4.3						
	R4	BEDROOM	W17	29.6	27.4	2.2	7.4	100.0	100.0	0.0	0.0	5.6	5.3	0.3	5.4	77.0	22	66	21	14.3	4.5	77	22	66	21	14.3	4.5
			W18	29.5	27.2	2.3	7.8									76.0	22	65	21	14.5	4.5						
			W19	29.5	27.0	2.5	8.5									76.0	22	65	21	14.5	4.5						
	R5	L/K/D	W20	29.5	26.9	2.6	8.8	100.0	100.0	0.0	0.0	7.4	5.4	2	27	76.0	22	64	21	15.8	4.5	83	23	65	22	21.7	4.3
			W21	29.5	26.8	2.7	9.2									76.0	22	64	21	15.8	4.5						
			W22	29.5	26.8	2.7	9.2									76.0	22	64	21	15.8	4.5						
			W23	29.5	26.7	2.8	9.5									76.0	22	64	21	15.8	4.5						
			W24	29.4	26.5	2.9	9.9									77.0	22	64	21	16.9	4.5						
			W25	29.6	26.5	3.1	10.5									77.0	22	63	21	18.2	4.5						
			W26	29.9	26.4	3.5	11.7									77.0	22	63	21	18.2	4.5						
			W27	32.9	14.4	18.5	56.2									45.0	8	26	7	42.2	12.5						
			W28	32.7	14.2	18.5	56.6									42.0	9	23	8	45.2	11.1						
			W29	32.7	14.2	18.5	56.6									42.0	9	22	8	47.6	11.1						
			W30	32.7	14.2	18.5	56.6									42.0	9	22	8	47.6	11.1						
	R6	BEDROOM	W31	32.7	14.4	18.3	56.0	100.0	88.2	11.8	11.8	8.3	4.1	4.2	50.6	41.0	8	21	7	48.8	12.5	41	8	23	7	43.9	12.5
			W32	32.8	14.4	18.4	56.1									40.0	7	20	6	50	14.3						
			W33	32.8	14.6	18.2	55.5									40.0	7	19	6	52.5	14.3						
			W34	32.9	14.8	18.1	55.0									40.0	7	20	6	50	14.3						
			W35	32.9	15.0	17.9	54.4									40.0	7	20	6	50	14.3						
			W36	33.0	15.4	17.6	53.3									40.0	7	20	6	50	14.3						
			W37	33.3	15.7	17.6	52.9									40.0	7	21	6	47.5	14.3						
			W38	10.3	6.7	3.6	35.0																				
	R7	STUDIO	W39	1.2	0.0	1.2	100.0	100.0	100.0	0.0	0.0	10	7.4	2.6	26	9.0	1	0	0	100	100	45	8	27	7	40	125
			W40	2.7	0.9	1.8	66.7									14.0	2	2	1	85.7	50						
			W41	6.5	4.4	2.1	32.3									24.0	3	10	2	58.3	33.3						
			W42	33.2	16.1	17.1	51.5									43.0	8	22	7	48.8	12.5						
			W43	33.1	16.1	17.0	51.4									42.0	8	21	7	50	12.5						
			W44	33.1	16.2	16.9	51.1									42.0	8	22	7	47.6	12.5						
			W45	33.2	16.3	16.9	50.9									42.0	8	22	7	47.6	12.5						
			W46	33.2	16.3	16.9	50.9									42.0	8	22	7	47.6	12.5						
			W47	33.4	16.5	16.9	50.6									42.0	8	21	6	50	25						
			W48	33.6	16.8	16.8	50.0									42.0	8	20	6	52.4	25						
			W49	38.5	35.4	3.1	8.1																				
			W50	38.3	35.4	2.9	7.6																				
			W51	38.3	35.5	2.8	7.3																				
			W52	38.3	35.6	2.7	7.0																				
			W53	38.3	35.7	2.6	6.8																				
			W54	38.3	35.8	2.5	6.5																				
			W55	38.3	35.9	2.4	6.3																				
	R8	BEDROOM	W56	38.3	36.0	2.3	6.0	100.0	100.0	0.0	0.0	7.8	7.5	0.3	3.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			W57	38.3	36.1	2.2	5.7									N/A	N/A	N/A	N/A	N/A	N/A						
			W58	38.3	36.2	2.1	5.5									N/A	N/A	N/A	N/A	N/A	N/A						
			W59	38.3	36.2	2.1	5.5									N/A	N/A	N/A	N/A	N/A	N/A						
	R9	BEDROOM	W60	38.3	36.3	2.0	5.2	97.6	97.6	0.0	0.0	5.4	5.2	0.2	3.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			W61	38.3	36.3	2.0	5.2									N/A	N/A	N/A	N/A	N/A	N/A						
	R10	STUDIO	W62	38.3	36.4	1.9	5.0	100.0	100.0	0.0	0.0	7.3	7	0.3	4.1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			W63	38.3	36.5	1.8	4.7									N/A	N/A	N/A	N/A	N/A	N/A						
			W64	38.3	36.5	1.8	4.7									N/A	N/A	N/A	N/A	N/A	N/A						
			W65	38.3	36.6	1.7	4.4																				
			W66	38.3	36.6	1.7	4.4									N/A	N/A	N/A	N/A	N/A	N/A						
			W67	38.3	36.7	1.6	4.2																				
			W68	38.3	36.7	1.6	4.2									N/A	N/A	N/A	N/A	N/A	N/A						
			W69	38.3	36.8	1.5	3.9																				
F19	R1	STUDIO	W1	31.7	31.6	0.1	0.3	99.2	99.2	0.0	0.0	3.7	3.7	0	0	78.0	23	76	23	2.6	0	80	23	76	23	5	0
			W2	31.7	31.6	0.1	0.3									78.0	23	76	23	2.6	0						
			W3	31.3	30.9	0.4	1.3									78.0	23	75	23	3.8	0						
			W4	31.2	30.8	0.4	1.3									77.0	23	74	23	3.9	0						
			W5	31.1	30.7	0.4	1.3									73.0	22	70	22	4.1	0						
			W6	31.1	30.6	0.5	1.6									73.0	22	70	22	4.1	0						
			W7	31.0	30.6	0.4	1.3									74.0	22	70	22	5.4	0						
			W8	31.0	30.6	0.4	1.3									74.0	22	70	22	5.4	0						
	R2	BEDROOM	W9	31.0	30.5	0.5	1.6	100.0	100.0	0.0	0.0	5.2	5	0.2	3.8	75.0	22	70	22	6.7	0	75	22	70	22	6.7	0
			W10	30.7	29.8	0.9	2.9									74.0	22	68	22	8.1	0						
			W11	30.6	29.7	0.9	2.9									74.0	22	67	22	9.5	0						
	R3	L/K/D	W12	30.6	29.6	1.0	3.3	100.0	100.0	0.0	0.0	4.4	4.2	0.2	4.5	75.0	23	68	23	9.3	0	78	23	68	23	12.8	0
			W13	30.5	29.5	1.0	3.3									75.0	23	67	22	10.7	4.3						
			W14	30.4	29.4	1.0	3.3									75.0	23	67	22	10.7	4.3						
			W15	30.5	29.4	1.1	3.6									75.0	23	67	22	10.7	4.3						
			W16	30.6	29.3	1.3	4.2									78.0	23	67	22	14.1	4.3						
	R4	BEDROOM	W17	30.1	27.8	2.3	7.6	100.0	100.0	0.0	0.0	5.7	5.4	0.3	5.3	77.0	22	66	21	14.3	4.5	77	22	66	21	14.3	4.5
			W18	30.0	27.6	2.4	8.0									76.0	22	65	21	14.5	4.5						
			W19	30.0	27.5	2.5	8.3									76.0	22	65	21	14.5	4.5						
	R5	L/K/D	W20	29.9	27.4	2.5	8.4	100.0	100.0	0.0	0.0	7.4	5.5	1.9	25.7	76.0	22	64	21	15.8	4.5	83	23	65	22	21.7	4.3
			W21	29.9	27.2	2.7	9.0									76.0	22	64	21	15.8	4.5						
			W22	29.8	27.1	2.7	9.1									76.0	22	64	21	15.8	4.5						

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
			W23	29.8	27.0	2.8	9.4									76.0	22	64	21	15.8	4.5						
			W24	29.8	26.9	2.9	9.7									77.0	22	64	21	16.9	4.5						
			W25	29.9	26.8	3.1	10.4									77.0	22	63	21	18.2	4.5						
			W26	30.2	26.8	3.4	11.3									77.0	22	63	21	18.2	4.5						
			W27	33.0	14.7	18.3	55.5									45.0	8	26	7	42.2	12.5						
			W28	32.8	14.4	18.4	56.1									42.0	9	23	8	45.2	11.1						
			W29	32.8	14.5	18.3	55.8									42.0	9	22	8	47.6	11.1						
			W30	32.8	14.5	18.3	55.8									42.0	9	22	8	47.6	11.1						
	R6	BEDROOM	W31	32.9	14.6	18.3	55.6	100.0	89.5	10.5	10.5	8.3	4.1	4.2	50.6	41.0	8	21	7	48.8	12.5	42	8	23	7	45.2	12.5
			W32	32.9	14.7	18.2	55.3									40.0	7	20	6	50	14.3						
			W33	33.0	14.9	18.1	54.8									40.0	7	19	6	52.5	14.3						
			W34	33.0	15.1	17.9	54.2									40.0	7	20	6	50	14.3						
			W35	33.0	15.3	17.7	53.6									40.0	7	20	6	50	14.3						
			W36	33.1	15.7	17.4	52.6									40.0	7	20	6	50	14.3						
			W37	33.3	16.0	17.3	52.0									41.0	7	21	6	48.8	14.3						
			W38	10.3	6.8	3.5	34.0																				
	R7	STUDIO	W39	1.2	0.0	1.2	100.0	100.0	100.0	0.0	0.0	10.3	7.7	2.6	25.2	10.0	1	0	0	100	100	45	8	27	7	40	125
			W40	2.7	0.9	1.8	66.7									15.0	2	2	1	86.7	50						
			W41	6.5	4.5	2.0	30.8									25.0	3	10	2	60	33.3						
			W42	33.3	16.4	16.9	50.8									43.0	8	22	7	48.8	12.5						
			W43	33.2	16.4	16.8	50.6									42.0	8	21	7	50	12.5						
			W44	33.2	16.5	16.7	50.3									42.0	8	22	7	47.6	12.5						
			W45	33.2	16.5	16.7	50.3									42.0	8	22	7	47.6	12.5						
			W46	33.3	16.6	16.7	50.2									42.0	8	22	7	47.6	12.5						
			W47	33.4	16.7	16.7	50.0									42.0	8	21	6	50	25						
			W48	33.7	17.1	16.6	49.3									42.0	8	20	6	52.4	25						
			W49	38.5	35.5	3.0	7.8																				
			W50	38.3	35.5	2.8	7.3																				
			W51	38.3	35.6	2.7	7.0																				
			W52	38.3	35.7	2.6	6.8																				
			W53	38.3	35.8	2.5	6.5																				
			W54	38.3	35.9	2.4	6.3																				
			W55	38.3	35.9	2.4	6.3																				
	R8	BEDROOM	W56	38.3	36.1	2.2	5.7	100.0	100.0	0.0	0.0	7.8	7.6	0.2	2.6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			W57	38.3	36.2	2.1	5.5																				
			W58	38.3	36.2	2.1	5.5																				
			W59	38.3	36.3	2.0	5.2																				
	R9	BEDROOM	W60	38.3	36.3	2.0	5.2	97.6	97.6	0.0	0.0	5.4	5.3	0.1	1.9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			W61	38.3	36.4	1.9	5.0																				
	R10	STUDIO	W62	38.3	36.5	1.8	4.7	100.0	100.0	0.0	0.0	7.3	7.1	0.2	2.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			W63	38.3	36.5	1.8	4.7																				
			W64	38.3	36.6	1.7	4.4									N/A	N/A	N/A	N/A	N/A	N/A						
			W65	38.3	36.7	1.6	4.2																				
			W66	38.3	36.7	1.6	4.2									N/A	N/A	N/A	N/A	N/A	N/A						
			W67	38.3	36.7	1.6	4.2																				
			W68	38.3	36.8	1.5	3.9									N/A	N/A	N/A	N/A	N/A	N/A						
			W69	38.3	36.8	1.5	3.9																				
F20	R1	STUDIO	W1	32.1	32.0	0.1	0.3	99.2	99.2	0.0	0.0	3.8	3.7	0.1	2.6	78.0	23	76	23	2.6	0	80	23	76	23	5	0
			W2	32.1	32.0	0.1	0.3									78.0	23	76	23	2.6	0						
			W3	31.7	31.3	0.4	1.3									78.0	23	75	23	3.8	0						
			W4	31.6	31.2	0.4	1.3									77.0	23	74	23	3.9	0						
			W5	31.6	31.2	0.4	1.3									74.0	22	71	22	4.1	0						
			W6	31.5	31.1	0.4	1.3									74.0	22	71	22	4.1	0						
			W7	31.5	31.0	0.5	1.6									75.0	22	71	22	5.3	0						
			W8	31.4	31.0	0.4	1.3									75.0	22	71	22	5.3	0						
	R2	BEDROOM	W9	31.5	30.9	0.6	1.9	100.0	100.0	0.0	0.0	5.2	5.1	0.1	1.9	75.0	22	70	22	6.7	0	75	22	70	22	6.7	0
			W10	31.2	30.3	0.9	2.9									74.0	22	68	22	8.1	0						
			W11	31.0	30.1	0.9	2.9									74.0	22	67	22	9.5	0						
	R3	L/K/D	W12	31.0	30.0	1.0	3.2	100.0	100.0	0.0	0.0	4.4	4.3	0.1	2.3	75.0	23	68	23	9.3	0	78	23	68	23	12.8	0
			W13	31.0	30.0	1.0	3.2									75.0	23	67	22	10.7	4.3						
			W14	30.9	29.8	1.1	3.6									75.0	23	67	22	10.7	4.3						
			W15	30.9	29.8	1.1	3.6									75.0	23	67	22	10.7	4.3						
			W16	31.0	29.7	1.3	4.2									78.0	23	67	22	14.1	4.3						
	R4	BEDROOM	W17	30.5	28.2	2.3	7.5	100.0	100.0	0.0	0.0	5.7	5.5	0.2	3.5	77.0	22	66	21	14.3	4.5	77	22	66	21	14.3	4.5
			W18	30.4	28.0	2.4	7.9									76.0	22	65	21	14.5	4.5						
			W19	30.3	27.9	2.4	7.9									76.0	22	65	21	14.5	4.5						
	R5	L/K/D	W20	30.4	27.8	2.6	8.6	100.0	100.0	0.0	0.0	7.5	5.5	2	26.7	76.0	22	64	21	15.8	4.5	83	23	65	22	21.7	4.3
			W21	30.3	27.7	2.6	8.6									76.0	22	64	21	15.8	4.5						
			W22	30.2	27.5	2.7	8.9									76.0	22	64	21	15.8	4.5						
			W23	30.3	27.4	2.9	9.6									76.0	22	64	21	15.8	4.5						
			W24	30.2	27.3	2.9	9.6									77.0	22	64	21	16.9	4.5						
			W25	30.3	27.2	3.1	10.2									77.0	22	63	21	18.2	4.5						
			W26	30.6	27.2	3.4	11.1									77.0	22	63	21	18.2	4.5						
			W27	33.1	14.9	18.2	55.0									45.0	8	26	7	42.2	12.5						
			W28	33.0	14.7	18.3	55.5									42.0	9	23	8	45.2	11.1						
			W29	33.0	14.7	18.3	55.5									42.0	9	22	8	47.6	11.1						
			W30	33.0	14.7	18.3	55.5									42.0	9	22	8	47.6	11.1						
	R6	BEDROOM	W31	33.0	14.8	18.2	55.2	100.0	91.1	8.9	8.9	8.3	4.2	4.1	49.4	41.0	8	21	7	48.8	12.5	43	9	24	8	44.2	11.1
			W32	33.0	15.0	18.0	54.5									40.0	7	20	6	50	14.3						
			W33	33.1	15.1	18.0	54.4									40.0	7	19	6	52.5	14.3						
			W34	33.1	15.3	17.8	53.8									40.0	7	20	6	50	14.3	

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
	R8	BEDROOM	W56	38.3	36.1	2.2	5.7	100.0	100.0	0.0	0.0	7.9	7.6	0.3	3.8												
			W57	38.3	36.2	2.1	5.5																				
			W58	38.3	36.3	2.0	5.2																				
			W59	38.3	36.3	2.0	5.2																				
	R9	BEDROOM	W60	38.3	36.4	1.9	5.0	97.6	97.6	0.0	0.0	5.4	5.3	0.1	1.9												
			W61	38.3	36.5	1.8	4.7																				
	R10	STUDIO	W62	38.3	36.5	1.8	4.7	100.0	100.0	0.0	0.0	7.3	7.1	0.2	2.7												
			W63	38.3	36.6	1.7	4.4																				
			W64	38.3	36.7	1.6	4.2																				
			W65	38.3	36.7	1.6	4.2																				
			W66	38.3	36.7	1.6	4.2																				
			W67	38.3	36.8	1.5	3.9																				
			W68	38.3	36.8	1.5	3.9																				
			W69	38.3	36.9	1.4	3.7																				
F21	R1	STUDIO	W1	32.6	32.4	0.2	0.6	99.2	99.2	0.0	0.0	3.8	3.7	0.1	2.6	78.0	23	76	23	2.6	0	80	23	76	23	5	0
			W2	32.5	32.4	0.1	0.3									78.0	23	76	23	2.6	0						
			W3	32.1	31.7	0.4	1.2									78.0	23	75	23	3.8	0						
			W4	32.0	31.6	0.4	1.3									77.0	23	74	23	3.9	0						
			W5	32.0	31.6	0.4	1.3									74.0	22	71	22	4.1	0						
			W6	32.0	31.6	0.4	1.3									74.0	22	71	22	4.1	0						
			W7	31.9	31.5	0.4	1.3									75.0	22	71	22	5.3	0						
			W8	31.9	31.5	0.4	1.3									75.0	22	71	22	5.3	0						
	R2	BEDROOM	W9	31.9	31.4	0.5	1.6	100.0	100.0	0.0	0.0	5.3	5.1	0.2	3.8	76.0	22	71	22	6.6	0	76	22	71	22	6.6	0
			W10	31.6	30.7	0.9	2.8									75.0	22	69	22	8	0						
			W11	31.5	30.5	1.0	3.2									75.0	22	68	22	9.3	0						
	R3	L/K/D	W12	31.5	30.5	1.0	3.2	100.0	100.0	0.0	0.0	4.5	4.3	0.2	4.4	76.0	23	69	23	9.2	0	79	23	69	23	12.7	0
			W13	31.4	30.4	1.0	3.2									75.0	23	67	22	10.7	4.3						
			W14	31.4	30.3	1.1	3.5									75.0	23	67	22	10.7	4.3						
			W15	31.4	30.3	1.1	3.5									75.0	23	67	22	10.7	4.3						
			W16	31.4	30.2	1.2	3.8									78.0	23	67	22	14.1	4.3						
	R4	BEDROOM	W17	31.0	28.7	2.3	7.4	100.0	100.0	0.0	0.0	5.8	5.5	0.3	5.2	77.0	22	66	21	14.3	4.5	77	22	66	21	14.3	4.5
			W18	30.8	28.5	2.3	7.5									76.0	22	65	21	14.5	4.5						
			W19	30.8	28.3	2.5	8.1									76.0	22	65	21	14.5	4.5						
	R5	L/K/D	W20	30.8	28.2	2.6	8.4	100.0	100.0	0.0	0.0	7.5	5.6	1.9	25.3	76.0	22	64	21	15.8	4.5	83	23	65	22	21.7	4.3
			W21	30.7	28.1	2.6	8.5									76.0	22	64	21	15.8	4.5						
			W22	30.7	28.0	2.7	8.8									76.0	22	64	21	15.8	4.5						
			W23	30.8	27.9	2.9	9.4									76.0	22	64	21	15.8	4.5						
			W24	30.7	27.7	3.0	9.8									77.0	22	64	21	16.9	4.5						
			W25	30.7	27.6	3.1	10.1									77.0	22	63	21	18.2	4.5						
			W26	31.0	27.5	3.5	11.3									77.0	22	63	21	18.2	4.5						
			W27	33.3	15.2	18.1	54.4									45.0	8	26	7	42.2	12.5						
			W28	33.1	15.0	18.1	54.7									42.0	9	23	8	45.2	11.1						
			W29	33.1	15.0	18.1	54.7									42.0	9	22	8	47.6	11.1						
			W30	33.1	15.0	18.1	54.7									42.0	9	22	8	47.6	11.1						
	R6	BEDROOM	W31	33.1	15.2	17.9	54.1	100.0	93.4	6.6	6.6	8.3	4.2	4.1	49.4	41.0	8	21	7	48.8	12.5	43	9	24	8	44.2	11.1
			W32	33.2	15.3	17.9	53.9									41.0	8	21	7	48.8	12.5						
			W33	33.2	15.4	17.8	53.6									42.0	8	20	7	52.4	12.5						
			W34	33.3	15.6	17.7	53.2									42.0	8	21	7	50	12.5						
			W35	33.3	15.8	17.5	52.6									42.0	8	21	7	50	12.5						
			W36	33.4	16.2	17.2	51.5									42.0	8	21	7	50	12.5						
			W37	33.6	16.5	17.1	50.9									42.0	8	22	7	47.6	12.5						
			W38	10.3	7.0	3.3	32.0																				
	R7	STUDIO	W39	1.2	0.0	1.2	100.0	100.0	100.0	0.0	0.0	10.3	7.8	2.5	24.3	10.0	1	0	0	100	100	45	8	27	7	40	125
			W40	2.8	1.0	1.8	64.3									15.0	2	2	1	86.7	50						
			W41	6.7	4.6	2.1	31.3									26.0	4	11	3	57.7	25						
			W42	33.5	17.0	16.5	49.3									43.0	8	22	7	48.8	12.5						
			W43	33.4	16.9	16.5	49.4									42.0	8	21	7	50	12.5						
			W44	33.4	17.0	16.4	49.1									42.0	8	22	7	47.6	12.5						
			W45	33.5	17.0	16.5	49.3									42.0	8	22	7	47.6	12.5						
			W46	33.6	17.1	16.5	49.1									42.0	8	22	7	47.6	12.5						
			W47	33.7	17.3	16.4	48.7									42.0	8	21	6	50	25						
			W48	34.0	17.6	16.4	48.2									42.0	8	20	6	52.4	25						
			W49	38.5	35.7	2.8	7.3																				
			W50	38.3	35.6	2.7	7.0																				
			W51	38.3	35.7	2.6	6.8																				
			W52	38.3	35.8	2.5	6.5																				
			W53	38.3	35.9	2.4	6.3																				
			W54	38.3	36.0	2.3	6.0																				
			W55	38.3	36.1	2.2	5.7																				
	R8	BEDROOM	W56	38.3	36.2	2.1	5.5	100.0	100.0	0.0	0.0	7.9	7.6	0.3	3.8												
			W57	38.3	36.3	2.0	5.2																				
			W58	38.3	36.3	2.0	5.2																				
			W59	38.3	36.4	1.9	5.0																				
	R9	BEDROOM	W60	38.3	36.5	1.8	4.7	97.6	97.6	0.0	0.0	5.4	5.3	0.1	1.9												
			W61	38.3	36.6	1.7	4.4																				
	R10	STUDIO	W62	38.3	36.6	1.7	4.4	100.0	100.0	0.0	0.0	7.3	7.1	0.2	2.7												
			W63	38.3	36.6	1.7	4.4																				
			W64	38.3	36.7	1.6	4.2																				
			W65	38.3	36.7	1.6	4.2																				
			W66	38.3	36.8	1.5	3.9																				
			W67	38.3	36.8	1.5	3.9																				
			W68	38.3	36.9	1.4	3.7																				
			W69	38.3	36.9	1.4	3.7																				
F22	R1	STUDIO	W1	33.0	32.9	0.1	0.3	99.2	99.2	0.0	0.0	3.8	3.8	0	0	78.0	23	76	23	2.6	0	80	23	76	23	5	0
			W2	33.0	32.8	0.2	0.6									78.0	23	76	23	2.6	0						
			W3	32.6	32.2	0.4	1.2									78.0	23	75	23	3.8	0						
			W4	32.4	32.0	0.4	1.2									77.0	23	74	23	3.9	0						
			W5	32.4	32.0	0.4	1.2									74.0	22	71	22	4.1	0						
			W6	32.4	31.9	0.5	1.5									74.0	22	71	22	4.1	0						
			W7	32.3	31.9	0.4	1.2									75.0	22	71	22	5.3	0						
			W8	32.3	31.9	0.4	1.2									75.0	22	71	22	5.3	0						
	R2	BEDROOM	W9	32.3	31.8	0.5	1.5	100.0	100.0	0.0	0.0	5.3	5.2	0.1	1.9	76.0	22	71	22	6.6	0	76	22	71	22	6.6	0
			W10	32.0	31.1	0.9	2.8									75.0	22	69	22	8	0						
			W11	31.9	30.9	1.0	3.1									75.0	22	68	22	9.3	0						
	R3	L/K/D	W12	31.8	30.8	1.0	3.1	100.0	100.0	0.0	0.0	4.5	4.4	0.1	2.2	76.0	23	69	23	9.2	0	79	23	69	23	12.7	0
			W13	31.8	30.8	1.0	3.1									76.0	23	68	22	10.5	4.3						
			W14	31.7	30.7	1.0	3.2									76.0	23	68	22	10.5	4.3						
			W15	31.7	30.6	1.1	3.5									76.0	23	68	22	10.5	4.3						
			W16	31.8	30.6	1.2	3.8									79.0	23	68	22	13.9	4.3						
	R4	BEDROOM	W17	31.4	29.1	2.3	7.3	100.0	100.0	0.0	0.0	5.9	5.6	0.3	5.1	77.0	22	66	21	14.3	4.5	77	22	66	21	14.3	4.5
			W18	31.2	29.8	2.4	7.7									76.0	22	65	21	14.5	4.5						

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
			W19	31.2	28.7	2.5	8.0									76.0	22	65	21	14.5	4.5						
	R5	L/K/D	W20	31.1	28.6	2.5	8.0	100.0	100.0	0.0	0.0	7.5	5.7	1.8	24	76.0	22	64	21	15.8	4.5	83	23	65	22	21.7	4.3
			W21	31.1	28.4	2.7	8.7									76.0	22	64	21	15.8	4.5						
			W22	31.1	28.4	2.7	8.7									76.0	22	64	21	15.8	4.5						
			W23	31.1	28.3	2.8	9.0									76.0	22	64	21	15.8	4.5						
			W24	31.1	28.1	3.0	9.6									77.0	22	64	21	16.9	4.5						
			W25	31.2	28.0	3.2	10.3									77.0	22	63	21	18.2	4.5						
			W26	31.4	27.9	3.5	11.1									77.0	22	63	21	18.2	4.5						
			W27	33.4	15.5	17.9	53.6									46.0	9	27	8	41.3	11.1						
			W28	33.2	15.3	17.9	53.9									42.0	9	23	8	45.2	11.1						
			W29	33.2	15.3	17.9	53.9									42.0	9	22	8	47.6	11.1						
			W30	33.3	15.3	18.0	54.1									42.0	9	22	8	47.6	11.1						
	R6	BEDROOM	W31	33.3	15.5	17.8	53.5	100.0	95.7	4.3	4.3	8.3	4.3	4	48.2	43.0	9	22	8	48.8	11.1	43	9	24	8	44.2	11.1
			W32	33.4	15.6	17.8	53.3									42.0	8	21	7	50	12.5						
			W33	33.4	15.8	17.6	52.7									42.0	8	20	7	52.4	12.5						
			W34	33.4	15.9	17.5	52.4									42.0	8	21	7	50	12.5						
			W35	33.4	16.2	17.2	51.5									42.0	8	21	7	50	12.5						
			W36	33.6	16.5	17.1	50.9									42.0	8	21	7	50	12.5						
			W37	33.8	16.9	16.9	50.0									42.0	8	22	7	47.6	12.5						
			W38	10.3	7.1	3.2	31.1																				
	R7	STUDIO	W39	1.2	0.0	1.2	100.0	100.0	100.0	0.0	0.0	10.4	7.8	2.6	25	10.0	1	0	0	100	100	45	8	27	7	40	125
			W40	2.8	1.0	1.8	64.3									15.0	2	2	1	86.7	50						
			W41	6.9	4.8	2.1	30.4									26.0	4	11	3	57.7	25						
			W42	33.7	17.3	16.4	48.7									43.0	8	22	7	48.8	12.5						
			W43	33.6	17.2	16.4	48.8									42.0	8	21	7	50	12.5						
			W44	33.6	17.4	16.2	48.2									42.0	8	22	7	47.6	12.5						
			W45	33.7	17.4	16.3	48.4									42.0	8	22	7	47.6	12.5						
			W46	33.7	17.5	16.2	48.1									42.0	8	22	7	47.6	12.5						
			W47	33.8	17.6	16.2	47.9									42.0	8	21	6	50	25						
			W48	34.1	17.9	16.2	47.5									42.0	8	20	6	52.4	25						
			W49	38.5	35.8	2.7	7.0																				
			W50	38.3	35.7	2.6	6.8																				
			W51	38.3	35.8	2.5	6.5																				
			W52	38.3	35.9	2.4	6.3																				
			W53	38.3	36.0	2.3	6.0																				
			W54	38.3	36.1	2.2	5.7																				
			W55	38.3	36.1	2.2	5.7																				
	R8	BEDROOM	W56	38.3	36.3	2.0	5.2	100.0	100.0	0.0	0.0	7.9	7.6	0.3	3.8												
			W57	38.3	36.3	2.0	5.2																				
			W58	38.3	36.4	1.9	5.0																				
			W59	38.3	36.4	1.9	5.0																				
	R9	BEDROOM	W60	38.3	36.5	1.8	4.7	97.6	97.6	0.0	0.0	5.4	5.3	0.1	1.9												
			W61	38.3	36.6	1.7	4.4																				
	R10	STUDIO	W62	38.3	36.6	1.7	4.4	100.0	100.0	0.0	0.0	7.3	7.1	0.2	2.7												
			W63	38.3	36.7	1.6	4.2																				
			W64	38.3	36.7	1.6	4.2																				
			W65	38.3	36.7	1.6	4.2																				
			W66	38.3	36.8	1.5	3.9																				
			W67	38.3	36.8	1.5	3.9																				
			W68	38.3	36.9	1.4	3.7																				
			W69	38.3	36.9	1.4	3.7																				
F23	R1	STUDIO	W1	33.3	33.2	0.1	0.3	99.2	99.2	0.0	0.0	3.9	3.8	0.1	2.6	78.0	23	76	23	2.6	0	80	23	76	23	5	0
			W2	33.3	33.2	0.1	0.3									78.0	23	76	23	2.6	0						
			W3	33.0	32.6	0.4	1.2									78.0	23	75	23	3.8	0						
			W4	32.8	32.4	0.4	1.2									77.0	23	74	23	3.9	0						
			W5	32.8	32.4	0.4	1.2									74.0	22	71	22	4.1	0						
			W6	32.7	32.3	0.4	1.2									74.0	22	71	22	4.1	0						
			W7	32.7	32.2	0.5	1.5									75.0	22	71	22	5.3	0						
			W8	32.7	32.2	0.5	1.5									75.0	22	71	22	5.3	0						
	R2	BEDROOM	W9	32.7	32.2	0.5	1.5	100.0	100.0	0.0	0.0	5.3	5.2	0.1	1.9	76.0	22	71	22	6.6	0	76	22	71	22	6.6	0
			W10	32.4	31.5	0.9	2.8									75.0	22	69	22	8	0						
			W11	32.3	31.3	1.0	3.1									75.0	22	68	22	9.3	0						
	R3	L/K/D	W12	32.2	31.2	1.0	3.1	100.0	100.0	0.0	0.0	4.6	4.4	0.2	4.3	76.0	23	69	23	9.2	0	79	23	69	23	12.7	0
			W13	32.2	31.2	1.0	3.1									76.0	23	68	22	10.5	4.3						
			W14	32.2	31.1	1.1	3.4									76.0	23	68	22	10.5	4.3						
			W15	32.1	31.0	1.1	3.4									76.0	23	68	22	10.5	4.3						
			W16	32.2	31.0	1.2	3.7									79.0	23	68	22	13.9	4.3						
	R4	BEDROOM	W17	31.8	29.5	2.3	7.2	100.0	100.0	0.0	0.0	5.9	5.6	0.3	5.1	78.0	22	67	21	14.1	4.5	78	22	67	21	14.1	4.5
			W18	31.6	29.2	2.4	7.6									77.0	22	66	21	14.3	4.5						
			W19	31.6	29.1	2.5	7.9									77.0	22	66	21	14.3	4.5						
	R5	L/K/D	W20	31.5	28.9	2.6	8.3	100.0	100.0	0.0	0.0	7.6	5.7	1.9	25	77.0	22	65	21	15.6	4.5	85	24	67	23	21.2	4.2
			W21	31.5	28.8	2.7	8.6									77.0	22	65	21	15.6	4.5						
			W22	31.4	28.7	2.7	8.6									76.0	22	64	21	15.8	4.5						
			W23	31.4	28.6	2.8	8.9									76.0	22	64	21	15.8	4.5						
			W24	31.4	28.5	2.9	9.2									77.0	22	64	21	16.9	4.5						
			W25	31.5	28.4	3.1	9.8									77.0	22	63	21	18.2	4.5						
			W26	31.8	28.3	3.5	11.0									77.0	22	63	21	18.2	4.5						
			W27	33.6	15.8	17.8	53.0									46.0	9	27	8	41.3	11.1						
			W28	33.4	15.6	17.8	53.3									43.0	10	24	9	44.2	10						
			W29	33.4	15.7	17.7	53.0									44.0	10	23	9	47.7	10						
			W30	33.4	15.7	17.7	53.0									44.0	10	23	9	47.7	10						
	R6	BEDROOM	W31	33.5	15.9	17.6	52.5	100.0	98.3	1.7	1.7	8.4	4.4	4	47.6	43.0	9	22	8	48.8	11.1	43	9	24	8	44.2	11.1
			W32	33.5	16.0	17.5	52.2									42.0	8	21	7	50	12.5						
			W33	33.5	16.1	17.4	51.9									42.0	8	20	7	52.4	12.5						
			W34	33.5	16.3	17.2	51.3									42.0	8	21	7	50	12.5						
			W35	33.6	16.5	17.1	50.9									42.0	8	21	7	50	12.5						
			W36	33.7	16.9	16.8	49.9									42.0	8	21	7	50	12.5						
			W37	33.9	17.2	16.7	49.3									42.0	8	22	7	47.6	12.5						
			W38	10.3	7.2	3.1	30.1																				
	R7	STUDIO	W39

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
			W52	38.3	36.0	2.3	6.0																				
			W53	38.3	36.0	2.3	6.0																				
			W54	38.3	36.1	2.2	5.7																				
			W55	38.3	36.2	2.1	5.5																				
	R8	BEDROOM	W56	38.3	36.3	2.0	5.2	100.0	100.0	0.0	0.0	7.9	7.6	0.3	3.8												
			W57	38.3	36.4	1.9	5.0																				
			W58	38.3	36.5	1.8	4.7																				
			W59	38.3	36.5	1.8	4.7																				
	R9	BEDROOM	W60	38.3	36.6	1.7	4.4	97.6	97.6	0.0	0.0	5.4	5.3	0.1	1.9												
			W61	38.3	36.6	1.7	4.4																				
	R10	STUDIO	W62	38.3	36.7	1.6	4.2	100.0	100.0	0.0	0.0	7.3	7.1	0.2	2.7												
			W63	38.3	36.7	1.6	4.2																				
			W64	38.3	36.8	1.5	3.9																				
			W65	38.3	36.8	1.5	3.9																				
			W66	38.3	36.9	1.4	3.7																				
			W67	38.3	36.9	1.4	3.7																				
			W68	38.3	37.0	1.3	3.4																				
			W69	38.3	37.0	1.3	3.4																				
F24	R1	STUDIO	W1	33.7	33.6	0.1	0.3	99.2	99.2	0.0	0.0	3.9	3.8	0.1	2.6	78.0	23	76	23	2.6	0	81	24	77	24	4.9	0
			W2	33.7	33.5	0.2	0.6									78.0	23	76	23	2.6	0						
			W3	33.3	32.9	0.4	1.2									78.0	23	75	23	3.8	0						
			W4	33.2	32.8	0.4	1.2									77.0	23	74	23	3.9	0						
			W5	33.2	32.8	0.4	1.2									74.0	22	71	22	4.1	0						
			W6	33.1	32.7	0.4	1.2									75.0	23	72	23	4	0						
			W7	33.0	32.6	0.4	1.2									76.0	23	72	23	5.3	0						
			W8	33.0	32.6	0.4	1.2									76.0	23	72	23	5.3	0						
	R2	BEDROOM	W9	33.0	32.5	0.5	1.5	100.0	100.0	0.0	0.0	5.4	5.3	0.1	1.9	77.0	23	72	23	6.5	0	77	23	72	23	6.5	0
			W10	32.7	31.8	0.9	2.8									76.0	23	70	23	7.9	0						
			W11	32.6	31.6	1.0	3.1									76.0	23	69	23	9.2	0						
	R3	L/K/D	W12	32.6	31.6	1.0	3.1	100.0	100.0	0.0	0.0	4.6	4.4	0.2	4.3	76.0	23	69	23	9.2	0	79	23	69	23	12.7	0
			W13	32.5	31.5	1.0	3.1									76.0	23	68	22	10.5	4.3						
			W14	32.5	31.4	1.1	3.4									76.0	23	68	22	10.5	4.3						
			W15	32.5	31.3	1.2	3.7									76.0	23	68	22	10.5	4.3						
			W16	32.5	31.3	1.2	3.7									79.0	23	68	22	13.9	4.3						
	R4	BEDROOM	W17	32.0	29.7	2.3	7.2	100.0	100.0	0.0	0.0	5.9	5.6	0.3	5.1	78.0	22	67	21	14.1	4.5	78	22	67	21	14.1	4.5
			W18	31.9	29.5	2.4	7.5									77.0	22	66	21	14.3	4.5						
			W19	31.9	29.5	2.4	7.5									77.0	22	66	21	14.3	4.5						
	R5	L/K/D	W20	31.8	29.3	2.5	7.9	100.0	100.0	0.0	0.0	7.6	5.7	1.9	25	77.0	22	65	21	15.6	4.5	85	24	67	23	21.2	4.2
			W21	31.9	29.2	2.7	8.5									77.0	22	65	21	15.6	4.5						
			W22	31.7	29.0	2.7	8.5									78.0	23	66	22	15.4	4.3						
			W23	31.8	28.9	2.9	9.1									78.0	23	66	22	15.4	4.3						
			W24	31.7	28.8	2.9	9.1									79.0	23	66	22	16.5	4.3						
			W25	32.1	28.8	3.2	10.1									79.0	23	65	22	17.7	4.3						
			W26	32.0	28.6	3.4	10.6									79.0	23	65	22	17.7	4.3						
			W27	33.7	16.1	17.6	52.2									48.0	10	29	9	39.6	10						
			W28	33.5	15.9	17.6	52.5									44.0	10	24	9	45.5	10						
			W29	33.5	15.9	17.6	52.5									44.0	10	23	9	47.7	10						
			W30	33.5	16.0	17.5	52.2									44.0	10	23	9	47.7	10						
	R6	BEDROOM	W31	33.6	16.1	17.5	52.1	100.0	99.4	0.6	0.6	8.4	4.4	4	47.6	43.0	9	22	8	48.8	11.1	43	9	24	8	44.2	11.1
			W32	33.6	16.2	17.4	51.8									42.0	8	21	7	50	12.5						
			W33	33.6	16.4	17.2	51.2									42.0	8	20	7	52.4	12.5						
			W34	33.7	16.6	17.1	50.7									42.0	8	21	7	50	12.5						
			W35	33.7	16.8	16.9	50.1									42.0	8	21	7	50	12.5						
			W36	33.8	17.2	16.6	49.1									42.0	8	21	7	50	12.5						
			W37	33.8	17.5	16.5	48.5									42.0	8	21	7	50	12.5						
			W38	10.3	7.3	3.0	29.1																				
	R7	STUDIO	W39	1.3	0.0	1.3	100.0	100.0	100.0	0.0	0.0	10.4	7.9	2.5	24	10.0	1	0	0	100	100	45	8	27	7	40	125
			W40	2.9	1.0	1.9	65.5									15.0	2	2	1	86.7	50						
			W41	7.1	4.9	2.2	31.0									26.0	4	11	3	57.7	25						
			W42	33.9	17.9	16.0	47.2									43.0	8	22	7	48.8	12.5						
			W43	33.8	17.9	15.9	47.0									42.0	8	21	7	50	12.5						
			W44	33.9	17.9	16.0	47.2									42.0	8	22	7	47.6	12.5						
			W45	33.9	18.0	15.9	46.9									42.0	8	22	7	47.6	12.5						
			W46	34.0	18.1	15.9	46.8									42.0	8	22	7	47.6	12.5						
			W47	34.1	18.2	15.9	46.6									42.0	8	21	6	50	25						
			W48	34.4	18.5	15.9	46.2									42.0	8	20	6	52.4	25						
			W49	38.5	35.9	2.6	6.8																				
			W50	38.3	35.9	2.4	6.3																				
			W51	38.3	36.0	2.3	6.0																				
			W52	38.3	36.1	2.2	5.7																				
			W53	38.3	36.1	2.2	5.7																				
			W54	38.3	36.2	2.1	5.5																				
			W55	38.3	36.3	2.0	5.2																				
	R8	BEDROOM	W56	38.3	36.4	1.9	5.0	100.0	100.0	0.0	0.0	7.9	7.6	0.3	3.8												
			W57	38.3	36.5	1.8	4.7																				
			W58	38.3	36.5	1.8	4.7																				
			W59	38.3	36.6	1.7	4.4																				
	R9	BEDROOM	W60	38.3	36.6	1.7	4.4	97.6	97.6	0.0	0.0	5.4	5.3	0.1	1.9												
			W61	38.3	36.7	1.6	4.2																				
	R10	STUDIO	W62	38.3	36.8	1.5	3.9	100.0	100.0	0.0	0.0	7.3	7.1	0.2	2.7												
			W63	38.3	36.8	1.5	3.9																				
			W64	38.3	36.8	1.5	3.9																				
			W65	38.3	36.9	1.4	3.7																				
			W66	38.3	36.9	1.4	3.7																				
			W67	38.3	37.0	1.3	3.4																				
			W68	38.3	37.0	1.3	3.4																				
			W69	38.3	37.0	1.3	3.4																				
F25	R1	STUDIO	W1	33.8	33.7	0.1	0.3	99.2	99.2	0.0	0.0	3.9	3.8	0.1	2.6	79.0	24	77	24	2.5	0	81	24	77	24	4.9	0
			W2	33.8	33.7	0.1	0.3									79.0	24	77	24	2.5	0						
			W3	33.4	33.1	0.3	0.9									79.0	24	76	24	3.8	0						
			W4	33.3	33.0	0.3	0.9									78.0	24	75	24	3.8	0						
			W5	33.3	32.9	0.4	1.2									75.0	23	72	23	4	0						
			W6	33.3	32.9	0.4	1.2									75.0	23	72	23	4	0						
			W7	33.3	32.8	0.5	1.5									76.0	23	72	23	5.3	0						
			W8	33.2	32.8	0.4	1.2									76.0	23	72	23	5.3	0						
	R2	BEDROOM	W9	33.2	32.7	0.5	1.5	100.0	100.0	0.0	0.0	5.4	5.3	0.1	1.9	77.0	23	72	23	6.5	0	77	23	72	23	6.5	0
			W10	32.9	32.0	0.9	2.7									76.0	23	70	23	7.9	0						
			W11	32.8	31.8	1.0	3.0									76.0	23	69	23	9.2	0						
	R3	L/K/D	W12	32.8	31.8	1.0	3.0	100.0	100.0	0.0	0.0	4.6	4.5	0.1	2.2	76.0	23	69	23	9.2	0	80	24	70	24	12.5	0
			W13	32.7	31.7	1.0	3.1									76.0	23	68	22	10.5	4.3						
			W14	32.7	31.7	1.0	3.1									76.0	23	68	22	10.5	4.3						

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
			W15	32.7	31.6	1.1	3.4									76.0	23	68	22	10.5	4.3						
			W16	32.7	31.4	1.3	4.0									80.0	24	69	23	13.8	4.2						
	R4	BEDROOM	W17	32.2	29.9	2.3	7.1	100.0	100.0	0.0	0.0	6	5.7	0.3	5	80.0	24	69	23	13.8	4.2	80	24	69	23	13.8	4.2
			W18	32.1	29.7	2.4	7.5									79.0	24	68	23	13.9	4.2						
			W19	32.1	29.6	2.5	7.8									79.0	24	68	23	13.9	4.2						
	R5	L/K/D	W20	32.1	29.5	2.6	8.1	100.0	100.0	0.0	0.0	7.7	5.8	1.9	24.7	78.0	23	66	22	15.4	4.3	85	24	67	23	21.2	4.2
			W21	32.0	29.3	2.7	8.4									78.0	23	66	22	15.4	4.3						
			W22	32.0	29.2	2.8	8.8									78.0	23	66	22	15.4	4.3						
			W23	32.0	29.1	2.9	9.1									78.0	23	66	22	15.4	4.3						
			W24	31.9	28.9	3.0	9.4									79.0	23	66	22	16.5	4.3						
			W25	32.0	28.8	3.2	10.0									79.0	23	65	22	17.7	4.3						
			W26	32.2	28.7	3.5	10.9									79.0	23	65	22	17.7	4.3						
			W27	33.8	16.4	17.4	51.5									48.0	10	29	9	39.6	10						
			W28	33.6	16.2	17.4	51.8									44.0	10	24	9	45.5	10						
			W29	33.6	16.2	17.4	51.8									44.0	10	23	9	47.7	10						
			W30	33.7	16.3	17.4	51.6									44.0	10	23	9	47.7	10						
	R6	BEDROOM	W31	33.7	16.4	17.3	51.3	100.0	99.4	0.6	0.6	8.4	4.5	3.9	46.4	43.0	9	22	8	48.8	11.1	43	9	24	8	44.2	11.1
			W32	33.7	16.5	17.2	51.0									42.0	8	21	7	50	12.5						
			W33	33.7	16.7	17.0	50.4									42.0	8	20	7	52.4	12.5						
			W34	33.8	16.9	16.9	50.0									42.0	8	21	7	50	12.5						
			W35	33.8	17.1	16.7	49.4									42.0	8	21	7	50	12.5						
			W36	33.9	17.5	16.4	48.4									42.0	8	21	7	50	12.5						
			W37	34.1	17.8	16.3	47.8									42.0	8	22	7	47.6	12.5						
			W38	10.3	7.4	2.9	28.2																				
	R7	STUDIO	W39	1.3	0.0	1.3	100.0	100.0	100.0	0.0	0.0	10.4	8	2.4	23.1	10.0	1	0	0	100	100	45	8	27	7	40	125
			W40	3.0	1.0	2.0	66.7									15.0	2	2	1	86.7	50						
			W41	7.2	5.0	2.2	30.6									26.0	4	11	3	57.7	25						
			W42	34.0	18.2	15.8	46.5									43.0	8	22	7	48.8	12.5						
			W43	34.0	18.1	15.9	46.8									42.0	8	21	7	50	12.5						
			W44	34.0	18.2	15.8	46.5									42.0	8	22	7	47.6	12.5						
			W45	34.0	18.3	15.7	46.2									42.0	8	22	7	47.6	12.5						
			W46	34.0	18.4	15.6	45.9									42.0	8	22	7	47.6	12.5						
			W47	34.2	18.5	15.7	45.9									42.0	8	21	6	50	25						
			W48	34.4	18.8	15.6	45.3									42.0	8	20	6	52.4	25						
			W49	38.5	36.0	2.5	6.5																				
			W50	38.3	36.0	2.3	6.0																				
			W51	38.3	36.1	2.2	5.7																				
			W52	38.3	36.1	2.2	5.7																				
			W53	38.3	36.2	2.1	5.5																				
			W54	38.3	36.3	2.0	5.2																				
			W55	38.3	36.3	2.0	5.2																				
	R8	BEDROOM	W56	38.3	36.5	1.8	4.7	100.0	100.0	0.0	0.0	7.9	7.7	0.2	2.5												
			W57	38.3	36.5	1.8	4.7																				
			W58	38.3	36.6	1.7	4.4																				
			W59	38.3	36.6	1.7	4.4																				
	R9	BEDROOM	W60	38.3	36.7	1.6	4.2	97.6	97.6	0.0	0.0	5.4	5.3	0.1	1.9												
			W61	38.3	36.8	1.5	3.9																				
	R10	STUDIO	W62	38.3	36.8	1.5	3.9	100.0	100.0	0.0	0.0	7.3	7.2	0.1	1.4												
			W63	38.3	36.9	1.4	3.7																				
			W64	38.3	36.9	1.4	3.7																				
			W65	38.3	36.9	1.4	3.7																				
			W66	38.3	37.0	1.3	3.4																				
			W67	38.3	37.0	1.3	3.4																				
			W68	38.3	37.1	1.2	3.1																				
			W69	38.3	37.1	1.2	3.1																				
F26	R1	STUDIO	W1	34.0	33.9	0.1	0.3	99.2	99.2	0.0	0.0	3.9	3.9	0	0	79.0	24	77	24	2.5	0	82	25	78	25	4.9	0
			W2	34.0	33.9	0.1	0.3									79.0	24	77	24	2.5	0						
			W3	33.6	33.3	0.3	0.9									79.0	24	76	24	3.8	0						
			W4	33.5	33.1	0.4	1.2									78.0	24	75	24	3.8	0						
			W5	33.5	33.1	0.4	1.2									75.0	23	72	23	4	0						
			W6	33.4	33.0	0.4	1.2									75.0	23	72	23	4	0						
			W7	33.4	33.0	0.4	1.2									77.0	24	73	24	5.2	0						
			W8	33.4	33.0	0.4	1.2									77.0	24	73	24	5.2	0						
	R2	BEDROOM	W9	33.4	32.9	0.5	1.5	100.0	100.0	0.0	0.0	5.5	5.3	0.2	3.6	78.0	24	73	24	6.4	0	78	24	73	24	6.4	0
			W10	33.1	32.2	0.9	2.7									77.0	24	71	24	7.8	0						
			W11	32.9	32.0	0.9	2.7									77.0	24	70	24	9.1	0						
	R3	L/K/D	W12	32.9	31.9	1.0	3.0	100.0	100.0	0.0	0.0	4.6	4.5	0.1	2.2	77.0	24	70	24	9.1	0	80	24	70	24	12.5	0
			W13	32.9	31.8	1.1	3.3									77.0	24	69	23	10.4	4.2						
			W14	32.9	31.8	1.1	3.3									77.0	24	69	23	10.4	4.2						
			W15	32.9	31.7	1.2	3.6									77.0	24	69	23	10.4	4.2						
			W16	32.9	31.7	1.2	3.6									80.0	24	69	23	13.8	4.2						
	R4	BEDROOM	W17	32.5	30.2	2.3	7.1	100.0	100.0	0.0	0.0	6	5.7	0.3	5	80.0	24	69	23	13.8	4.2	80	24	69	23	13.8	4.2
			W18	32.3	29.9	2.4	7.4									79.0	24	68	23	13.9	4.2						
			W19	32.3	29.8	2.5	7.7									79.0	24	68	23	13.9	4.2						
	R5	L/K/D	W20	32.2	29.6	2.6	8.1	100.0	100.0	0.0	0.0	7.7	5.9	1.8	23.4	79.0	24	67	23	15.2	4.2	86	25	68	24	20.9	4
			W21	32.2	29.5	2.7	8.4									79.0	24	67	23	15.2	4.2						
			W22	32.2	29.4	2.8	8.7									79.0	24	67	23	15.2	4.2						
			W23	32.2	29.3	2.9	9.0									79.0	24	67	23	15.2	4.2						
			W24	32.2	29.2	3.0	9.3									79.0	23	66	22	16.5	4.3						
			W25	32.2	29.1	3.1	9.6									79.0	23	65	22	17.7	4.3						
			W26	32.5	29.0	3.5	10.8									79.0	23	65	22	17.7	4.3						
			W27	34.0	16.8	17.2	50.6									48.0	10	29	9	39.6	10						
			W28	33.8	16.6	17.2	50.9									44.0	10	24	9	45.5	10						
			W29	33.8	16.6	17.2	50.9									44.0	10	23	9	47.7	10						
			W30	33.8	16.7	17.1	50.6									44.0	10	23	9	47.7	10						
	R6	BEDROOM	W31	33.9	16.8	17.1	50.4	100.0	99.4	0.6	0.6	8.4	4.6	3.8	45.2	43.0	9	22	8	48.8	11.1	43	9	24	8	44.2	11.1
			W32	33.9	16.9	17.0	50.1									43.0	9	22	8	48.8	11.1						
			W33	33.9	17.1	16.8	49.6									43.0	9	21	8	51.2	11.1						
			W34	34.0	17.3	16.7	49.1									43.0	9	22	8	48.8	11.1						
			W35	34.0	17.4	16.6	48.8									43.0	9	22	8	48.8	11.1						
			W36	34.1	17.9	16.2	47.5

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
			W48	34.6	19.2	15.4	44.5									42.0	8	20	6	52.4	25						
			W49	38.5	36.1	2.4	6.2																				
			W50	38.3	36.1	2.2	5.7																				
			W51	38.3	36.1	2.2	5.7																				
			W52	38.3	36.2	2.1	5.5																				
			W53	38.3	36.3	2.0	5.2																				
			W54	38.3	36.4	1.9	5.0																				
			W55	38.3	36.4	1.9	5.0																				
	R8	BEDROOM	W56	38.3	36.6	1.7	4.4	100.0	100.0	0.0	0.0	7.9	7.7	0.2	2.5												
			W57	38.3	36.6	1.7	4.4																				
			W58	38.3	36.7	1.6	4.2																				
			W59	38.3	36.7	1.6	4.2																				
	R9	BEDROOM	W60	38.3	36.7	1.6	4.2	97.6	97.6	0.0	0.0	5.4	5.3	0.1	1.9												
			W61	38.3	36.8	1.5	3.9																				
	R10	STUDIO	W62	38.3	36.9	1.4	3.7	100.0	100.0	0.0	0.0	7.4	7.2	0.2	2.7												
			W63	38.3	36.9	1.4	3.7																				
			W64	38.3	37.0	1.3	3.4																				
			W65	38.3	37.0	1.3	3.4																				
			W66	38.3	37.0	1.3	3.4																				
			W67	38.3	37.1	1.2	3.1																				
			W68	38.3	37.1	1.2	3.1																				
			W69	38.3	37.1	1.2	3.1																				
F27	R1	STUDIO	W1	34.2	34.1	0.1	0.3	99.2	99.2	0.0	0.0	3.9	3.9	0	0	81.0	26	79	26	2.5	0	83	26	79	26	4.8	0
			W2	34.2	34.1	0.1	0.3									81.0	26	79	26	2.5	0						
			W3	33.9	33.5	0.4	1.2									81.0	26	78	26	3.7	0						
			W4	33.7	33.3	0.4	1.2									80.0	26	77	26	3.8	0						
			W5	33.7	33.3	0.4	1.2									77.0	25	74	25	3.9	0						
			W6	33.6	33.2	0.4	1.2									77.0	25	74	25	3.9	0						
			W7	33.6	33.1	0.5	1.5									78.0	25	74	25	5.1	0						
			W8	33.6	33.1	0.5	1.5									78.0	25	74	25	5.1	0						
	R2	BEDROOM	W9	33.6	33.1	0.5	1.5	100.0	100.0	0.0	0.0	5.5	5.4	0.1	1.8	79.0	25	74	25	6.3	0	79	25	74	25	6.3	0
			W10	33.3	32.4	0.9	2.7									78.0	25	72	25	7.7	0						
			W11	33.2	32.2	1.0	3.0									78.0	25	71	25	9	0						
	R3	L/K/D	W12	33.1	32.1	1.0	3.0	100.0	100.0	0.0	0.0	4.7	4.5	0.2	4.3	77.0	24	70	24	9.1	0	80	24	70	24	12.5	0
			W13	33.1	32.1	1.0	3.0									77.0	24	69	23	10.4	4.2						
			W14	33.1	32.0	1.1	3.3									77.0	24	69	23	10.4	4.2						
			W15	33.1	32.0	1.1	3.3									77.0	24	69	23	10.4	4.2						
			W16	33.1	31.9	1.2	3.6									80.0	24	69	23	13.8	4.2						
	R4	BEDROOM	W17	32.7	30.4	2.3	7.0	100.0	100.0	0.0	0.0	6	5.8	0.2	3.3	80.0	24	69	23	13.8	4.2	80	24	69	23	13.8	4.2
			W18	32.6	30.2	2.4	7.4									79.0	24	68	23	13.9	4.2						
			W19	32.5	30.0	2.5	7.7									79.0	24	68	23	13.9	4.2						
	R5	L/K/D	W20	32.4	29.8	2.6	8.0	100.0	100.0	0.0	0.0	7.8	5.9	1.9	24.4	79.0	24	67	23	15.2	4.2	86	25	68	24	20.9	4
			W21	32.4	29.7	2.7	8.3									79.0	24	67	23	15.2	4.2						
			W22	32.4	29.6	2.8	8.6									79.0	24	67	23	15.2	4.2						
			W23	32.4	29.5	2.9	9.0									79.0	24	67	23	15.2	4.2						
			W24	32.3	29.3	3.0	9.3									80.0	24	67	23	16.3	4.2						
			W25	32.4	29.2	3.2	9.9									80.0	24	66	23	17.5	4.2						
			W26	32.7	29.2	3.5	10.7									80.0	24	66	23	17.5	4.2						
			W27	34.1	17.1	17.0	49.9									49.0	11	30	10	38.8	9.1						
			W28	33.9	16.9	17.0	50.1									45.0	11	25	10	44.4	9.1						
			W29	33.9	17.0	16.9	49.9									45.0	11	24	10	46.7	9.1						
			W30	33.9	17.0	16.9	49.9									45.0	11	24	10	46.7	9.1						
	R6	BEDROOM	W31	34.0	17.1	16.9	49.7	100.0	99.4	0.6	0.6	8.4	4.6	3.8	45.2	44.0	10	23	9	47.7	10	44	10	25	9	43.2	10
			W32	34.0	17.3	16.7	49.1									44.0	10	23	9	47.7	10						
			W33	34.0	17.5	16.5	48.5									44.0	10	22	9	50	10						
			W34	34.1	17.7	16.4	48.1									44.0	10	23	9	47.7	10						
			W35	34.1	17.8	16.3	47.8									44.0	10	23	9	47.7	10						
			W36	34.2	18.2	16.0	46.8									44.0	10	23	9	47.7	10						
			W37	34.4	18.6	15.8	45.9									43.0	9	22	7	48.8	22.2						
			W38	10.3	7.6	2.7	26.2																				
	R7	STUDIO	W39	1.3	0.0	1.3	100.0	100.0	100.0	0.0	0.0	10.5	8.1	2.4	22.9	10.0	1	0	0	100	100	47	10	28	8	40.4	20
			W40	3.1	1.1	2.0	64.5									16.0	3	2	1	87.5	66.7						
			W41	7.4	5.2	2.2	29.7									27.0	5	11	3	59.3	40						
			W42	34.3	18.9	15.4	44.9									44.0	9	22	7	50	22.2						
			W43	34.2	18.9	15.3	44.7									43.0	9	22	7	48.8	22.2						
			W44	34.3	19.0	15.3	44.6									43.0	9	22	7	48.8	22.2						
			W45	34.3	19.1	15.2	44.3									43.0	9	22	7	48.8	22.2						
			W46	34.3	19.1	15.2	44.3									43.0	9	22	7	48.8	22.2						
			W47	34.5	19.3	15.2	44.1									43.0	9	21	6	51.2	33.3						
			W48	34.7	19.6	15.1	43.5									44.0	10	21	7	52.3	30						
			W49	38.5	36.2	2.3	6.0																				
			W50	38.3	36.2	2.1	5.5																				
			W51	38.3	36.2	2.1	5.5																				
			W52	38.3	36.3	2.0	5.2																				
			W53	38.3	36.4	1.9	5.0																				
			W54	38.3	36.4	1.9	5.0																				
			W55	38.3	36.5	1.8	4.7																				
	R8	BEDROOM	W56	38.3	36.6	1.7	4.4	100.0	100.0	0.0	0.0	7.9	7.7	0.2	2.5												
			W57	38.3	36.7	1.6	4.2																				
			W58	38.3	36.7	1.6	4.2																				
			W59	38.3	36.8	1.5	3.9																				
	R9	BEDROOM	W60	38.3	36.8	1.5	3.9	97.6	97.6	0.0	0.0	5.5	5.4	0.1	1.8												
			W61	38.3	36.9	1.4	3.7																				
	R10	STUDIO	W62	38.3	36.9	1.4	3.7	100.0	100.0	0.0	0.0	7.4	7.2	0.2	2.7												
			W63	38.3	37.0	1.3	3.4																				
			W64	38.3	37.0	1.3	3.4																				
			W65	38.3	37.1	1.2	3.1																				
			W66	38.3	37.1	1.2	3.1																				
			W67	38.3	37.1	1.2	3.1																				
			W68	38.3	37.2	1.1	2.9																				
			W69	38.3	37.2	1.1	2.9																				
F28	R1	STUDIO	W1	34.4	34.3	0.1	0.3	99.2	99.2	0.0	0.0	4	3.9	0.1	2.5	81.0	26	79	26	2.5	0	83	26	79	26	4.8	0
			W2	34.4	34.2	0.2	0.6									81.0	26	79	26	2.5	0						
			W3	34.0	33.7	0.3	0.9									81.0	26	78	26	3.7	0						
			W4	33.9	33.5	0.4	1.2									80.0	26	77	26	3.8	0						
			W5	33.9	33.5	0.4	1.2									77.0	25	74	25	3.9	0						
			W6	33.8	33.4	0.4	1.2									77.0	25	74	25	3.9	0						
			W7	33.8	33.3	0.5	1.5									78.0	25	74	25	5.1	0						
			W8	33.8	33.3	0.5	1.5									78.0	25	74	25	5.1	0						
	R2	BEDROOM	W9	33.8	33.2	0.6	1.8	100.0	100.0	0.0	0.0	5.5	5.4	0.1	1.8	79.0	25	74	25	6.3	0	79	25	74	25	6.3	0
			W10	33.5	32.6	0.9	2.7									78.0	25	72	25	7.7	0						

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
			W11	33.4	32.4	1.0	3.0									78.0	25	71	25	9	0						
	R3	L/K/D	W12	33.4	32.4	1.0	3.0	100.0	100.0	0.0	0.0	4.7	4.6	0.1	2.1	78.0	25	71	25	9	0	81	25	71	25	12.3	0
			W13	33.3	32.3	1.0	3.0									78.0	25	70	24	10.3	4						
			W14	33.3	32.2	1.1	3.3									78.0	25	70	24	10.3	4						
			W15	33.3	32.1	1.2	3.6									78.0	25	69	23	11.5	8						
			W16	33.3	32.0	1.3	3.9									81.0	25	69	23	14.8	8						
	R4	BEDROOM	W17	32.9	30.5	2.4	7.3	100.0	100.0	0.0	0.0	6.1	5.8	0.3	4.9	81.0	25	69	23	14.8	8	81	25	69	23	14.8	8
			W18	32.7	30.3	2.4	7.3									80.0	25	68	23	15	8						
			W19	32.7	30.2	2.5	7.6									80.0	25	68	23	15	8						
	R5	L/K/D	W20	32.7	30.1	2.6	8.0	100.0	100.0	0.0	0.0	7.7	6	1.7	22.1	80.0	25	67	23	16.3	8	87	26	68	24	21.8	7.7
			W21	32.7	30.0	2.7	8.3									80.0	25	67	23	16.3	8						
			W22	32.6	29.8	2.8	8.6									80.0	25	67	23	16.3	8						
			W23	32.5	29.6	2.9	8.9									80.0	25	67	23	16.3	8						
			W24	32.5	29.5	3.0	9.2									81.0	25	67	23	17.3	8						
			W25	32.6	29.4	3.2	9.8									81.0	25	66	23	18.5	8						
			W26	32.9	29.4	3.5	10.6									81.0	25	66	23	18.5	8						
			W27	34.2	17.5	16.7	48.8									50.0	12	30	10	40	16.7						
			W28	34.0	17.3	16.7	49.1									46.0	12	25	10	45.7	16.7						
			W29	34.0	17.3	16.7	49.1									46.0	12	24	10	47.8	16.7						
			W30	34.1	17.3	16.8	49.3									46.0	12	24	10	47.8	16.7						
	R6	BEDROOM	W31	34.1	17.5	16.6	48.7	100.0	99.4	0.6	0.6	8.5	4.7	3.8	44.7	45.0	11	23	9	48.9	18.2	45	11	25	9	44.4	18.2
			W32	34.1	17.6	16.5	48.4									45.0	11	23	9	48.9	18.2						
			W33	34.1	17.8	16.3	47.8									45.0	11	22	9	51.1	18.2						
			W34	34.2	18.0	16.2	47.4									45.0	11	23	9	48.9	18.2						
			W35	34.2	18.1	16.1	47.1									45.0	11	23	9	48.9	18.2						
			W36	34.4	18.6	15.8	45.9									45.0	11	23	9	48.9	18.2						
			W37	34.5	18.9	15.6	45.2									44.0	10	22	7	50	30						
			W38	10.3	7.7	2.6	25.2																				
	R7	STUDIO	W39	1.3	0.0	1.3	100.0	100.0	100.0	0.0	0.0	10.5	8.2	2.3	21.9	11.0	2	0	0	100	100	48	11	28	8	41.7	27.3
			W40	3.1	1.1	2.0	64.5									17.0	4	2	1	88.2	75						
			W41	7.5	5.3	2.2	29.3									28.0	6	11	3	60.7	50						
			W42	34.4	19.2	15.2	44.2									45.0	10	22	7	51.1	30						
			W43	34.4	19.2	15.2	44.2									44.0	10	22	7	50	30						
			W44	34.4	19.3	15.1	43.9									44.0	10	22	7	50	30						
			W45	34.4	19.4	15.0	43.6									45.0	11	23	8	48.9	27.3						
			W46	34.4	19.4	15.0	43.6									45.0	11	23	8	48.9	27.3						
			W47	34.6	19.6	15.0	43.4									45.0	11	22	7	51.1	36.4						
			W48	34.8	19.8	15.0	43.1									45.0	11	21	7	53.3	36.4						
			W49	38.5	36.3	2.2	5.7																				
			W50	38.3	36.3	2.0	5.2																				
			W51	38.3	36.3	2.0	5.2																				
			W52	38.3	36.4	1.9	5.0																				
			W53	38.3	36.5	1.8	4.7																				
			W54	38.3	36.5	1.8	4.7																				
			W55	38.3	36.6	1.7	4.4																				
	R8	BEDROOM	W56	38.3	36.7	1.6	4.2	100.0	100.0	0.0	0.0	7.9	7.7	0.2	2.5												
			W57	38.3	36.8	1.5	3.9																				
			W58	38.3	36.8	1.5	3.9																				
			W59	38.3	36.8	1.5	3.9																				
	R9	BEDROOM	W60	38.3	36.9	1.4	3.7	97.6	97.6	0.0	0.0	5.5	5.4	0.1	1.8												
			W61	38.3	37.0	1.3	3.4																				
	R10	STUDIO	W62	38.3	37.0	1.3	3.4	100.0	100.0	0.0	0.0	7.4	7.3	0.1	1.4												
			W63	38.3	37.0	1.3	3.4																				
			W64	38.3	37.1	1.2	3.1																				
			W65	38.3	37.1	1.2	3.1																				
			W66	38.3	37.2	1.1	2.9																				
			W67	38.3	37.2	1.1	2.9																				
			W68	38.3	37.2	1.1	2.9																				
			W69	38.3	37.2	1.1	2.9																				
F29	R1	STUDIO	W1	34.5	34.4	0.1	0.3	99.2	99.2	0.0	0.0	4	3.9	0.1	2.5	83.0	28	81	28	2.4	0	85	28	81	28	4.7	0
			W2	34.5	34.4	0.1	0.3									83.0	28	81	28	2.4	0						
			W3	34.2	33.8	0.4	1.2									83.0	28	80	28	3.6	0						
			W4	34.1	33.7	0.4	1.2									81.0	27	78	27	3.7	0						
			W5	34.0	33.6	0.4	1.2									78.0	26	75	26	3.8	0						
			W6	34.0	33.6	0.4	1.2									78.0	26	75	26	3.8	0						
			W7	34.0	33.5	0.5	1.5									79.0	26	75	26	5.1	0						
			W8	34.0	33.5	0.5	1.5									79.0	26	75	26	5.1	0						
	R2	BEDROOM	W9	33.9	33.4	0.5	1.5	100.0	100.0	0.0	0.0	5.5	5.4	0.1	1.8	80.0	26	75	26	6.3	0	80	26	75	26	6.3	0
			W10	33.7	32.7	1.0	3.0									79.0	26	73	26	7.6	0						
			W11	33.5	32.6	0.9	2.7									79.0	26	72	26	8.9	0						
	R3	L/K/D	W12	33.5	32.5	1.0	3.0	100.0	100.0	0.0	0.0	4.7	4.6	0.1	2.1	79.0	26	72	26	8.9	0	82	26	72	26	12.2	0
			W13	33.5	32.5	1.0	3.0									79.0	26	71	25	10.1	3.8						
			W14	33.5	32.4	1.1	3.3									79.0	26	71	25	10.1	3.8						
			W15	33.5	32.3	1.2	3.6									79.0	26	70	24	11.4	7.7						
			W16	33.5	32.2	1.3	3.9									82.0	26	70	24	14.6	7.7						
	R4	BEDROOM	W17	33.0	30.7	2.3	7.0	100.0	100.0	0.0	0.0	6.1	5.8	0.3	4.9	82.0	26	70	24	14.6	7.7	82	26	70	24	14.6	7.7
			W18	32.9	30.5	2.4	7.3									81.0	26	69	24	14.8	7.7						
			W19	32.9	30.4	2.5	7.6									81.0	26	69	24	14.8	7.7						
	R5	L/K/D	W20	32.8	30.2	2.6	7.9	100.0	100.0	0.0	0.0	7.8	6	1.8	23.1	81.0	26	68	24	16	7.7	87	26	68	24	21.8	7.7
			W21	32.9	30.1	2.8	8.5									81.0	26	68	24	16	7.7						
			W22	32.8	30.0	2.8	8.5									81.0	26	68	24	16	7.7						
			W23	32.8	29.9	2.9	8.8									81.0	26	68	24	16	7.7						
			W24	32.7	29.7	3.0	9.2									82.0	26	68	24	17.1	7.7						
			W25	32.8	29.6	3.2	9.8									82.0	26	67	24	18.3	7.7						
			W26	33.1	29.6	3.5	10.6									82.0	26	67	24	18.3	7.7						
			W27	34.3	17.8	16.5	48.1									50.0	12	30	10	40	16.7						
			W28	34.2	17.7	16.5	48.2									46.0	12	25	10	45.7	16.7						
			W29	34.2	17.7	16.5	48.2									46.0	12	24	10	47.8	16.7						
			W30	34.2	17.7	16.5	48.2									46.0	12	24	10	47.8	16.7						
	R6	BEDROOM	W31	34.2	17.8	16.4	48.0	100.0	99.4	0.6	0.6	8.5	4.8	3.7	43.5	45.0	11	23	9	48.9	18.2	45	11	25	9	44.4	18.2
			W32	34.2	18.0	16.2	47.4									45.0	11	23	9	48.9	18.2						
			W33	34.3	18.2	16.1	46.9

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
			W44	34.4	19.6	14.8	43.0									45.0	11	24	8	46.7	27.3						
			W45	34.5	19.7	14.8	42.9									45.0	11	23	8	48.9	27.3						
			W46	34.5	19.7	14.8	42.9									45.0	11	23	8	48.9	27.3						
			W47	34.7	19.9	14.8	42.7									45.0	11	22	7	51.1	36.4						
			W48	35.0	20.2	14.8	42.3									45.0	11	21	7	53.3	36.4						
			W49	38.5	36.5	2.0	5.2																				
			W50	38.3	36.4	1.9	5.0																				
			W51	38.3	36.4	1.9	5.0																				
			W52	38.3	36.5	1.8	4.7																				
			W53	38.3	36.6	1.7	4.4																				
			W54	38.3	36.6	1.7	4.4																				
			W55	38.3	36.7	1.6	4.2																				
	R8	BEDROOM	W56	38.3	36.8	1.5	3.9	100.0	100.0	0.0	0.0	7.9	7.7	0.2	2.5												
			W57	38.3	36.8	1.5	3.9																				
			W58	38.3	36.9	1.4	3.7																				
			W59	38.3	36.9	1.4	3.7																				
	R9	BEDROOM	W60	38.3	37.0	1.3	3.4	97.6	97.6	0.0	0.0	5.5	5.4	0.1	1.8												
			W61	38.3	37.0	1.3	3.4																				
	R10	STUDIO	W62	38.3	37.1	1.2	3.1	100.0	100.0	0.0	0.0	7.4	7.3	0.1	1.4												
			W63	38.3	37.1	1.2	3.1																				
			W64	38.3	37.1	1.2	3.1																				
			W65	38.3	37.2	1.1	2.9																				
			W66	38.3	37.2	1.1	2.9																				
			W67	38.3	37.2	1.1	2.9																				
			W68	38.3	37.3	1.0	2.6																				
			W69	38.3	37.3	1.0	2.6																				
F30	R1	STUDIO	W1	34.7	34.6	0.1	0.3	99.2	99.2	0.0	0.0	4	3.9	0.1	2.5	83.0	28	81	28	2.4	0	85	28	81	28	4.7	0
			W2	34.7	34.5	0.2	0.6									83.0	28	81	28	2.4	0						
			W3	34.3	33.9	0.4	1.2									83.0	28	80	28	3.6	0						
			W4	34.2	33.8	0.4	1.2									82.0	28	79	28	3.7	0						
			W5	34.2	33.8	0.4	1.2									79.0	27	76	27	3.8	0						
			W6	34.1	33.7	0.4	1.2									78.0	26	75	26	3.8	0						
			W7	34.1	33.7	0.4	1.2									79.0	26	75	26	5.1	0						
			W8	34.1	33.7	0.4	1.2									79.0	26	75	26	5.1	0						
	R2	BEDROOM	W9	34.2	33.6	0.6	1.8	100.0	100.0	0.0	0.0	5.6	5.4	0.2	3.6	80.0	26	75	26	6.3	0	80	26	75	26	6.3	0
			W10	33.8	32.9	0.9	2.7									79.0	26	73	26	7.6	0						
			W11	33.7	32.8	0.9	2.7									79.0	26	72	26	8.9	0						
	R3	L/K/D	W12	33.7	32.7	1.0	3.0	100.0	100.0	0.0	0.0	4.7	4.6	0.1	2.1	79.0	26	72	26	8.9	0	82	26	72	26	12.2	0
			W13	33.6	32.6	1.0	3.0									79.0	26	71	25	10.1	3.8						
			W14	33.6	32.5	1.1	3.3									79.0	26	71	25	10.1	3.8						
			W15	33.6	32.5	1.1	3.3									79.0	26	70	24	11.4	7.7						
			W16	33.7	32.4	1.3	3.9									82.0	26	70	24	14.6	7.7						
	R4	BEDROOM	W17	33.9	30.9	2.4	7.2	100.0	100.0	0.0	0.0	6.1	5.8	0.3	4.9	82.0	26	70	24	14.6	7.7	82	26	70	24	14.6	7.7
			W18	33.1	30.7	2.4	7.3									81.0	26	69	24	14.8	7.7						
			W19	33.0	30.5	2.5	7.6									81.0	26	69	24	14.8	7.7						
	R5	L/K/D	W20	33.0	30.4	2.6	7.9	100.0	100.0	0.0	0.0	7.8	6.1	1.7	21.8	81.0	26	68	24	16	7.7	87	26	68	24	21.8	7.7
			W21	33.0	30.3	2.7	8.2									81.0	26	68	24	16	7.7						
			W22	33.0	30.2	2.8	8.5									81.0	26	68	24	16	7.7						
			W23	33.0	30.1	2.9	8.8									81.0	26	68	24	16	7.7						
			W24	33.0	30.0	3.0	9.1									82.0	26	68	24	17.1	7.7						
			W25	33.1	29.8	3.3	10.0									82.0	26	67	24	18.3	7.7						
			W26	33.3	29.8	3.5	10.5									82.0	26	67	24	18.3	7.7						
			W27	34.5	18.2	16.3	47.2									50.0	12	30	10	40	16.7						
			W28	34.3	18.0	16.3	47.5									46.0	12	25	10	45.7	16.7						
			W29	34.3	18.0	16.3	47.5									46.0	12	24	10	47.8	16.7						
			W30	34.4	18.1	16.3	47.4									46.0	12	24	10	47.8	16.7						
	R6	BEDROOM	W31	34.4	18.2	16.2	47.1	100.0	99.4	0.6	0.6	8.5	4.9	3.6	42.4	45.0	11	23	9	48.9	18.2	46	12	26	10	43.5	16.7
			W32	34.4	18.4	16.0	46.5									45.0	11	23	9	48.9	18.2						
			W33	34.4	18.5	15.9	46.2									45.0	11	22	9	51.1	18.2						
			W34	34.5	18.7	15.8	45.8									45.0	11	23	9	48.9	18.2						
			W35	34.5	18.9	15.6	45.2									46.0	12	24	10	47.8	16.7						
			W36	34.6	19.3	15.3	44.2									46.0	12	24	10	47.8	16.7						
			W37	34.8	19.6	15.2	43.7									45.0	11	23	8	48.9	27.3						
			W38	10.3	8.1	2.2	21.4																				
	R7	STUDIO	W39	1.4	0.1	1.3	92.9	100.0	100.0	0.0	0.0	10.5	8.3	2.2	21	11.0	2	0	0	100	100	48	11	28	8	41.7	27.3
			W40	3.2	1.2	2.0	62.5									17.0	4	2	1	88.2	75						
			W41	7.8	5.5	2.3	29.5									29.0	7	12	4	58.6	42.9						
			W42	34.7	20.0	14.7	42.4									46.0	11	23	8	50	27.3						
			W43	34.6	20.0	14.6	42.2									45.0	11	23	8	48.9	27.3						
			W44	34.6	20.0	14.6	42.2									45.0	11	24	8	46.7	27.3						
			W45	34.7	20.1	14.6	42.1									45.0	11	23	8	48.9	27.3						
			W46	34.7	20.2	14.5	41.8									45.0	11	23	8	48.9	27.3						
			W47	34.9	20.3	14.6	41.8									45.0	11	22	7	51.1	36.4						
			W48	35.1	20.7	14.4	41.0									45.0	11	21	7	53.3	36.4						
			W49	38.5	36.6	1.9	4.9																				
			W50	38.3	36.5	1.8	4.7																				
			W51	38.3	36.5	1.8	4.7																				
			W52	38.3	36.6	1.7	4.4																				
			W53	38.3	36.7	1.6	4.2																				
			W54	38.3	36.7	1.6	4.2																				
			W55	38.3	36.8	1.5	3.9																				
	R8	BEDROOM	W56	38.3	36.9	1.4	3.7	100.0	100.0	0.0	0.0	8	7.7	0.3	3.8												
			W57	38.3	36.9	1.4	3.7																				
			W58	38.3	37.0	1.3	3.4																				
			W59	38.3	37.0	1.3	3.4																				
	R9	BEDROOM	W60	38.3	37.0	1.3	3.4	97.6	97.6	0.0	0.0	5.5	5.4	0.1	1.8												
			W61	38.3	37.1	1.2	3.1																				
	R10	STUDIO	W62	38.3	37.1	1.2	3.1	100.0	100.0	0.0	0.0	7.4	7.3	0.1	1.4												
			W63	38.3	37.2	1.1	2.9																				
			W64	38.3	37.2	1.1	2.9																				
			W65	38.3	37.2	1.1	2.9																				
			W66	38.3	37.3	1.0	2.6																				
			W67	38.3	37.3	1.0	2.6																				
			W68	38.3	37.3	1.0	2.6																				
			W69	38.3	37.4	0.9	2.3																				
F31	R1	STUDIO	W1	34.8	34.7	0.1	0.3	99.2	99.2	0.0	0.0	4	3.9	0.1	2.5	83.0	28	81	28	2.4	0	85	28	81	28	4.7	0
			W2	34.8	34.7	0.1	0.3									83.0	28	81	28	2.4	0						
			W3	34.5	34.1	0.4	1.2									83.0	28	80	28	3.6	0						
			W4	34.4	34.0	0.4	1.2									82.0	28	79	28	3.7	0						
			W5	34.3	33.9	0.4	1.2									79.0	27	76	27	3.8	0						
			W6	34.3	33.9	0.4	1.2									79.0	27	76	27	3.8	0						

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
			W7	34.2	33.8	0.4	1.2									80.0	27	76	27	5	0						
			W8	34.3	33.8	0.5	1.5									79.0	26	75	26	5.1	0						
	R2	BEDROOM	W9	34.3	33.7	0.6	1.7	100.0	100.0	0.0	0.0	5.6	5.5	0.1	1.8	80.0	26	75	26	6.3	0	80	26	75	26	6.3	0
			W10	34.0	33.1	0.9	2.6									79.0	26	73	26	7.6	0						
			W11	33.9	32.9	1.0	2.9									79.0	26	72	26	8.9	0						
	R3	L/K/D	W12	33.8	32.8	1.0	3.0	100.0	100.0	0.0	0.0	4.7	4.6	0.1	2.1	79.0	26	72	26	8.9	0	82	26	72	26	12.2	0
			W13	33.8	32.8	1.0	3.0									79.0	26	71	25	10.1	3.8						
			W14	33.8	32.7	1.1	3.3									79.0	26	71	25	10.1	3.8						
			W15	33.8	32.6	1.2	3.6									79.0	26	70	24	11.4	7.7						
			W16	33.9	32.6	1.3	3.8									82.0	26	70	24	14.6	7.7						
	R4	BEDROOM	W17	33.4	31.1	2.3	6.9	100.0	100.0	0.0	0.0	6.1	5.9	0.2	3.3	82.0	26	70	24	14.6	7.7	82	26	70	24	14.6	7.7
			W18	33.3	30.9	2.4	7.2									81.0	26	69	24	14.8	7.7						
			W19	33.3	30.8	2.5	7.5									81.0	26	69	24	14.8	7.7						
	R5	L/K/D	W20	33.2	30.6	2.6	7.8	100.0	100.0	0.0	0.0	7.8	6.1	1.7	21.8	81.0	26	68	24	16	7.7	87	26	68	24	21.8	7.7
			W21	33.1	30.4	2.7	8.2									81.0	26	68	24	16	7.7						
			W22	33.1	30.3	2.8	8.5									81.0	26	68	24	16	7.7						
			W23	33.1	30.2	2.9	8.8									81.0	26	68	24	16	7.7						
			W24	33.1	30.1	3.0	9.1									82.0	26	68	24	17.1	7.7						
			W25	33.2	30.0	3.2	9.6									82.0	26	67	24	18.3	7.7						
			W26	33.5	30.0	3.5	10.4									82.0	26	67	24	18.3	7.7						
			W27	34.6	18.5	16.1	46.5									50.0	12	30	10	40	16.7						
			W28	34.5	18.4	16.1	46.7									46.0	12	25	10	45.7	16.7						
			W29	34.5	18.4	16.1	46.7									46.0	12	24	10	47.8	16.7						
			W30	34.5	18.5	16.0	46.4									46.0	12	24	10	47.8	16.7						
	R6	BEDROOM	W31	34.5	18.6	15.9	46.1	100.0	99.4	0.6	0.6	8.5	5	3.5	41.2	45.0	11	23	9	48.9	18.2	46	12	26	10	43.5	16.7
			W32	34.5	18.8	15.7	45.5									46.0	12	24	10	47.8	16.7						
			W33	34.6	19.0	15.6	45.1									46.0	12	23	10	50	16.7						
			W34	34.6	19.2	15.4	44.5									46.0	12	24	10	47.8	16.7						
			W35	34.6	19.3	15.3	44.2									46.0	12	24	10	47.8	16.7						
			W36	34.8	19.8	15.0	43.1									46.0	12	24	10	47.8	16.7						
			W37	34.9	20.1	14.8	42.4									46.0	12	24	9	47.8	25						
			W38	10.4	8.3	2.1	20.2																				
	R7	STUDIO	W39	3.2	1.5	1.7	53.1	100.0	100.0	0.0	0.0	10.6	8.4	2.2	20.8	17.0	2	5	0	70.6	100	51	12	33	9	36.3	25
			W40	4.9	2.8	2.1	42.9									21.0	4	6	1	71.4	75						
			W41	8.4	6.1	2.3	27.4									31.0	8	14	5	54.8	37.5						
			W42	34.8	20.4	14.4	41.4									48.0	12	25	9	47.9	25						
			W43	34.7	20.4	14.3	41.2									46.0	12	24	9	47.8	25						
			W44	34.8	20.4	14.4	41.4									46.0	12	25	9	45.7	25						
			W45	34.8	20.5	14.3	41.1									46.0	12	25	9	45.7	25						
			W46	34.8	20.6	14.2	40.8									46.0	12	24	9	47.8	25						
			W47	34.9	20.7	14.2	40.7									46.0	12	23	8	50	33.3						
			W48	35.2	21.1	14.1	40.1									46.0	12	22	8	52.2	33.3						
			W49	38.5	36.7	1.8	4.7																				
			W50	38.3	36.6	1.7	4.4																				
			W51	38.3	36.7	1.6	4.2																				
			W52	38.3	36.7	1.6	4.2																				
			W53	38.3	36.8	1.5	3.9																				
			W54	38.3	36.8	1.5	3.9																				
			W55	38.3	36.9	1.4	3.7																				
	R8	BEDROOM	W56	38.3	37.0	1.3	3.4	100.0	100.0	0.0	0.0	7.9	7.8	0.1	1.3												
			W57	38.3	37.0	1.3	3.4																				
			W58	38.3	37.1	1.2	3.1																				
			W59	38.3	37.1	1.2	3.1																				
	R9	BEDROOM	W60	38.3	37.1	1.2	3.1	97.6	97.6	0.0	0.0	5.5	5.4	0.1	1.8												
			W61	38.3	37.2	1.1	2.9																				
	R10	STUDIO	W62	38.3	37.2	1.1	2.9	100.0	100.0	0.0	0.0	7.4	7.3	0.1	1.4												
			W63	38.3	37.2	1.1	2.9																				
			W64	38.3	37.3	1.0	2.6																				
			W65	38.3	37.3	1.0	2.6																				
			W66	38.3	37.3	1.0	2.6																				
			W67	38.3	37.4	0.9	2.3																				
			W68	38.3	37.4	0.9	2.3																				
			W69	38.3	37.4	0.9	2.3																				
F32	R1	STUDIO	W1	28.6	28.5	0.1	0.3	99.1	99.1	0.0	0.0	4.9	4.9	0	0	67.0	26	65	26	3	0	77	28	75	28	2.6	0
			W2	32.7	32.4	0.3	0.9									76.0	28	74	28	2.6	0						
			W3	32.9	32.7	0.2	0.6									76.0	28	75	28	1.3	0						
			W4	32.8	32.7	0.1	0.3									76.0	28	75	28	1.3	0						
			W5	32.4	32.4	0.0	0.0									71.0	25	71	25	0	0						
			W6	31.4	31.4	0.0	0.0									66.0	25	66	25	0	0						
			W7	24.7	24.7	0.0	0.0									49.0	20	49	20	0	0						
	R2	BEDROOM	W8	26.2	25.7	0.5	1.9	100.0	100.0	0.0	0.0	6.9	6.9	0	0	59.0	22	54	22	8.5	0	76	27	71	27	6.6	0
			W9	31.3	30.6	0.7	2.2									71.0	25	66	25	7	0						
			W10	32.0	31.2	0.8	2.5									75.0	27	70	26	6.7	3.7						
	R3	L/K/D	W11	31.9	31.2	0.7	2.2	100.0	100.0	0.0	0.0	6.6	6.5	0.1	1.5	77.0	26	70	24	9.1	7.7	77	26	70	24	9.1	7.7
			W12	31.6	31.1	0.5	1.6									75.0	26	70	24	6.7	7.7						
			W13	31.0	31.0	0.0	0.0									70.0	24	70	24	0	0						
			W14	27.9	27.9	0.0	0.0									59.0	22	59	22	0	0						
			W15	19.8	19.8	0.0	0.0									43.0	16	43	16	0	0						
	R4	BEDROOM	W16	20.5	18.6	1.9	9.3	100.0	100.0	0.0	0.0	7.6	7.2	0.4	5.3	47.0	16	38	14	19.1	12.5	72	24	62	22	13.9	8.3
			W17	28.3	26.4	1.9	6.7									63.0	22	54	20	14.3	9.1						
			W18	30.4	28.4	2.0	6.6									72.0	24	61	22	15.3	8.3						
	R5	L/K/D	W19	30.8	28.6	2.2	7.1	100.0	100.0	0.0	0.0	10	8	2	20	77.0	26	65	24	15.6	7.7	85	27	66	25	22.4	7.4
			W20	30.8	28.6	2.2	7.1									77.0	26	65	24	15.6	7.7						
			W21	30.6	28.5	2.1	6.9									74.0	26	65	24	12.2	7.7						
			W22	30.0	28.4	1.6	5.3									72.0	26	65	24	9.7	7.7						
			W23	27.9	27.9	0.0	0.0									62.0	24	62	24	0	0						
			W24	21.1	21.1	0.0	0.0									47.0	20	47	20	0	0						
			W25	19.9	16.3	3.6	18.1									49.0	14	34	12	30.6	14.3						
			W26	31.0	15.7	15.3	49.4									50.0	12	30	10	40	16.7						
			W27	24.6	10.5	14.1	57.3									48.0	13	28	11	41.7	15.4						
			W28	26.2	11.0	15.2	58.0									23.0	2	1	0	95.7	100						
			W29	30.9	15.9	15.0	48.5									37.0	7	15	5	59.5	28.6						
	R6	BED

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
			W40	36.2	22.2	14.0	38.7									51.0	13	30	10	41.2	23.1						
			W41	36.2	22.3	13.9	38.4									51.0	13	29	9	43.1	30.8						
			W42	36.3	22.3	14.0	38.6									51.0	13	28	9	45.1	30.8						
			W43	39.6	38.0	1.6	4.0																				
			W44	39.6	38.0	1.6	4.0																				
			W45	39.6	38.1	1.5	3.8																				
			W46	39.6	38.1	1.5	3.8																				
			W47	39.6	38.2	1.4	3.5																				
			W48	39.6	38.2	1.4	3.5																				
			W49	39.6	38.3	1.3	3.3																				
	R8	BEDROOM	W50	39.6	38.4	1.2	3.0	100.0	100.0	0.0	0.0	8.6	8.4	0.2	2.3												
			W51	39.6	38.4	1.2	3.0																				
			W52	39.6	38.5	1.1	2.8																				
			W53	39.6	38.5	1.1	2.8																				
	R9	BEDROOM	W54	39.6	38.5	1.1	2.8	97.6	97.6	0.0	0.0	5.9	5.8	0.1	1.7												
			W55	39.6	38.6	1.0	2.5																				
	R10	STUDIO	W56	39.6	38.6	1.0	2.5	100.0	100.0	0.0	0.0	8	7.8	0.2	2.5												
			W57	39.6	38.6	1.0	2.5																				
			W58	39.6	38.7	0.9	2.3																				
			W59	39.6	38.7	0.9	2.3																				
			W60	39.6	38.7	0.9	2.3																				
			W61	39.6	38.7	0.9	2.3																				
			W62	39.6	38.8	0.8	2.0																				
			W63	39.6	38.8	0.8	2.0																				
F33	R1	STUDIO	W1	19.8	19.8	0.0	0.0	99.1	99.1	0.0	0.0	4.3	4.2	0.1	2.3	36.0	26	36	26	0	0	42	28	42	28	0	0
			W2	21.8	21.5	0.1	0.5									42.0	28	42	28	0	0						
			W3	21.1	21.1	0.0	0.0									40.0	28	40	28	0	0						
			W4	20.8	20.8	0.0	0.0									39.0	28	39	28	0	0						
			W5	20.5	20.5	0.0	0.0									36.0	25	36	25	0	0						
			W6	20.3	20.3	0.0	0.0									36.0	25	36	25	0	0						
			W7	16.7	16.7	0.0	0.0									29.0	20	29	20	0	0						
	R2	BEDROOM	W8	16.9	16.8	0.1	0.6	100.0	100.0	0.0	0.0	4.6	4.5	0.1	2.2	29.0	22	29	22	0	0	37	27	37	27	0	0
			W9	19.6	19.4	0.2	1.0									34.0	25	34	25	0	0						
			W10	19.3	19.1	0.2	1.0									35.0	27	34	26	2.9	3.7						
	R3	L/K/D	W11	19.0	18.7	0.3	1.6	100.0	100.0	0.0	0.0	4.5	4.4	0.1	2.2	35.0	27	33	25	5.7	7.4	35	27	33	25	5.7	7.4
			W12	18.8	18.6	0.2	1.1									35.0	27	33	25	5.7	7.4						
			W13	18.5	18.5	0.0	0.0									33.0	25	33	25	0	0						
			W14	17.3	17.3	0.0	0.0									28.0	22	28	22	0	0						
			W15	12.6	12.6	0.0	0.0									20.0	16	20	16	0	0						
	R4	BEDROOM	W16	11.5	10.9	0.6	5.2	100.0	100.0	0.0	0.0	4.7	4.5	0.2	4.3	22.0	16	19	14	13.6	12.5	31	24	28	22	9.7	8.3
			W17	16.3	15.6	0.7	4.3									29.0	22	26	20	10.3	9.1						
			W18	17.0	16.3	0.7	4.1									29.0	24	26	22	10.3	8.3						
	R5	L/K/D	W19	16.9	16.1	0.8	4.7	100.0	100.0	0.0	0.0	6.7	5.1	1.6	23.9	32.0	27	29	25	9.4	7.4	47	27	29	25	38.3	7.4
			W20	16.8	16.0	0.8	4.8									32.0	27	29	25	9.4	7.4						
			W21	16.7	16.0	0.7	4.2									32.0	27	29	25	9.4	7.4						
			W22	16.5	16.0	0.5	3.0									31.0	27	29	25	6.5	7.4						
			W23	15.8	15.8	0.0	0.0									28.0	25	28	25	0	0						
			W24	12.6	12.6	0.0	0.0									21.0	20	21	20	0	0						
			W25	11.6	9.4	2.2	19.0									29.0	15	17	13	41.4	13.3						
			W26	18.5	7.2	11.3	61.1									31.0	13	13	11	58.1	15.4						
			W27	14.4	4.1	10.3	71.5									26.0	9	8	7	69.2	22.2						
			W28	16.0	4.9	11.1	69.4									19.0	2	0	0	100	100						
			W29	18.0	7.0	11.0	61.1									23.0	5	4	3	82.6	40						
	R6	BEDROOM	W30	18.1	7.1	11.0	60.8	100.0	99.5	0.5	0.5	4.8	2.3	2.5	52.1	24.0	6	5	4	79.2	33.3	24	6	6	4	75	33.3
			W31	17.7	6.9	10.8	61.0									24.0	6	6	4	75	33.3						
			W32	14.4	4.3	10.1	70.1									23.0	6	6	4	73.9	33.3						
	R7	STUDIO	W33	6.3	4.1	2.2	34.9	100.0	100.0	0.0	0.0	13.7	11	2.7	19.7	20.0	7	6	4	70	42.9	53	12	34	9	35.8	25
			W34	9.9	7.5	2.4	24.2									28.0	9	11	6	60.7	33.3						
			W35	13.9	11.5	2.4	17.3									36.0	12	19	9	47.2	25						
			W36	36.1	22.3	13.8	38.2									47.0	12	24	9	48.9	25						
			W37	36.2	22.4	13.8	38.1									49.0	12	27	9	44.9	25						
			W38	36.3	22.5	13.8	38.0									50.0	12	30	9	40	25						
			W39	36.3	22.6	13.7	37.7									50.0	12	30	9	40	25						
			W40	36.3	22.6	13.7	37.7									50.0	12	30	9	40	25						
			W41	36.3	22.7	13.6	37.5									50.0	12	28	8	44	33.3						
			W42	36.4	22.8	13.6	37.4									50.0	12	27	8	46	33.3						
			W43	39.6	38.1	1.5	3.8																				
			W44	39.6	38.2	1.4	3.5																				
			W45	39.6	38.2	1.4	3.5																				
			W46	39.6	38.3	1.3	3.3																				
			W47	39.6	38.3	1.3	3.3																				
			W48	39.6	38.4	1.2	3.0																				
			W49	39.6	38.4	1.2	3.0																				
	R8	BEDROOM	W50	39.6	38.5	1.1	2.8	100.0	100.0	0.0	0.0	9.5	9.2	0.3	3.2												
			W51	39.6	38.5	1.1	2.8																				
			W52	39.6	38.5	1.1	2.8																				
			W53	39.6	38.6	1.0	2.5																				
	R9	BEDROOM	W54	39.6	38.6	1.0	2.5	97.6	97.6	0.0	0.0	7.1	6.9	0.2	2.8												
			W55	39.6	38.7	0.9	2.3																				
	R10	STUDIO	W56	39.6	38.7	0.9	2.3	100.0	100.0	0.0	0.0	9.4	9.1	0.3	3.2												
			W57	39.6	38.7	0.9	2.3																				
			W58	39.6	38.7	0.9	2.3																				
			W59	39.6	38.8	0.8	2.0																				
			W60	39.6	38.8	0.8	2.0																				
			W61	39.6	38.8	0.8	2.0																				
			W62	39.6	38.8	0.8	2.0																				
			W63	39.6	38.8	0.8	2.0																				
	R11	UNKNOWN	W64	29.7	29.7	0.0	0.0	99.9	96.6	3.3	3.3	4.1	3.7	0.4	9.8												
			W65	37.9	37.6	0.3	0.8																				
			W66	37.1	36.9	0.2	0.5																				
	R12	UNKNOWN	W67	21.3	21.3	0.0	0.0	67.9	66.9	1.0	1.5	3.2	3.1	0.1	3.1												
GOOD FAITH HOUSE																											
F00	R1	UNKNOWN	W1	25.5	23.0	2.5	9.8	99.1	96.6	2.5	2.5					34.0	5	28	3	17.6	40	34	5	28	3	17.6	40
	R2	UNKNOWN	W2	29.5	26.6	2.9	9.8	97.5	92.8	4.7	4.8					71.0	18	63	15	11.3	16.7	71	18	63	15	11.3	16.7
			W3	20.1	20.1	0.0	0.0																				
F01	R1	UNKNOWN	W1	29.7	26.2	3.5	11.8	99.4	97.8	1.6	1.6					40.0	7	32	3	20	57.1	40	7	32	3	20	57.1
	R2	UNKNOWN	W2	30.8	27.3	3.5	11.4	98.9	98.6	0.3	0.3					77.0	20	67	15	13	25	77	20	67	15	13	25
			W3	30.8	27.3	3.5	11.4									75.0	20	65	15	13.3	25						

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
F02	R1	UNKNOWN	W1	32.4	28.4	4.0	12.3	99.7	99.1	0.6	0.6					41.0	8	34	4	17.1	50	41	8	34	4	17.1	50
	R2	UNKNOWN	W2	31.6	27.8	3.8	12.0	98.9	98.6	0.3	0.3					77.0	20	68	15	11.7	25	77	20	68	15	11.7	25
			W3	31.6	27.8	3.8	12.0									77.0	20	68	15	11.7	25						
GOOD SPEED HOUSE																											
F00	R1	UNKNOWN	W1	30.4	27.0	3.4	11.2	95.7	95.7	0.0	0.0					77.0	20	67	16	13	20	77	20	67	16	13	20
	R2	UNKNOWN	W2	30.5	27.1	3.4	11.1	98.9	98.9	0.0	0.0					78.0	21	69	17	11.5	19	78	21	69	17	11.5	19
	R3	UNKNOWN	W3	30.6	27.2	3.4	11.1	98.9	98.9	0.0	0.0					78.0	21	68	17	12.8	19	78	21	68	17	12.8	19
	R4	UNKNOWN	W4	30.6	27.2	3.4	11.1	99.3	99.3	0.0	0.0					78.0	21	68	17	12.8	19	78	21	68	17	12.8	19
	R5	UNKNOWN	W5	30.7	27.3	3.4	11.1	99.3	99.3	0.0	0.0					78.0	21	68	17	12.8	19	78	21	68	17	12.8	19
	R6	UNKNOWN	W6	30.6	27.3	3.3	10.8	99.6	99.6	0.0	0.0					77.0	20	68	16	11.7	20	77	20	68	16	11.7	20
F01	R1	UNKNOWN	W1	31.3	27.7	3.6	11.5	95.7	95.2	0.5	0.5					77.0	20	67	16	13	20	77	20	67	16	13	20
	R2	UNKNOWN	W2	31.3	27.8	3.5	11.2	98.9	98.9	0.0	0.0					78.0	21	69	17	11.5	19	78	21	69	17	11.5	19
	R3	UNKNOWN	W3	31.3	27.8	3.5	11.2	98.9	98.9	0.0	0.0					78.0	21	68	17	12.8	19	78	21	68	17	12.8	19
	R4	UNKNOWN	W4	31.3	27.9	3.4	10.9	99.3	99.3	0.0	0.0					78.0	21	69	17	11.5	19	78	21	69	17	11.5	19
	R5	UNKNOWN	W5	31.3	28.0	3.3	10.5	99.3	99.3	0.0	0.0					78.0	21	70	17	10.3	19	78	21	70	17	10.3	19
	R6	UNKNOWN	W6	31.4	28.1	3.3	10.5	96.3	84.7	11.6	12.0					78.0	21	71	17	9	19	78	21	71	17	9	19
F02	R1	UNKNOWN	W1	31.8	28.2	3.6	11.3	98.4	98.4	0.0	0.0					77.0	20	68	16	11.7	20	77	20	68	16	11.7	20
	R2	UNKNOWN	W2	31.9	28.4	3.5	11.0	100.0	100.0	0.0	0.0					78.0	21	70	17	10.3	19	78	21	70	17	10.3	19
	R3	UNKNOWN	W3	31.9	28.4	3.5	11.0	100.0	100.0	0.0	0.0					78.0	21	69	17	11.5	19	78	21	69	17	11.5	19
	R4	UNKNOWN	W4	31.9	28.5	3.4	10.7	100.0	100.0	0.0	0.0					78.0	21	70	17	10.3	19	78	21	70	17	10.3	19
	R5	UNKNOWN	W5	31.9	28.5	3.4	10.7	100.0	100.0	0.0	0.0					78.0	21	70	17	10.3	19	78	21	70	17	10.3	19
	R6	UNKNOWN	W6	32.0	28.7	3.3	10.3	98.7	87.0	11.7	11.9					78.0	21	71	17	9	19	78	21	71	17	9	19
GOOD HOPE HOUSE																											
F00	R1	UNKNOWN	W1	26.5	24.4	2.1	7.9	94.4	94.4	0.0	0.0					68.0	17	64	14	5.9	17.6	72	18	69	16	4.2	11.1
			W2	5.2	5.2	0.0	0.0																				
			W3	8.6	8.6	0.0	0.0									15.0	11	15	11	0	0						
			W4	7.1	5.9	1.2	16.9									15.0	10	14	9	6.7	10						
			W5	26.8	24.6	2.2	8.2									71.0	18	68	16	4.2	11.1						
			W6	4.3	2.4	1.9	44.2									20.0	8	17	6	15	25						
	R2	UNKNOWN	W7	28.0	25.8	2.2	7.9	99.6	97.9	1.7	1.7					63.0	17	61	16	3.2	5.9	63	17	61	16	3.2	5.9
	R3	UNKNOWN	W8	26.5	24.2	2.3	8.7	93.4	93.4	0.0	0.0					69.0	16	66	14	4.3	12.5	71	16	68	14	4.2	12.5
			W9	4.7	4.7	0.0	0.0																				
			W10	8.7	8.7	0.0	0.0									15.0	11	15	11	0	0						
			W11	7.3	6.1	1.2	16.4									14.0	9	13	8	7.1	11.1						
			W12	4.3	2.3	2.0	46.5									18.0	6	15	4	16.7	33.3						
			W13	26.3	24.0	2.3	8.7									70.0	16	67	14	4.3	12.5						
	R4	UNKNOWN	W14	27.4	25.0	2.4	8.8	99.3	88.9	10.4	10.5					64.0	16	61	14	4.7	12.5	64	16	61	14	4.7	12.5
	R5	UNKNOWN	W15	25.4	23.0	2.4	9.4	91.5	91.5	0.0	0.0					66.0	17	61	13	7.6	23.5	66	17	61	13	7.6	23.5
			W16	2.7	2.7	0.0	0.0																				
			W17	7.0	7.0	0.0	0.0									14.0	11	14	11	0	0						
			W18	6.4	5.3	1.1	17.2									12.0	9	10	7	16.7	22.2						
			W19	24.3	21.9	2.4	9.9									60.0	16	54	11	10	31.3						
			W20	3.6	2.0	1.6	44.4									19.0	9	14	5	26.3	44.4						
	R6	UNKNOWN	W21	24.2	21.8	2.4	9.9	94.9	85.7	9.2	9.7					53.0	15	47	10	11.3	33.3	53	15	47	10	11.3	33.3
F01	R1	UNKNOWN	W1	28.0	25.2	2.8	10.0	94.4	94.4	0.0	0.0					71.0	19	67	16	5.6	15.8	76	19	73	17	3.9	10.5
			W2	5.1	5.1	0.0	0.0																				
			W3	7.8	7.8	0.0	0.0									12.0	11	12	11	0	0						
			W4	6.3	4.7	1.6	25.4									11.0	10	10	9	9.1	10						
			W5	27.9	25.1	2.8	10.0									71.0	19	68	17	4.2	10.5						
			W6	4.2	1.8	2.4	57.1									15.0	8	12	6	20	25						
	R2	UNKNOWN	W7	30.4	27.5	2.9	9.5	100.0	98.9	1.1	1.1					70.0	19	67	17	4.3	10.5	70	19	67	17	4.3	10.5
	R3	UNKNOWN	W8	27.6	24.8	2.8	10.1	93.4	93.4	0.0	0.0					68.0	18	64	15	5.9	16.7	75	18	71	15	5.3	16.7
			W9	4.8	4.8	0.0	0.0																				
			W10	7.7	7.7	0.0	0.0									12.0	11	12	11	0	0						
			W11	6.2	4.7	1.5	24.2									11.0	10	9	8	18.2	20						
			W12	4.2	1.8	2.4	57.1									14.0	8	10	5	28.6	37.5						
			W13	27.4	24.7	2.7	9.9									69.0	18	65	15	5.8	16.7						
	R4	UNKNOWN	W14	29.9	27.1	2.8	9.4	99.3	89.6	9.7	9.8					70.0	19	66	16	5.7	15.8	70	19	66	16	5.7	15.8
	R5	UNKNOWN	W15	27.1	24.3	2.8	10.3	96.2	96.2	0.0	0.0					71.0	21	66	17	7	19	76	21	71	17	6.6	19
			W16	3.2	3.2	0.0	0.0																				
			W17	6.9	6.9	0.0	0.0									13.0	12	13	12	0	0						
			W18	5.7	4.6	1.1	19.3									9.0	9	7	7	22.2	22.2						
			W19	26.5	23.7	2.8	10.6									69.0	20	63	15	8.7	25						
			W20	3.5	1.5	2.0	57.1									14.0	9	9	5	35.7	44.4						
	R6	UNKNOWN	W21	28.2	25.4	2.8	9.9	94.9	86.3	8.6	9.1					69.0	18	63	13	8.7	27.8	69	18	63	13	8.7	27.8
F02	R1	UNKNOWN	W1	32.4	29.4	3.0	9.3	94.4	94.4	0.0	0.0					79.0	22	75	19	5.1	13.6	79	22	76	20	3.8	9.1
			W2	6.5	6.5	0.0	0.0																				
			W3	9.5	9.5	0.0	0.0									15.0	11	15	11	0	0						
			W4	7.9	6.2	1.7	21.5									15.0	10	14	9	6.7	10						
			W5	32.5	29.4	3.1	9.5									79.0	22	76	20	3.8	9.1						
			W6	5.4	2.8	2.6	48.1									23.0	8	20	6	13	25						
	R2	UNKNOWN	W7	32.5	29.4	3.1	9.5	100.0	99.3	0.7	0.7					79.0	22	76	20	3.8	9.1	79	22	76	20	3.8	9.1
	R3	UNKNOWN	W8	32.4	29.4	3.0	9.3	93.4	93.4	0.0	0.0					77.0	20	73	17	5.2	15	77	20	73	17	5.2	15
			W9	6.4	6.4	0.0	0.0																				
			W10	9.6	9.6	0.0	0.0									15.0	11	15	11	0	0						
			W11	7.8	6.3	1.5	19.2									15.0	10	13	8	13.3	20						
			W12	5.4	2.8	2.6	48.1									23.0	8	19	5	17.4	37.5						
			W13	32.3	29.3	3.0	9.3									77.0	20	73	17	5.2	15						
	R4	UNKNOWN	W14	32.3	29.3	3.0	9.3	99.3	90.7	8.6	8.7					77.0	20	73	17	5.2	15	77	20	73	17	5.2

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
	R6	UNKNOWN	W7	6.9	4.3	2.6	37.7	94.5	87.3	7.2	7.6					12.0	2	7	0	41.7	100	12	2	7	0	41.7	100
	R7	UNKNOWN	W8	2.9	2.9	0.0	0.0	40.0	40.0	0.0	0.0					5.0	0	5	0	0	0	5	0	5	0	0	0
	R8	UNKNOWN	W9	6.8	6.8	0.0	0.0	78.2	78.2	0.0	0.0					8.0	0	8	0	0	0	8	0	8	0	0	0
	R9	UNKNOWN	W10	26.6	24.3	2.3	8.6	86.7	86.7	0.0	0.0					71.0	14	64	11	9.9	21.4	71	14	64	11	9.9	21.4
	R10	UNKNOWN	W11	26.5	24.0	2.5	9.4	98.7	98.7	0.0	0.0											63	14	56	11	11.1	21.4
			W12	21.4	19.0	2.4	11.2									47.0	11	40	8	14.9	27.3						
	R11	UNKNOWN	W13	27.7	25.1	2.6	9.4	98.0	98.0	0.0	0.0					68.0	14	61	11	10.3	21.4	68	14	61	11	10.3	21.4
	R12	UNKNOWN	W14	28.3	25.6	2.7	9.5	98.8	98.8	0.0	0.0					71.0	15	64	12	9.9	20	71	15	64	12	9.9	20
	R13	UNKNOWN	W15	31.2	27.4	3.8	12.2	98.3	95.8	2.7	2.7					41.0	8	35	6	14.6	25	41	8	35	6	14.6	25
	R14	UNKNOWN	W16	30.8	27.1	3.7	12.0	98.3	97.8	0.5	0.5					37.0	8	32	6	13.5	25	37	8	32	6	13.5	25
F01	R1	UNKNOWN	W1	27.2	24.2	3.0	11.0	99.0	99.0	0.0	0.0																
	R2	UNKNOWN	W2	27.9	24.7	3.2	11.5	98.3	98.3	0.0	0.0					29.0	6	24	4	17.2	33.3	58	12	53	10	8.6	16.7
			W3	20.6	18.0	2.6	12.6									49.0	10	44	8	10.2	20						
	R3	UNKNOWN	W4	17.9	15.3	2.6	14.5	86.0	86.0	0.0	0.0					40.0	8	35	6	12.5	25	40	8	35	6	12.5	25
	R4	UNKNOWN	W5	0.2	0.0	0.2	100.0	5.7	5.7	0.0	0.0					0.0	0	0	0	0	0	0	0	0	0	0	0
	R5	UNKNOWN	W6	0.1	0.0	0.1	100.0	0.0	0.0	0.0	0.0					0.0	0	0	0	0	0	0	0	0	0	0	0
	R6	UNKNOWN	W7	7.7	5.1	2.6	33.8	95.8	86.7	9.1	9.5																
	R7	UNKNOWN	W8	4.4	4.2	0.2	4.5	51.3	51.3	0.0	0.0																
	R8	UNKNOWN	W9	7.7	7.6	0.1	1.3	84.6	83.3	1.3	1.5					8.0	0	8	0	0	0	8	0	8	0	0	0
	R9	UNKNOWN	W10	30.1	27.7	2.4	8.0	98.6	98.6	0.0	0.0					77.0	20	70	17	9.1	15	77	20	70	17	9.1	15
	R10	UNKNOWN	W11	26.5	24.0	2.5	9.4	98.7	98.7	0.0	0.0					67.0	20	60	17	10.4	15	68	20	61	17	10.3	15
			W12	22.0	19.5	2.5	11.4									51.0	16	44	13	13.7	18.8						
	R11	UNKNOWN	W13	27.2	24.7	2.5	9.2	98.0	98.0	0.0	0.0					71.0	20	64	17	9.9	15	71	20	64	17	9.9	15
	R12	UNKNOWN	W14	27.3	24.7	2.6	9.5	98.8	98.8	0.0	0.0					71.0	20	64	17	9.9	15	71	20	64	17	9.9	15
	R13	UNKNOWN	W15	29.5	25.7	3.8	12.9	98.3	95.2	3.1	3.2					32.0	6	26	4	18.8	33.3	32	6	26	4	18.8	33.3
	R14	UNKNOWN	W16	29.2	25.5	3.7	12.7	98.3	97.4	0.9	0.9					32.0	6	27	4	15.6	33.3	32	6	27	4	15.6	33.3
F02	R1	UNKNOWN	W1	33.2	29.9	3.3	9.9	96.7	96.7	0.0	0.0																
	R2	UNKNOWN	W2	33.5	30.2	3.3	9.9	96.2	96.2	0.0	0.0											73	17	69	15	5.5	11.3
			W3	28.1	25.6	2.5	8.9									67.0	17	63	15	6	11.8						
	R3	UNKNOWN	W4	26.4	23.9	2.5	9.5	88.0	88.0	0.0	0.0					59.0	16	55	14	6.8	12.5	59	16	55	14	6.8	12.5
	R4	UNKNOWN	W5	16.7	14.3	2.4	14.4	78.6	78.6	0.0	0.0					40.0	11	36	9	10	18.2	40	11	36	9	10	18.2
	R5	UNKNOWN	W6	0.4	0.1	0.3	75.0	0.0	0.0	0.0	0.0					0.0	0	0	0	0	0	0	0	0	0	0	0
	R6	UNKNOWN	W7	31.7	28.4	3.3	10.4	99.4	98.2	1.2	1.2																
	R7	UNKNOWN	W8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					0.0	0	0	0	0	0	0	0	0	0	0	0
	R8	UNKNOWN	W9	32.8	30.3	2.5	7.6	96.2	94.9	1.3	1.4					40.0	5	34	3	15	40	40	5	34	3	15	40
	R9	UNKNOWN	W10	32.3	29.9	2.4	7.4	98.6	98.6	0.0	0.0					78.0	21	71	18	9	14.3	78	21	71	18	9	14.3
	R10	UNKNOWN	W11	29.0	26.6	2.4	8.3	95.9	95.9	0.0	0.0					65.0	19	58	16	10.8	15.8	65	19	58	16	10.8	15.8
	R11	UNKNOWN	W12	30.4	27.8	2.6	8.6	96.4	79.1	17.3	17.9					76.0	21	69	18	9.2	14.3	76	21	69	18	9.2	14.3
	R12	UNKNOWN	W13	34.3	30.5	3.8	11.1	97.5	96.7	0.8	0.8											86	21	79	18	8.1	14.3
			W14	30.8	28.2	2.6	8.4									78.0	21	71	18	9	14.3						
	R13	UNKNOWN	W15	34.2	30.5	3.7	10.8	95.3	89.3	6.0	6.3					N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	UNKNOWN	W1	33.1	29.8	3.3	10.0	89.2	82.4	6.8	7.6																
			W2	33.1	29.8	3.3	10.0									N/A	N/A	N/A	N/A	N/A	N/A						
	R2	UNKNOWN	W3	32.6	29.4	3.2	9.8	87.5	79.5	8.0	9.1					N/A	N/A	N/A	N/A	N/A	N/A						
			W4	32.8	29.5	3.3	10.1									N/A	N/A	N/A	N/A	N/A	N/A						
HORIZON BUILDING																											
F01	R1	LIVING ROOM	W1	5.6	5.4	0.2	3.6	98.1	92.4	5.7	5.8					11.0	5	11	5	0	0	40	7	26	5	35	26.6
			W2	28.1	21.6	6.5	23.1									29.0	2	12	0	58.6	100						
			W3	27.1	20.5	6.6	24.4									29.0	2	15	0	48.3	100						
	R2	LIVING ROOM	W4	6.3	3.8	2.5	39.7	91.9	86.3	5.6	6.1					22.0	2	7	0	68.2	100	31	2	16	0	48.4	100
			W5	28.3	19.8	8.5	24.7									30.0	2	15	0	50	100						
F02	R1	LIVING ROOM	W1	10.9	9.7	1.2	11.0	86.0	82.7	3.3	3.8					33.0	7	25	5	24.2	28.6	52	7	36	5	30.8	26.6
			W2	29.8	23.1	6.7	22.5									28.0	2	11	0	60.7	100						
	R2	KITCHEN	W3	29.1	22.4	6.7	23.0	89.0	89.0	0.0	0.0					31.0	2	17	0	45.2	100	31	2	17	0	45.2	100
	R3	BEDROOM	W4	26.3	19.5	6.8	25.9	90.2	87.5	2.7	3.0					33.0	3	17	0	48.5	100	33	3	17	0	48.5	100
	R4	LIVING ROOM	W5	6.8	4.1	2.7	39.7	92.4	86.8	5.6	6.1					25.0	2	10	0	60	100	32	2	17	0	46.9	100
			W6	30.1	23.4	6.7	22.3									32.0	2	17	0	46.9	100						
F03	R1	LIVING ROOM	W1	11.6	10.3	1.3	11.2	86.9	83.7	3.2	3.7					34.0	8	26	6	23.5	25	55	8	39	6	29.1	25
			W2	30.9	24.1	6.8	22.0									30.0	2	13	0	56.7	100						
	R2	KITCHEN	W3	30.0	23.3	6.7	22.3	91.2	91.2	0.0	0.0					32.0	3	18	1	43.8	66.7	32	3	18	1	43.8	66.7
	R3	BEDROOM	W4	27.4	20.7	6.7	24.5	90.2	87.9	2.3	2.5					33.0	3	18	0	45.5	100	33	3	18	0	45.5	100
	R4	LIVING ROOM	W5	6.9	4.2	2.7	39.1	88.2	79.7	8.5	9.6					26.0	3	10	0	61.5	100	35	3	19	0	45.7	100
			W6	31.9	25.1	6.8	21.3									34.0	3	18	0	47.1	100						
F04	R1	LIVING ROOM	W1	12.1	10.7	1.4	11.6	84.8	82.5	2.3	2.7					34.0	8	26	6	23.5	25	57	9	41	7	28.1	22.2
			W2	31.2	24.3	6.9	22.1									32.0	3	15	1	53.1	66.7						
	R2	KITCHEN	W3	30.1	23.5	6.6	21.9	91.2	91.2	0.0	0.0					32.0	3	18	1	43.8	66.7	32	3	18	1	43.8	66.7
	R3	BEDROOM	W4	26.9	20.3	6.6	24.5	90.2	87.9	2.3	2.5					33.0	3	18	0	45.5	100	33	3	18	0	45.5	100
	R4	LIVING ROOM	W5	7.0	4.3	2.7	38.6	89.7	81.6	8.1	9.0					26.0	3	11	0	57.7	100	35	3	20	0	42.9	100
			W6	32.1	25.3	6.8	21.2									34.0	3	19	0	44.1	100						
F05	R1	LIVING ROOM	W1	12.9	11.4	1.5	11.6	84.8	82.7	2.1	2.5					39.0	9	30	7	23.1	22.2	60	10	44	8	26.7	20
			W2	31.4	24.6	6.8	21.7									32.0	3	15	1	53.1	66.7						
	R2	KITCHEN	W3	30.4	23.8	6.6	21.7	91.2	91.2	0.0	0.0					33.0	3	19	1	42.4	66.7	33	3	19	1	42.4	66.7
	R3	BEDROOM	W4	27.2	20.6	6.6	24.3	90.2	87.1	3.1	3.4					33.0	3	18	0	45.5	100	33	3	18	0	45.5	100
	R4	LIVING ROOM	W5	7.2	4.6	2.6	36.1	90.0	82.4	7.6	8.4					26.0	3	11	0	57.7	100	35	3	20	0	42.9	100
			W6	32.4	25.7	6.7	20.7									34.0	3	19	0	44.1	100						
F06	R1	LIVING ROOM	W1	12.7	11.2	1.5	11.8	84.8	83.4	1.4	1.7					35.0	9	27	7	22.9	22.2	58	10	42	8	27.6	20
			W2	31.6	24.8	6.8	21.5									32.0	3	15	1	53.1	66.7						
	R2	KITCHEN	W3	30.5	23.9	6.6	21.6	91.2	91.2	0.0	0.0					33.0	3	19	1	42.4	66.7	33	3	19	1	42.4	66.7
	R3	BEDROOM	W4	27.3	20.7	6.6	24.2	90.2	87.9	2.3	2.5					33.0	3	18	0	45.5	100	33	3	18	0	45.5	100
	R4	LIVING ROOM	W5	7.5	4.8	2.7	36.0	92.6	87.5	5.1	5.5					27.0	3	12	0	55.6	100	35	3	20	0	42.9	100
			W6	32.8	26.1	6.7	20.4									35.0	3	20	0	42.9	100						
F07	R1	LIVING ROOM	W1	13.2	11.8	1.4	10.6	84.8	83.6	1.2	1.4					35.0	9	27	7	22.9	22.2	59	10	43	8	27.1	20
			W2	31.8	25.0	6.8	21.4									33.0	3	16	1	51.5	66.7						
	R2	KITCHEN	W3	30.7	24.2	6.5	21.2	91.2	91.2	0.0	0.0					33.0	3	19	1	42.4	66.7	33	3	19	1	42.4	66.7
	R3	BEDROOM	W4	27.8	21.0	6.8	24.5	79.3	77.0	2.3	2.9					34.0	3	19	0	44.1	100	34	3	19	0	44.1	100
	R4	LIVING ROOM	W5	7.7	5.0	2.7	35.1	91.7	84.6	7.1	7.7					28.0	3	13	0	53.6	100	37	3	22	0	40.5	100
			W6	32.8	26.1	6.7	20.4									35.0	3	20	0	42.9	100						
F08	R1	LIVING ROOM	W1	13.5	12.1	1.4	10.4	84.8	84.1	0.7	0.8					38.0	11	30	9	21.1	18.2	61	12	46	10	24.6	16.7
			W2	32.0	25.3	6.7	20.9									33.0	3	17	1	48.5	66.7						
	R2	KITCHEN	W3	30.9	24.4	6.5	21.0	90.1	90.1	0.0	0.0					34.0	3	21	1	38.2	66.7	34	3	21	1	38.2	66.7
	R3	BEDROOM	W4	27.9	21.3	6.6	23.7	89.3	85.9	3.4	3.8					34.0	3	20	0	41.2	100	34	3	20	0	41.2	100

				VERTICAL SKY COMPONENT (WINDOWS)				NO SKY LINE				AVERAGE DAYLIGHT FACTOR				ANNUAL PROBABLE SUNLIGHT HOURS						ANNUAL PROBABLE SUNLIGHT HOURS					
																WINDOW BASELINE		WINDOW INDICATIVE		TOTAL	WINTER	ROOM BASELINE		ROOM INDICATIVE		TOTAL	WINTER
FLOOR	ROOM	ROOM USE	WINDOW	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	BASELINE	INDICATIVE	LOSS	%	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS	TOTAL	WINTER	TOTAL	WINTER	% LOSS	% LOSS
	R4	LIVING ROOM	W5	7.9	5.3	2.6	32.9	91.7	84.8	6.9	7.5					28.0	3	14	0	50	100	37	3	23	0	37.8	100
			W6	32.9	26.3	6.6	20.1									35.0	3	21	0	40	100						
F09	R1	LIVING ROOM	W1	14.1	12.6	1.5	10.6	84.8	84.4	0.4	0.5					38.0	11	30	9	21.1	18.2	61	12	46	10	24.6	16.7
			W2	32.1	25.4	6.7	20.9									33.0	3	17	1	48.5	66.7						
	R2	KITCHEN	W3	30.4	23.8	6.6	21.7	91.6	91.0	0.6	0.7					33.0	3	20	1	39.4	66.7	33	3	20	1	39.4	66.7
	R3	BEDROOM	W4	28.1	21.5	6.6	23.5	90.1	87.5	2.6	2.9					34.0	3	20	0	41.2	100	34	3	20	0	41.2	100
	R4	LIVING ROOM	W5	8.3	5.7	2.6	31.3	91.9	85.8	6.1	6.6					29.0	3	15	0	48.3	100	38	3	24	0	36.8	100
			W6	33.1	26.5	6.6	19.9									36.0	3	22	0	38.9	100						
F10	R1	LIVING ROOM	W1	21.1	19.0	2.1	10.0	84.8	84.4	0.4	0.5					52.0	11	40	9	23.1	18.2	67	12	52	10	22.4	16.7
			W2	32.3	25.7	6.6	20.4									34.0	3	18	1	47.1	66.7						
	R2	KITCHEN	W3	31.4	25.0	6.4	20.4	91.6	89.2	2.4	2.6					34.0	3	21	1	38.2	66.7	34	3	21	1	38.2	66.7
	R3	BEDROOM	W4	29.0	22.5	6.5	22.4	89.8	88.1	1.7	1.9					35.0	3	21	0	40	100	35	3	21	0	40	100
	R4	LIVING ROOM	W5	9.0	6.3	2.7	30.0	91.9	85.5	6.4	7.0					29.0	3	15	0	48.3	100	38	3	24	0	36.8	100
			W6	33.2	26.7	6.5	19.6									36.0	3	22	0	38.9	100						
F11	R1	LIVING ROOM	W1	2.8	2.7	0.1	3.6	79.9	77.6	2.3	2.9					5.0	4	5	4	0	0	38	7	22	5	42.1	26.6
			W2	31.9	25.3	6.6	20.7									33.0	3	17	1	48.5	66.7						
	R2	KITCHEN	W3	30.5	24.1	6.4	21.0	90.4	87.4	3.0	3.3					33.0	3	20	1	39.4	66.7	33	3	20	1	39.4	66.7
	R3	BEDROOM	W4	28.2	21.8	6.4	22.7	87.6	85.8	1.8	2.1					33.0	3	19	0	42.4	100	33	3	19	0	42.4	100
	R4	LIVING ROOM	W5	1.1	8.4	2.7	24.3	93.7	83.2	10.5	11.2					32.0	3	18	0	43.8	100	42	3	28	0	33.3	100
			W6	33.0	26.6	6.4	19.4									38.0	3	24	0	36.8	100						
F12	R1	LIVING ROOM	W1	22.4	20.2	2.2	9.8	100.0	100.0	0.0	0.0					58.0	12	43	9	25.9	25	71	13	55	10	22.5	23.1
			W2	23.2	17.1	6.1	26.3									28.0	4	14	1	50	75						
LITTLE ST MATTHIAS PRESCHOOL																											
F00	R1	UNKNOWN	W1	26.6	24.2	2.4	9.0	99.8	99.3	0.5	0.5											76	20	73	17	3.9	15
			W2	28.8	26.8	2.0	6.9																				
			W3	28.8	26.7	2.1	7.3									73.0	18	70	15	4.1	16.7						
			W4	28.6	26.5	2.1	7.3									N/A	N/A	N/A	N/A	N/A	N/A						
			W5	28.7	26.6	2.1	7.3									N/A	N/A	N/A	N/A	N/A	N/A						
			W6	14.5	12.2	2.3	15.9									N/A	N/A	N/A	N/A	N/A	N/A						
			W7	28.5	26.3	2.2	7.7									N/A	N/A	N/A	N/A	N/A	N/A						
			W8	28.3	26.2	2.1	7.4									N/A	N/A	N/A	N/A	N/A	N/A						
			W9	28.1	25.9	2.2	7.8									68.0	17	65	14	4.4	17.6						
	R2	UNKNOWN	W10	27.8	26.8	1.0	3.6	100.0	100.0	0.0	0.0					37.0	8	34	5	8.1	37.5	83	22	81	20	2.4	9.1
			W11	29.2	28.0	1.2	4.1									27.0	4	25	3	7.4	25						
			W12	28.6	27.7	0.9	3.1																				
			W13	29.8	28.9	0.9	3.0																				
			W14	31.2	30.1	1.1	3.5																				
			W15	28.1	26.1	2.0	7.1									N/A	N/A	N/A	N/A	N/A	N/A						
			W16	28.2	26.2	2.0	7.1									N/A	N/A	N/A	N/A	N/A	N/A						
			W17	28.0	25.9	2.1	7.5									N/A	N/A	N/A	N/A	N/A	N/A						
			W18	13.5	11.4	2.1	15.6									N/A	N/A	N/A	N/A	N/A	N/A						
			W19	28.2	26.2	2.0	7.1									N/A	N/A	N/A	N/A	N/A	N/A						
			W20	28.1	26.0	2.1	7.5									N/A	N/A	N/A	N/A	N/A	N/A						
			W21	28.3	26.2	2.1	7.4									N/A	N/A	N/A	N/A	N/A	N/A						
			W22	27.3	25.2	2.1	7.7									N/A	N/A	N/A	N/A	N/A	N/A						
LUBBOCK HOUSE (TBC)																											
	R1	UNKNOWN	W1	31.4	29.5	1.9	6.1	99.7	95.5	4.2	4.2					79.0	22	74	18	6.3	18.2	79	22	74	18	6.3	18.2
	R2	UNKNOWN	W2	32.1	29.9	2.2	6.9	100.0	100.0	0.0	0.0					78.0	21	75	18	3.8	14.3	78	21	75	18	3.8	14.3
			W3	31.4	29.4	2.0	6.4									78.0	21	75	18	3.8	14.3						
			W4	31.8	29.6	2.2	6.9									78.0	21	75	18	3.8	14.3						
			W5	31.8	29.7	2.1	6.6									78.0	21	75	18	3.8	14.3						
	R3	UNKNOWN	W6	32.0	29.8	2.2	6.9	100.0	100.0	0.0	0.0					79.0	22	76	19	3.8	13.6	79	22	76	19	3.8	13.6
	R4	UNKNOWN	W7	32.3	30.1	2.2	6.8	99.7	99.7	0.0	0.0					78.0	21	75	18	3.8	14.3	78	21	75	18	3.8	14.3
	R5	UNKNOWN	W8	1.9	1.9	0.0	0.0	62.2	56.6	5.6	9.0					3.0	3	3	3	0	0	3	3	3	3	0	0
	R6	UNKNOWN	W9	32.3	30.1	2.2	6.8	99.7	99.7	0.0	0.0					78.0	21